## SIDEWALK REPAIR POLICY FOR CITY OF WAUKESHA

- 1. \_\_The City shall complete an annual <u>Sidewalk\_sidewalk\_Maintenance projectsurvey which that</u> focuses on one specific area of the City to <u>replace\_identify</u> existing sidewalk meeting the criteria of Section 3 below. <u>This annual projectAfter completion of the survey, the City will-may replace or repair</u> as much sidewalk <u>identified in the survey</u> as <u>feasible based onis allowable within</u> the allocated CIP budget for <u>said projectthat year, in the City's discretion</u>. In general, the area of focus shall be adjacent to the previous year stopping point, working in a clockwise direction around the City.
- 2. \_\_The City shall also complete sidewalk maintenance work in coordination with other CIP projects. Sidewalk within these project limits shall be <a href="inspected-evaluated">inspected-evaluated</a> using the criteria outlined in Section 3 and <a href="may be">may be</a> replaced according to Municipal Code 6.115.
- 3. <u>Sidewalks must be repaired if any of the following conditions exist</u>Criteria for sidewalk to be considered for replacement or repair are:

A differential in elevation between any two adjoining pieces of sidewalk of more than one (1) inch.

A cracked sidewalk if pieces are missing.

A settled or damaged sidewalk that crosses a driveway where a paved drive approach has been ordered by the property owner.

A settled sidewalk of more than two (2) inches. The depth of settlement will be determined by measuring from a line set parallel to street on adjacent unsettled walk to the lowest point of settled walk.

- 4. All-sSidewalks brought to the attention of the City through complaints shall also be evaluated according to be repaired if they meet the criteria established in Section 4.3-ef, above.
- The cost responsibility for the construction and replacement of sidewalk shall be in accordance with Municipal Code 6.115.
- 6. Replacement or repair of any sidewalk shall at all times be in the sole discretion of the City.

Formatted: Tab stops: 0.38", Left

Formatted: Indent: Left: 0.5"

Formatted: Tab stops: 0.38", Left