## CONSTRUCTION PHASING

## SEQUENCING:

THE CONTRACTOR MUST FOLLOW THE FOLLOWING CONSTRUCTION SEQUENCE:


- 1. INSTALL SILT FENCE, GRAVEL ENTRANCE AND INLET PROTECTION IN ALL EXISTING INLETS. INLET PROTECTION SHALL BE IN ACCORDANCE WITH THE WDNR TECHNICAL STANDARD 1060 (TYPE B & D).
- 2. REMOVE EXISTING ASPHALT & INSTALL GRAVEL CONSTRUCTION ENTRANCE AS SHOWN ON THE PLAN (TRACKING PAD).
- 3. OBTAIN PERMITS AND DISCONNECT BUILDING FORM ALL UTILITIES. REMOVE EXISTING BUILDING, REMAINING ASPHALT, CONCRETE AND GRASS ISLAND AREAS AND EXCAVATE FOR BUILDING FOOTINGS. HAUL OFFSITE.
- 4. STRIP UNSUITABLE MATERIAL FROM THE STRUCTURAL AREAS; AS REQUIRED AND HAUL OFFSITE.
- 5. COMPLETE BUILDING, PARKING & LANDSCAPE AREAS.
- 6. TOPSOIL, RE-VEGETATE AND STABILIZE ALL REMAINING DISTURBED AREAS.
  7. AFTER ALL DISTURBED AREAS ARE WELL-ESTABLISHED AND FOLLOWING FINAL AS-BUILT ACCEPTANCE BY THE City, REMOVE ALL SILT FENCE AND ANY OTHER TEMPORARY BMP'S.

CONSTRUCTION SCHEDULE: START DATE: MAY 2024.

BEGIN BUILDING AND PARKING AREAS:

JUNE 2024


SITE RESTORATION DATE: OCTOBER 2024.




STALLS MUST HAVE SIGNAGE & CURB RAMP MUST MEET ALL APPLICABLE ADA REQUIREMENTS.

CURB RAMP 4

SAWCUT & MATCH EXISTING PAVEMENT




GENERAL NOTES 1) TRENCH SHALL BE A MINIMUM OF 4" WIDE & 6" DEEP TO BURY AND ANCHOR THE GEOTEXTILE FABRIC. FOLD MATERIAL TO FIT TRENCH AND BACKFILL & COMPACT TRENCH WITH EXCAVATED SOIL.  $\widehat{2}$ ) WOOD POSTS SHALL BE A MINIMUM OF 1  $\frac{1}{8}$ " x 1  $\frac{1}{8}$ " OF OAK OR HICKORY. (3) CONSTRUCT SILT FENCE FROM A CONTINUOUS ROLL IF POSSIBLE BY CUTTING LENGTHS TO AVOID JOINTS. IF A JOINT IS NECESSARY USE ONE OF THE FOLLOWING METHODS: A) TWIST METHOD -- OVERLAPTHE END POSTS AND TWIST, OR ROTATE, AT LEAST 180 DEGREES. B) HOOK METHOD -- HOOK THE END OF EACH SILT FENCE NOTE: ADDITIONAL POST DEPTH OR TIE BACKS SILT FENCE TIE BACK WOOD POST -TWIST METHOD BACKFILL AND COMPACT TRENCH ATTACH THE FABRIC TO THE POSTS WITH WIRE STAPLES OR WOODEN LATH AND NAILS TRENCH DETAIL WOOD POST -\* NOTE: 8'-0" POST SPACING ALLOWED IF A HOOK METHOD JOINING TWO LENGTHS OF SILT FENCE SILT FENCE



OR WASHED STONE ENTRANCE DRIVE PER

WDNR Technical Standard 1057.







Ellena Engineering Consultants, LLC = 700 Pilgrim Parkway - Suite 100 = Elm Grove, WI 53122 Phone: 262-719-6183 = Email: mellena@eeceng.com



FOX CITIES

N216 State Road 55
P.O. Box 620
Kaukauna, WI 54130
Phone (920)766-5795
1-800-236-2534
Fax (920)766-5004

MADISON

3308 Nursery Drive
Middleton, WI 53562
Phone (608)445-2245

MILWAUKEE

W204 N11509
Goldendale Rd
Germantown, WI 53022
Phone (262)250-9710
1-800-236-2534
Fax (262)250-9740

WAUSAU

5605 Lilac Ave
Wausau, WI 54401
Phone (715)849-314
Fax (715)849-3181

www.kellerbuilds.com

WISCONSIN

**WAUKESHA** 

LIFFIN FORD

"COPYRIGHT NOTICE"
This design, drawing and detail is the copyrighted property of KELLER, INC.
No part hereof shall be copied, duplicated, distributed, disclosed or made available to

anyone without the expressed written

consent of KELLER, INC.

REVISIONS

PROJECT MANAGER:

B. EGAN

DESIGNER: M. ELLENA

DRAWN BY:

M. ELLENA

EXPEDITOR:

SUPERVISOR:

PRELIMINARY NO:
P24024

CONTRACT NO:

DATE: 03.16.2024

SHEET: 2