
Down payment and balance payment receipts for Dustin Cement Company contractor dated 12APR22 and 14APR22 for concrete pad.

RECEIPT DATE 4/12/22 NO	. 137203
RECEIVED FROM SUC WASSON	\$2000
Two thousand 200100	DOLLARS
OFOR RENT COACSE TO	
ACCOUNT CASH	
PAYMENT MONEY ORDER	A-2701
BAL DUE 1900 CREDIT BY	T-46800

RECEIPT DATE 4/14/22 NO.	137204
RECEIVED FROM SUR WASSON	\$ 1,900
OFOR RENT Concrete gad	DOLLARS
ACCOUNT OCASH	
PAYMENT 1900 00 CHECK FROM TO	
BAL. DUE OO CREDIT CARD BY	A-2701 T-46800

Distance from edge of concrete pad to property line 2 feet, 7 inches.





Distance from edge of concrete pad to property line 9 inches.





Level measurement across *width* of concrete pad (towards neighbor's house, note concrete surface line direction)

NEIGHBOR HOUSE ——





Level measurement across <u>depth</u> of concrete pad by house (towards street note concrete surface line direction)

STREET -



Level measurement across *width* of concrete pad (towards neighbor's house, note concrete surface line direction)

NEIGHBOR HOUSE -



Level measurement across depth of concrete pad by main driveway (towards street note concrete surface line direction

STREET -






Level measurement across width of concrete pad by main driveway (towards street note concrete surface line direction)

NEIGHBOR HOUSE -







Water drainage testing. ½ full bucket of water.

Poured at center of concrete pad

Poured along neighbor edge of concrete pad

Test validates that the slope of the concrete pad allows water to drain toward street and not to neighbor property

