





- DIVERT FLOW AWAY FROM TRACKING PAD USING CULVERTS, SHALLOW TRENCH OR DIVERSION DAM.
- ROCKS LODGED BETWEEN THE TIRES OF DUAL VEHICLES SHALL BE REMOVED PRIOR TO LEAVING THE SITE.
- ON SITES WITH HIGH WATER TABLE OR SATURATED SOILS, INSTALL A DOT TYPE GEOTEXTILE FABRIC UNDER STONE TRACKING PAD.
- MAINTAIN UNTIL SITE IS PAVED / STABILIZED.



1 TRACKING PAD DETAIL
SCALE: 1" = 20"




7 SILT FENCE
NO SCALE




10 DUMPSTER SCREEN DETAILS
SCALE: 1/2" = 1'-0"


GENERAL NOTES:
FABRIC SHALL BE REPLACED AT THE ENGINEER'S DISCRETION. MANUFACTURED ALTERNATIVES APPROVED AND LISTED ON THE DEPARTMENT'S EROSION CONTROL PRODUCT ACCEPTABILITY LIST MAY BE SUBSTITUTED FOR THE INLET PROTECTION TYPE SPECIFIED. WHEN REMOVING OR MAINTAINING INLET PROTECTION, CARE SHALL BE TAKEN SO THAT THE SEDIMENT TRAPPED ON THE GEOTEXTILE FABRIC DOES NOT FALL INTO THE INLET. ANY MATERIAL FALLING INTO THE INLET SHALL BE REMOVED IMMEDIATELY.




2 INLET PROTECTION
NO SCALE



2 BIT. PAVING DETAIL
NO SCALE



9 PAVING DETAIL
NO SCALE




3 JOINT @ VERT. WALL
NO SCALE

4 JOINT @ VERT. WALL
NO SCALE

5 JOINT @ VERT. WALL
NO SCALE

6 EDGE @ GRADE
NO SCALE



SITE PLAN
SCALE: 1" = 20'

- GENERAL NOTES:**
- FIELD VERIFY LOCATION OF ALL UNDERGROUND UTILITIES PRIOR TO CONSTRUCTION
 - STREETS SHALL BE CLEANED AND KEPT FREE OF DEBRIS AS NECESSARY AT THE END OF EACH WORK DAY
 - ETR INDICATES EXISTING TO REMAIN.
 - SEED ALL AREAS SHOWN AS GRASS.
 - REMOVE ALL TREES IN AREAS TO BE DISTURBED

SITE PLAN CONSTRUCTION NOTES:

- CONCRETE APRON EXISTING TO REMAIN
- PAVING REMOVED
- TRACKING PAD PER DETAIL 1/C1.1
- 12'-0" X 12'-0" DUMPSTER ENCLOSURE. SEE DETAIL 10/C1.1
- ABANDON CATCH BASIN / INLET. FILL W/ BREAKER ROCK TO PAVING BASE.
- REMOVE DUMPSTER ENCLOSURE
- PROVIDE SILT FENCE PER DETAIL 7/C1.1
- PROVIDE INLET PROTECTION PER DETAIL 2/C1.1
- NEW CATCH BASIN PER DETAIL 14/C1.2. PROVIDE INLET PROTECTION PER 2/C1.1
- PROVIDE STRIPING AS SHOWN AND SIGNAGE AT ACCESSIBLE STALL PER 13/C1.2
- NEW PAVING PER DETAIL 8/C1.1
- 6" CONCRETE SLAB AT DOCK W/ #3 BARS @ 16" O.C. EACH WAY

SHEET INDEX

- CIVIL**
- C1.1 ARCHITECTURAL SITE PLAN AND SHEET INDEX
 - C1.2 GRADING PLAN AND DETAILS
 - L1.1 LANDSCAPE PLAN
- ARCHITECTURAL**
- A1.1 FLOOR PLAN
 - A3.1 BUILDING ELEVATIONS
- TOTAL SHEETS = 5

REVISIONS

JUNE 8, 2015

BUILDING ADDITION FOR:
Johnstone Supply
1615 Paramount Drive, Waukesha, WI.

THOMAS DESIGN
A R C H I T E C T
FOND DU LAC, WISCONSIN (920)-922-7131

PROJECT NUMBER
1503

C1.1
SHEET NUMBERS