



SPECIFICATION NOTE:
SEE SHEET CO.1 FOR PLAN SPECIFICATIONS AND REQUIREMENTS

- NOTES:**
- HANDICAP STALL AND ACCESS AISLES SHALL NOT EXCEED A SLOPE OF 1.50% IN ANY DIRECTION. HANDICAP STALL & ACCESS AISLES SHALL CONFORM TO ADA REQUIREMENTS (CURRENT EDITION)
 - ALL SIDEWALKS SHALL NOT EXCEED A MAXIMUM CROSS SLOPE OF 1.50% AND RUNNING SLOPE OF 4.50% UNLESS OTHERWISE SPECIFIED.

INLET PROTECTION NOTE:

IP CONTRACTOR SHALL PROVIDE TEMPORARY INLET PROTECTION FOR ALL CURB INLETS & CATCH BASINS ONSITE & OFFSITE IMMEDIATELY DOWNSTREAM OF THE PROJECT SITE PER LOCAL CODE.

STABILIZED CONSTRUCTION ENTRANCE NOTE:

CONTRACTOR SHALL PROVIDE STABILIZED CONSTRUCTION ENTRANCE AT CONSTRUCTION ENTRANCE FOR PROPOSED IMPROVEMENTS AS REQUIRED PER CODE.

CONCRETE WASHOUT NOTE:

CONTRACTOR SHALL PROVIDE CONCRETE WASHOUT AS REQUIRED PER CODE. FINAL LOCATION TBD BY CONTRACTOR.

EXCEL
ARCHITECTS • ENGINEERS • SURVEYORS
Always a Better Plan
100 Camelot Drive
Fond Du Lac, WI 54935
Phone: (920) 926-9800
www.EXCELENGINEER.com

PROJECT INFORMATION

PROPOSED MASTER PLAN FOR:
MONTESSORI SCHOOL OF WAUKESHA
2600 SUMMIT AVE. • WAUKESHA, WI 53188

PROFESSIONAL SEAL
ERIC DRAZKOWSKI
10028386-006
FOND DU LAC, WISCONSIN
PROFESSIONAL ENGINEER

PRELIMINARY DATES
FEB. 22, 2021

NOT FOR CONSTRUCTION

JOB NUMBER
2053880

SHEET NUMBER
C1.2

BENCHMARK
BERRY TAG BOLT
ON HYDRANT
ELEV=136.96
QTY DATUM

SANITARY MH
RIM=128.72
E N 8" PVC=130.72
E S 8" PVC=130.42

NORTH

1" = 30'
SCALE
FEET

CIVIL GRADING AND EROSION CONTROL PLAN