

**City of Waukesha**  
**Department of Public Works**  
**2025 Sewer Service Charge and Fee Schedule**

Published pursuant to Waukesha Municipal Code §29.12

<b>Inside Users</b>	<b>Rate</b>	<b>Notes</b>
Fixed Charge – §29.12(c)(1) .....	\$6.88	per month
Base Volumetric Rate – §29.12(c)(2).....	\$10.48	per 1000 gallons
Return Flow Volumetric Rate – §29.12(c)(2) .....	\$4.29	per 1000 gallons
Class 2 Strength Surcharge Rates – §29.12(d)(3)		
Biochemical oxygen demand (BOD) .....	\$1.48	per pound in excess of 235 mg/l
Total suspended solids (TSS).....	\$0.71	per pound in excess of 340 mg/l
Phosphorus .....	\$13.39	per pound in excess of 8 mg/l
Total Kjeldahl nitrogen (TKN) .....	\$2.31	per pound in excess of 30 mg/l
Unmetered Monthly Flat Charge – §29.12(b).....	\$104.83	per month
Unmetered Monthly Return Flow Flat Charge – §29.12(b).....	\$42.90	per month
<b>Outside Users</b>	<b>Rate</b>	<b>Notes</b>
Fixed Charge – §29.12(c)(1) .....	\$6.88	per month
Base Volumetric Rate – §29.12(c)(2).....	\$14.02	per 1000 gallons
Return Flow Volumetric Rate – §29.12(c)(2) .....	\$4.29	per 1000 gallons
Class 2 Strength Surcharge Rates – §29.12(d)(4)		
Biochemical oxygen demand (BOD) .....	\$2.12	per pound in excess of 235 mg/l
Total suspended solids (TSS).....	\$1.02	per pound in excess of 340 mg/l
Phosphorus .....	\$19.19	per pound in excess of 8 mg/l
Total Kjeldahl nitrogen (TKN) .....	\$3.31	per pound in excess of 30 mg/l
Unmetered Monthly Flat Charge – §29.12(b).....	\$140.21	per month
Unmetered Monthly Return Flow Flat Charge – §29.12(b).....	\$42.90	per month
<b>Hauled Waste Rates and Fees - §29.12(e)</b>	<b>Rate</b>	<b>Notes</b>
Septic Rate .....	\$97.59	per 1000 gallons
Septic Return Flow Rate .....	\$4.29	per 1000 gallons
Holding Tank Rate.....	\$32.22	per 1000 gallons
Holding Tank Return Flow Rate.....	\$4.29	per 1000 gallons
Chemical Toilet Rate.....	\$242.30	per 1000 gallons
Chemical Toilet Return Flow Rate .....	\$4.29	per 1000 gallons
Hauled Waste Disposers Permit Fee .....	\$100.00	annual, per registered vehicle