

City of Waukesha

City Hall, 201 Delafield Street Waukesha, WI 53188

Meeting Agenda - Final-revised

Landmarks Commission

Wednesday, January 10, 2024

6:00 PM

Council Chambers, City Hall

- I. Call to Order
- II. Roll Call
- III. Approval of Minutes

ID#24-8545 Minutes of December 6, 2023

Attachments: LC Minutes - 12-06-2023

Sign In Sheet - 12-06-2023

- IV. Public Comment
- V. Landmark's Commission Paint and Repair Grant Funds
- VI. New Business

ID#24-8696 Introduction from Andrew Moser of Ethnos 360

<u>ID#23-8486</u> Landmarks Commission Certificate of Appropriateness for 348 Wisconsin

Ave. Review a request to replace rear stairs and a front porch railing top

rail (Wisconsin Avenue Historic District).

Attachments: LCOA application

A1.1 ReBuilt Exit Stair

Photos

<u>ID#23-8230</u> Landmarks Commission Certificate of Appropriateness for 408 McCall St.

Review a request to replace the roof, gutters, downspouts, garage siding,

front porch lattices, and a window (McCall Street Historic District).

<u>Attachments:</u> <u>Cover Sheet - 408 McCall St.</u>

408-10 McCall - Application

Violation Ltr - Case CE23-00545

408 McCall St. Photo Submissions

ID#24-8544 Discussion and possible action on a potential shift to Consent Agenda or

similar for certain types of COA applications.

<u>Attachments:</u> Consent Agenda Explanation

VII. Alderman's Report

VIII. Springs Report

IX. Communications and Publications

X. Adjournment

"A majority of the Council members may be in attendance"

NOTICE: Any person who has a qualifying disability under the Americans with Disabilities Act that requires that the meeting be accessible or that materials at the meeting be in an accessible format, please contact the Community Development Office 48 hours prior to the meeting at 524-3750, or by the Wisconsin Telecommunications Relay System so that arrangements may be made to accommodate the request. Attend this meeting in person or watch live at https://waukesha.legistar.com/calendar.aspx (due to technical circumstances, the live stream may not always be available).