



Shed Display Dimensions (WxLxH)

- Examples of proposed shed displays to be located in new permanent area are attached
 - Different colors and materials may be selected, but dimensions will remain the same
- Sizes:
 - 16' x 16' x 11'3" with garage door
 - 8' x 8' x 7'10" model KR600
 - 8' x 8' x 8'10" model KTB-400
 - 6' x 12' x 8'3" Lean-To model
 - 8' x 10' x 7'10" model SR-600
 - 10' x 16' x 11'6" model TB-600
 - 12' x 16' x 14'6" model TB-800
 - 10' x 12' x 9'2" model TR-700, single door
 - 10' x 12' x 9'2" model TR-700, double door
 - 12' x 16' x 10'6" model TR-800
 - 12' x 16' x 10'6" model TR-800
 - 10' x 16' x 12'6" model TB-700 with metal roof

16x16x11'3"



Base Details

Building Size & Style

Sundance Ranch Garage - 16' wide by 16' long

Door

Overhead Garage Door (10' x 7'),

Paint Selection

Base: Knight's Armor, Trim: Black Magic

Roof Selection

Charcoal 3 Tab

Drip Edge

White

Is a permit required for this job?

No, If local jurisdiction requires a permit, fees will be added before installation can take place

Options Details

Doors

6-Panel Residential Door (Left Hand Outswing),

Roof

358 Sq Ft Roof - 6/12 Roof Pitch

Upgrade

32 Lin Ft 12" Gable Overhang

Vents

2 Ea 12"x12" Gable End Vent, White

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?

No

Is there a power outlet within 100 feet of installation location?

Yes

The building location must be level to properly install the building. How level is the install location?

Slab provided by customer will be within 1/2" tolerance on square, level, exterior dimensions to match the building size (per customer agreement).

Will there be 18" of unobstructed workspace around the perimeter of all four walls?

Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?

Yes


Substrate Shed will be installed on?

Concrete without Shed Floor

Signature: _____ Date: _____




8x8x7'10"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style

KR-600 - 8' wide by 8' long

Door

4' x 6'2" Single Shed Door, Left Hinge Placement

Paint Selection

Base: Seastone, Trim: Ponytail

Roof Selection

Shakewood Dimensional Premium Shingle

Drip Edge

Brown

Is a permit required for this job?

No, If local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

Vents

16"x8" Wall Vent - Brown

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?

No

Is there a power outlet within 100 feet of installation location?

Yes

The building location must be level to properly install the building. How level is the install location?

Within 4" of level

Will there be 18" of unobstructed workspace around the perimeter of all four walls?

Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?

Yes

Substrate Shed will be installed on?

Not Anchored to Concrete with Shed Floor

Customer Signature: _____ Date: _____



HD06987 HD06987
795 VETERANS PARKWAY
Normal IL 61761
Q-2588010



8x8x8'10"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style

KTB-400 - 8' wide by 8' long

Door

KTB400 5' Double Door

Paint Selection

Base: Olive Sprig, Trim: Ground Coffee

Customer to apply 2nd coat

Roof Selection

Hickory Dimensional Premium Shingle

Drip Edge

Brown

Is a permit required for this job?

No, if local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

Vents

16"x8" Wall Vent - Brown

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?

No

Is there a power outlet within 100 feet of installation location?

Yes

The building location must be level to properly install the building. How level is the install location?

Within 4" of level

Will there be 24" of unobstructed workspace around the perimeter of all four walls?

Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?

Yes


Substrate Shed will be installed on?

Not Anchored to Concrete with Shed Floor


Customer Signature: _____ Date: _____




HD06987 HD06987
 795 VETERANS PARKWAY
 Normal IL 61761
 Q-2588085



6x12x8'3"



Wall D



Wall A

Wall C

Wall B

Base Details/Permit Details

- Building Size & Style**
Sundance Lean-To - 6' wide by 12' long
- Paint Selection**
Base: Black Magic, Trim: Solitary State
- Roof Selection**
Charcoal Dimensional Premium Shingle
- Drip Edge**
White
- Is a permit required for this job?**
No, if local jurisdiction requires a permit, fees will be added before installation can take place


Optional Details

- Doors**
4' x 6'2" Single Shed Door, Left Hinge Placement, In Door Horizontal Transom (4' door), Diamond, Decorative Door Hardware
- Roof**
78 Sq Ft Radiant Barrier Roof Decking
- Floor and Foundation**
72 Sq Ft 3/4" Treated Floor Decking Upgrade
- Interior**
96 Sq Ft Pegboard
6 Lin Ft Shelving - 16" deep
- Vents**
16"x8" Wall Vent - White
12 Ea Floor Track Vent Screen


Jobsite/Installer Details

- Do you plan to insulate this building after Tuff Shed installs it?**
No
- Is there a power outlet within 100 feet of installation location?**
Yes
- The building location must be level to properly install the building. How level is the install location?**
Within 4" of level
- Will there be 18" of unobstructed workspace around the perimeter of all four walls?**
Yes
- Can the installers park their pickup truck & trailer within approximately 200' of your installation site?**
Yes
- Substrate Shed will be installed on?**
Not Anchored to Concrete with Shed Floor

Customer Signature: _____ Date: _____




8x10x7'10"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style

SR-600 - 8' wide by 10' long

Door

4' x 6'2" Single Shed Door, Left Hinge Placement, In Door Horizontal Transom (4' door), Diamond

Paint Selection

Base: Goblin, Trim: Solitary State
 Customer to apply 2nd coat

Roof Selection

Pewter Gray Dimensional Premium Shingle

Drip Edge

White

Is a permit required for this job?

No, If local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

Roof

92 Sq Ft Radiant Barrier Roof Decking

Floor and Foundation

80 Sq Ft 3/4" Treated Floor Decking Upgrade

Interior

8 Lin Ft Shelving - 12" deep

Vents

16"x8" Wall Vent - White

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?

No

Is there a power outlet within 100 feet of installation location?

Yes

The building location must be level to properly install the building. How level is the install location?

Within 4" of level

Will there be 18" of unobstructed workspace around the perimeter of all four walls?

Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?

Yes

Substrate Shed will be installed on?

Not Anchored to Concrete with Shed Floor


Customer Signature: _____ Date: _____



HD06987 HD06987
 795 VETERANS PARKWAY
 Normal IL 61761
 Q-2588150




10x16x11'6"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style
 TB-600 - 10' wide by 16' long

Paint Selection
 Base: Delicate White, Trim: Delicate White

Roof Selection
 Charcoal Dimensional Premium Shingle

Drip Edge
 White

Is a permit required for this job?
 No, If local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

Doors
 4' x 6'2" Double Shed Door (8'), Crossbuck, Decorative Door Hardware

Transoms
 11 Ea Transom Window (16"x8")

Walls
 372 Sq Ft Horizontal Wood Lap Siding

Roof
 257 Sq Ft Radiant Barrier Roof Decking
 16 Lin Ft Ridge Vent

Floor and Foundation
 160 Sq Ft 3/4" Treated Floor Decking Upgrade

Interior
 20 Lin Ft Shelving - 24" deep

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?
 No

Is there a power outlet within 100 feet of installation location?
 Yes

The building location must be level to properly install the building. How level is the install location?
 Within 4" of level

Will there be 24" of unobstructed workspace around the perimeter of all four walls?
 Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?
 Yes

Substrate Shed will be installed on?
 Not Anchored to Concrete with Shed Floor

Customer Signature: _____ Date: _____



HD02001 HD02001
280 East U.S. Highway 30
Merrillville IN 46410
Q-2402815




12x16x14'6"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style

TB-800 - 12' wide by 16' long

Paint Selection

Base: Goblin, Trim: Solitary State

Roof Selection

Pewter Gray Dimensional Premium Shingle

Drip Edge

White

Is a permit required for this job?

No, If local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

Doors

4' x 6'7" Double Shed Door (8'), In Door Horizontal Transom (4' door), LowerX

Windows

2'x2' Insulated Horizontal Sliding Window

4'x3' Insulated Horizontal Sliding Window

Roof

306 Sq Ft Radiant Barrier Roof Decking
16 Lin Ft Ridge Vent

Floor and Foundation

192 Sq Ft 3/4" Treated Floor Decking Upgrade

Interior

138 Sq Ft Overhead Loft

Vents

4 Ea Flood Vents

Loft

Wall A, C, D - U Shape Loft, 4' Deep Wall A, 6' Deep Wall C, 3' Deep Wall D

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?

No

Is there a power outlet within 100 feet of installation location?

Yes

The building location must be level to properly install the building. How level is the install location?

Within 4" of level

Will there be 24" of unobstructed workspace around the perimeter of all four walls?

Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?

Yes


Substrate Shed will be installed on?

Not Anchored to Concrete with Shed Floor


Customer Signature: _____ Date: _____



HD06987 HD06987
 Veterans Parkway
 Normal IL 61761
 Q-2477033




10x12x9'2"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style

TR-700 - 10' wide by 12' long

Door

4' x 6'2" Single Shed Door, Left Hinge Placement, In Door Vertical Transom (4' door), Wainscot, Decorative Door Hardware

Paint Selection

Base: Tundra Frost, Trim: Black Magic
 Customer to apply 2nd coat

Roof Selection

Charcoal Dimensional Premium Shingle

Drip Edge

White

Is a permit required for this job?

No, If local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

Windows

3'x2' Insulated Horizontal Sliding Window, shutters, window box

Transoms

3 Ea Transom Window (29"x8")

Roof

148 Sq Ft Radiant Barrier Roof Decking
 148 Sq Ft Roof - 6/12 Roof Pitch Upgrade
 12 Lin Ft Ridge Vent

Floor and Foundation

120 Sq Ft 3/4" Treated Floor Decking Upgrade

Interior

10 Lin Ft 24" Workbench
 34 Sq Ft Pegboard
 10 Lin Ft Shelving - 12" deep

Vents

2 Ea 16"x8" Wall Vent - White
 12 Ea Floor Track Vent Screen

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?

No

Is there a power outlet within 100 feet of installation location?

Yes

The building location must be level to properly install the building. How level is the install location?

Within 4" of level

Will there be 18" of unobstructed workspace around the perimeter of all four walls?

Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?

Yes

Substrate Shed will be installed on?

Not Anchored to Concrete with Shed Floor

Customer Signature: _____ Date: _____



HD06987 HD06987
 795 VETERANS PARKWAY
 Normal IL 61761
 Q-2587992



10x12x9'2"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

- Building Size & Style**
TR-700 - 10' wide by 12' long
- Paint Selection**
Base: Delicate White, Trim: Delicate White
- Roof Selection**
Pewter Gray Dimensional Premium Shingle
- Drip Edge**
White
- Is a permit required for this job?**
No, If local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

- Doors**
3' x 6'2" Double Door (6'), In Door Horizontal Transom (3' door), Decorative Door Hardware
- Windows**
3'x2' Insulated Horizontal Sliding Window
- Roof**
147 Sq Ft Radiant Barrier Roof Decking
20 Lin Ft 4" Gable EW Eave Upgrade
12.67 Lin Ft Ridge Vent
- Floor and Foundation**
120 Sq Ft 3/4" Treated Floor Decking Upgrade
- Interior**
32 Lin Ft Shelving - 24" deep
- Vents**
12 Ea Floor Track Vent Screen


Jobsite/Installer Details

- Do you plan to insulate this building after Tuff Shed installs it?**
No
- Is there a power outlet within 100 feet of installation location?**
Yes
- The building location must be level to properly install the building. How level is the install location?**
Within 4" of level
- Will there be 18" of unobstructed workspace around the perimeter of all four walls?**
Yes
- Can the installers park their pickup truck & trailer within approximately 200' of your installation site?**
Yes
- Substrate Shed will be installed on?**
Not Anchored to Concrete with Shed Floor


Customer Signature: _____ Date: _____



HD06987 HD06987
 Veterans Parkway
 Normal IL 61761
 Q-2477262




12x16x10'6"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style

TR-800 - 12' wide by 16' long

Paint Selection

Base: Dover Gray, Trim: Solitary State,
 Accent (Doors): Black Magic
 Customer to apply 2nd coat

Roof Selection

Charcoal Dimensional Premium Shingle

Drip Edge

White

Is a permit required for this job?

No, If local jurisdiction requires a permit,
 fees will be added before installation
 can take place

Optional Details

Doors

4' x 6'7" Double Shed Door (8'), LowerX,
 Decorative Door Hardware

Transoms

6 Ea Transom Window (16"x8")
 2 Ea Transom Window (41"x8")

Roof

233 Sq Ft Radiant Barrier Roof Decking
 24 Lin Ft 6" Gable EW Eave Upgrade
 17 Lin Ft Ridge Vent

Floor and Foundation

192 Sq Ft 3/4" Treated Floor Decking
 Upgrade

Interior

32 Lin Ft 24" Workbench
 142 Sq Ft Pegboard
 32 Lin Ft Shelving - 12" deep
 12 Lin Ft Shelving - 24" deep

Vents

2 Ea 16"x8" Wall Vent - White

Jobsite/Installer Details

**Do you plan to insulate this building after
 Tuff Shed installs it?**

No

**Is there a power outlet within 100 feet of
 installation location?**

Yes

**The building location must be level to
 properly install the building. How level
 is the install location?**

Within 4" of level

**Will there be 18" of unobstructed
 workspace around the perimeter of all
 four walls?**

Yes

**Can the installers park their pickup truck &
 trailer within approximately 200' of
 your installation site?**

Yes


Substrate Shed will be installed on?

Not Anchored to Concrete with Shed
 Floor

Customer Signature: _____ Date: _____



HD06987 HD06987
 Veterans Parkway
 Normal IL 61761
 Q-2477262



12x16x10'6"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style

TR-800 - 12' wide by 16' long

Paint Selection

Base: Dover Gray, Trim: Solitary State,
 Accent (Doors): Black Magic
 Customer to apply 2nd coat

Roof Selection

Charcoal Dimensional Premium Shingle

Drip Edge

White

Is a permit required for this job?

No, If local jurisdiction requires a permit,
 fees will be added before installation
 can take place

Optional Details

Doors

4' x 6'7" Double Shed Door (8'), LowerX,
 Decorative Door Hardware

Transoms

6 Ea Transom Window (16"x8")
 2 Ea Transom Window (41"x8")

Roof

233 Sq Ft Radiant Barrier Roof Decking
 24 Lin Ft 6" Gable EW Eave Upgrade
 17 Lin Ft Ridge Vent

Floor and Foundation

192 Sq Ft 3/4" Treated Floor Decking
 Upgrade

Interior

32 Lin Ft 24" Workbench
 142 Sq Ft Pegboard
 32 Lin Ft Shelving - 12" deep
 12 Lin Ft Shelving - 24" deep

Vents

2 Ea 16"x8" Wall Vent - White

Jobsite/Installer Details

**Do you plan to insulate this building after
 Tuff Shed installs it?**

No

**Is there a power outlet within 100 feet of
 installation location?**

Yes

**The building location must be level to
 properly install the building. How level
 is the install location?**

Within 4" of level

**Will there be 18" of unobstructed
 workspace around the perimeter of all
 four walls?**

Yes

**Can the installers park their pickup truck &
 trailer within approximately 200' of
 your installation site?**

Yes

Substrate Shed will be installed on?

Not Anchored to Concrete with Shed
 Floor

Customer Signature: _____ Date: _____




10x16x12'6"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style

TB-700 - 10' wide by 16' long

Paint Selection

Base: Red Gumball, Trim: Seastone

Roof Selection

 Custom Roof Covering - Galvalume
 Metal Roof

Drip Edge

White

Is a permit required for this job?

No, If local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

Doors

 3' x 6'2" Double Door (6'), In Door
 Vertical Transom (3' door), Wainscot

Windows

 2'x2' Insulated Horizontal Sliding
 Window

Transoms

2 Ea Transom Window (29"x8")

Roof

 257 Sq Ft Radiant Barrier Roof Decking
 16 Lin Ft Ridge Vent

Floor and Foundation

 160 Sq Ft 3/4" Treated Floor Decking
 Upgrade

Interior

80 Sq Ft Overhead Loft

Loft

 Wall A&C - Split Loft, 4' Deep Wall A, 4'
 Deep Wall C

Jobsite/Installer Details

Do you plan to insulate this building after
 Tuff Shed installs it?

No

Is there a power outlet within 100 feet of
 installation location?

Yes

The building location must be level to
 properly install the building. How level
 is the install location?

Within 4" of level

Will there be 24" of unobstructed
 workspace around the perimeter of all
 four walls?

Yes

Can the installers park their pickup truck &
 trailer within approximately 200' of
 your installation site?

Yes

Substrate Shed will be installed on?

 Not Anchored to Concrete with Shed
 Floor

Customer Signature: _____ Date: _____



HD06987 HD06987
 795 VETERANS PARKWAY
 Normal IL 61761
 Q-2587992



10x12x9'2"



Wall D

Wall A



Wall C

Wall B

Base Details/Permit Details

Building Size & Style

TR-700 - 10' wide by 12' long

Paint Selection

Base: Delicate White, Trim: Delicate White

Roof Selection

Pewter Gray Dimensional Premium Shingle

Drip Edge

White

Is a permit required for this job?

No, if local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

Doors

3' x 6'2" Double Door (6'), In Door Horizontal Transom (3' door), Decorative Door Hardware

Windows

3'x2' Insulated Horizontal Sliding Window

Roof

147 Sq Ft Radiant Barrier Roof Decking
 20 Lin Ft 4" Gable EW Eave Upgrade
 12.67 Lin Ft Ridge Vent

Floor and Foundation

120 Sq Ft 3/4" Treated Floor Decking Upgrade

Interior

32 Lin Ft Shelving - 24" deep

Vents

12 Ea Floor Track Vent Screen

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?

No

Is there a power outlet within 100 feet of installation location?

Yes

The building location must be level to properly install the building. How level is the install location?

Within 4" of level

Will there be 18" of unobstructed workspace around the perimeter of all four walls?

Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?

Yes


Substrate Shed will be installed on?

Not Anchored to Concrete with Shed Floor


Customer Signature: _____ Date: _____




HD06987 HD06987
 Veterans Parkway
 Normal IL 61761
 Q-2477033



10x12x9'2"



Wall D



Wall A

Wall C

Wall B

Base Details/Permit Details

Building Size & Style

TR-700 - 10' wide by 12' long

Door

4' x 6'2" Single Shed Door, Left Hinge Placement, In Door Vertical Transom (4' door), Wainscot, Decorative Door Hardware

Paint Selection

Base: Tundra Frost, Trim: Black Magic
 Customer to apply 2nd coat

Roof Selection

Charcoal Dimensional Premium Shingle

Drip Edge

White

Is a permit required for this job?

No, if local jurisdiction requires a permit, fees will be added before installation can take place

Optional Details

Windows

3'x2' Insulated Horizontal Sliding Window, shutters, window box

Transoms

3 Ea Transom Window (29"x8")

Roof

148 Sq Ft Radiant Barrier Roof Decking
 148 Sq Ft Roof - 6/12 Roof Pitch Upgrade
 12 Lin Ft Ridge Vent

Floor and Foundation

120 Sq Ft 3/4" Treated Floor Decking Upgrade

Interior

10 Lin Ft 24" Workbench
 34 Sq Ft Pegboard
 10 Lin Ft Shelving - 12" deep

Vents

2 Ea 16"x8" Wall Vent - White
 12 Ea Floor Track Vent Screen

Jobsite/Installer Details

Do you plan to insulate this building after Tuff Shed installs it?

No

Is there a power outlet within 100 feet of installation location?

Yes

The building location must be level to properly install the building. How level is the install location?

Within 4" of level

Will there be 18" of unobstructed workspace around the perimeter of all four walls?

Yes

Can the installers park their pickup truck & trailer within approximately 200' of your installation site?

Yes

Substrate Shed will be installed on?

Not Anchored to Concrete with Shed Floor

Customer Signature: _____ Date: _____