

## **Arbortech 14'x72" Flat Side Removable Roof Chip Box w/ Cut Out & "L" Box Forestry Package Installed**

171" L x 72" inside H x 96" W removable roof chip box with front cutout (Part Number 228302)

171" L x 60" inside H x 96" W removable roof chip box with front cutout (Part Number 227724)

- 12 ga galvaneal side and front panels with vents in upper radius panels
- 10 ga galvaneal floor
- 4 section removable roof panels two 47.5"L x 16"T x 96"W, and two 35.5"L x 16"T x 96"W, 12 & 14 ga galvaneal roof sections with formed ribs (act as vents and provide strength) each with two lifting loops, all four roof panels total 166"L leaving 5" of rear length open on side walls.
- 7 ga rear upper corner gussets with light pockets
- 12ga galvaneal 56" double walled side panels with four (5) formed vertical angles welded to interior of each side for strength tabbed and slotted inside two horizontal channel welded to inner and out side panels running the length of the chip box sides integrated inside of chip box side.
- 30" H double panel 16 ga galvaneal swing to side tailgate (270 degrees) with 4" HD hinges with grease zerks & cam style latch, with flat exterior design for marketing signage.
- Coal tar epoxy interior in chip load space
- Curbside interior ladder box 17.5" W with 13" opening with pruner shelf 26" H above floor- pruner shelf 14.6" H
- 3" structural channels @ 4.1 lb/ft
- 8" structural channel long sills @ 8.5 lb/ft
- Two (2) 7" W x 50" H formed channels as rear upright support posts 1/4" thick.
- 12" H formed light boxes with light pockets & license plate recess street side
- One (1) 4" x 4" x 1/4" rear horizontal support tube
- Undercoating
- Rear ID light bar
- Four (4) LED 4" round st,t, and t lights at rear
- Two (2) LED 4" round back-up lights
- Two (2) LED front marker lights
- Two (2) LED side marker lights
- One (1) license plate light
- Four (4) head LED amber flashing light system, 4" round (2) front (2) rear in upper corners

"L"-shaped tool compartment with two (2) 48" underbody boxes (Part number 211581)

- C/S vertical compartment 51" H x 24" W x 22" D with eight (8) swivel rope hooks and open to attached 48" L x 22" H x 22" D underbody box

- S/S vertical compartment 51" H x 24" W x 22" D and open to attached 48" L x 22" H x 22" D underbody box
- 37" H x 24" W pass thru compartment C/S to S/S vertical compartment- includes two (2) hi-spangle galvanized adjustable shelves
- Undercoated
- Four (4) double panel, recessed doors with 3-point T-handle latches and automotive door seal
- Each door with slide-in security rods when body is in raised position
- Gas shock door stays

#### Standard Forestry Package Items

- Hoist- "direct mount NTEA Class 50" scissor hoist with mounting kit.
- Hot shift PTO powered hydraulics standard
- Hose circuit installation kit for hot powered hydraulics.
- Two (2) wheel chock holders
- Two (2) rubber wheel chocks
- 15,000 lb capacity tow package with built in ICC under ride and T-60 pintle hook
- 6 round and 7 flat trailer plug comes standard.
- Body and truck frame undercoated after install is complete.
- Trailer brake controller
- Single stage universal white prime and painted fleet coating.
- Installed on customer or specified chassis with required chassis specs; 102-120" cab to axle dimension, 171" of Clean Frame, and minimum of 25,999 GVWR.
- Fuel fill bracket assembly.
- Arbortech branded mud flaps.
- DOT safety items.
  - 5lb. fire extinguisher w/mounting brackets loose in cab.
  - Roadside triangle/flair kit.
  - Back up alarm

#### Optional Forestry Package Items

- Electric over hydraulic powered dumping system
- 6 Head strobe light package, two in grill of chassis, two front top of chip box, two rear top of chip box.
- 4 Head work lights, two curb side and two rear of chip box.
- 20,000 lb. tow package.
- 30,000 lb. tow package.
- 2-5/16" Ball/Pintle combo, in lieu of, std pintle hook.
- Swivel pintle hook tow package.
- ½" Eyebolt for breakaway cable installed to tow package.
- 7 round trailer plug.
- Roof top ladder rack with folding steps and side roller.
- Rear ID light cover
- Decal package customer approved

- 30" Tall double panel barn door tail gate with cam style floating latch and flat exterior design for marketing signage.
- 36" Tall double panel single piece swing to side tail gate.
- 42" Tall heavy-duty barn door tail gate with exterior heavy wall rectangular tubing design non-flat exterior.
- 1600 lb. Lift gate installed
  - Steel or Aluminum Floor/Gate
- 2000 lb. Lift gate installed
  - Steel or Aluminum Floor/Gate
- Chassis matching single stage fleet white prime and painted fleet coating
- Chassis matching or customer approved single stage color prime and painted fleet coating
- Base coat clear coat customer approved color prime, paint and clear coat fleet coating.
- Ladder box delete, omits ladder box with integrated pole pruner shelf that's inside load space of chip box.
- Pole pruner only compartment with self-contained locking door with T-handle located above tailgate door, curb side, usually optioned, in lieu of ladder box.
- Single ring cone holder painted black, usually installed to front bumper.
- Dual ring, 45-degree cone holder painted black, installed aft of rear axle in front of tow package.
- Swing open, horizontal cone holder painted black installed to front bumper.
- Traffic safety cones.
- Lanyard assembly for wheel chock to tether wheel chocks to chassis.
- First aid kit.
- Grab handle installed on rear of body curb side for entry into chip box.
- Stirrup step installed on rear of body curb side for entry into chip box.
- Plywood box 97"W x 9"D installed to front of L box for plywood or mat storage.
- Plywood box 97"W x 12"D with lights installed to front of L box for plywood or mat storage.
- Plywood box 97"W x 12"D stand alone box for plywood or mat storage.
- Underbody boxes installed aft of rear axle, size ranging from 17" to 37" wide.
- Rope lights installed in L boxes.
- Forestry package shipped loose.
  - When package optioned as ship out its less items below:
    - DOT safety items.
    - Fuel fill bracket assembly
    - Trailer brake controller
    - Body truck frame undercoated after install is complete.
    - Hot shift PTO.