

Resistance Exteriors PO Box 180044 Delafield, WI 53018 Phone: 262-951-0875

Company Representative

Rob Hokenson

Phone: (262) 955-3399

rhokenson@resistanceexteriors.com

Tony Glaser 502 McCall Street Waukesha, WI 53186 (262) 853-8773 Job: Tony Glaser

Roofing Section

Complete tear off and removal of existing shingles and roofing components on home.

- CertainTeed lifetime Landmark shingles (GEORGE TOWN GREY)
- CertainTeed Shadow ridge HD cap shingles
- Certain Tood 12 inch filtered ridge vent
- CertainTeed Roof Runner synthetic underlayment
- CertainTeed Winter Guard ice barrier over all gutter eaves, under valleys, chimney, and around pipes as well as step flashing.
- CertainTeed Swiftstart self sealing starter strip along eaves, gables and valleys
- Broan 636 roof cap
- Broan 634 roof cap
- Lead pipe flashing
- All caulk used will be Quad OSI
- W- Style valleys with baked on rust free enamel
- D- Style drip edge with baked on rust free enamel (Flat roof on dormer, no drip edge figured on main home)
- Check step flashing / replace if compromised
- *** Special Notes ***
- Install 2 courses (6)) of winter guard on all eves of home
- Install new headwall flashing on front of northwest dormer
- Sandwich East valley in winter guard to prevent water runoff skipping under shingle line
- Power fan is to remain
- WHI's information has been provided. At this time all attic venting is figured for replacing in existing locations.
- *** Preferred Contractors ***

Wisconsin Home Improvements (Insulation inspection) 262-345-9922

Renail all loose roof decking and replace if rotten or damaged (\$3.50 per Sqft to replace plwood. \$4.75 per Lnft to replace 1x slat boards).

All workmanship is protected by a 5 year craftsmanship warranty in addition to CertainTeed SureStart Plus 4 Star Warranty and 130 mph Wind Warranty. Protection of all landscaping and home exterior.

\$17,225.96

Flintlastic

Install flintlastic on Northwest side dormer and on the bay window roof located on back of home. (COLONIAL SLATE)

Flintlastic on NW Dormer = \$642.65 (Original proposal amount)

Flintlastic on Bay window = \$325.00 (Per text conversation on May 24th)

Install counter flashing

Install counter flashing on all rake walls of home over step flashing. All counter flashing areas will have a 3/4" groove ground into the exterior. The counter flashing is hemmed at the top to sit in the new groove and then sealed. Installing the counter flashing into the groove with sealant vs applying to the exterior wall with a bead of sealant provides a lot more protection. Counter flashing color can either match the shingle color or we can select a different color to match your home, I will provide a metal swatch if this option is chosen. I attached 4 photos of some counter flashing we recently did for a client repair to give you an idea of the finished look.

(MC 30 WHITE)

- Aluminum Trim coil
- Quad OSI

\$771.88

EPDM

Complete removal and disposal of EPDM roofing system on lower westside of home. Quoted amount per text conversation on May 24th

Mule-Hide Standard black EPDM Membrane .45 Mil Mule-Hide EPDM Acrylic Bonding Adhesive 1/2" 4 by 8 fiber board Mule-Hide Lap Caulk Mule-Hide Waterbase lap caulk Mule-Hide uncured tape Mule-Hide cured tape Mule-Hide tape primer Mule-Hide tape primer Mule-Hide 10' All Purpose Bar Mule-Hide rubber cleaner Plate 3" Galvalume Self Sealing 2" screws Counter flashing around entire perimeter over termination bar

Renail all loose roof decking and replace if rotten or damaged. (3.50 per Sqft to replace plywood. 6.75 per Lnft to replace 1x slat boards.

All worksmansip is protected by a 5 year craftsmanship warranty. Protection of landscaping and building exterior.

\$2,702.50

20 Yard roll off dumpster

Built out for 2.25 tons over dumpster weight limit

** Client acknowledges that dumpsters are for use of Resistance Exteriors only. Any additional items added to disposal container could incur additional charges due to overweight limits.

\$678.00

TOTAL

\$22,345,99

Starting at \$337/month with Acorn • APPLY

By signing this agreement it is understood that this shall become a legally binding contract. All material is guaranteed to be as specified. Work will be completed in a timely workmanlike manner.

A 30% deposit will due at time of signed contract (*All special order materials will require a 50% deposit due at time of signed contract). Payment for the above work is due upon completion. If payment is not received within 10 days after completion, any remaining balance shall be subject to a late fee of 3% per month from the day of completion. Resistance Exteriors LLC shall be entitled to recover all costs of collections, including attorney's and court fees for past due accounts. All credit cards are subject to an additional 3% transaction fee.

Should material costs increase between date of signed contract and start date of project, an increase potentially could occur. All increases will be disclosed prior to start date of project.

Resistance Exteriors LLC is not responsible for building structure shifting/moving that may compromise long term performance of work.

Resistance Exteriors LLC reserves the right to terminate this contract at our discretion at anytime. This estimate is valid for 20 days.

Company Authorized Signature	Date
C+2) la	6-7-22
Customer Signature	Date
•	
Customer Signature	Date

LANDMARK® COLOR PALETTE



Resawn Shake


NOTE: Due to limitations of printing reproduction, CertainTeed can not guarantee the identical match of the actual product color to the graphic representations throughout this publication.

Burnt Sienna



Hunter Green

Scan code for more information







Heather Blend



A Classic Original

Landmark's dual-layered construction provides depth and dimension, along with extra protection from the elements. Widest array of colors in the industry.

- Nail Trak* wider nailing area for a more accurate installation
- QuadraBond[™] secures shingle layers together at four points for greater performance
- CertaSeal[™] seals roofs tight against wind and weather
- StreakFighter® 10-year algae resistance
- Lifetime limited warranty
- 10-year SureStart protection Includes materials and labor costs
- 15-year 110 MPH wind warranty
 Upgrade to 130 MPH available

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

Wind Driven Rain Resistance:

Miami-Dade Product Control Acceptance

Acceptance Quality Standards:

• ICC-ES-ESR-1389 & ESR-3537

