


ALTERNATE 1:

– ELIMINATE THE GREASE INTERCEPTOR SOUTHWEST OF THE BUILDING. RUN 96' OF 4" SDR 35 PVC AT 2.7% FROM THE BUILDING TO THE 4"x4"x6" WYE IN THE SAME ALIGNMENT. PROVIDE CLEANOUTS PER STATE CODE.



GAPS AND OVERLAPS EXIST WITHIN THE LEGAL DESCRIPTIONS FOUND IN THE CURRENT TITLE COMMITMENT. THESE INCONSISTENCIES EXIST WITHIN THE LIMITS OF THE SUBJECT PROPERTY ALONG WITH ADJACENT PROPERTIES. PREVIOUS SURVEYS COMPLETED BY MCLURE AND ASSOCIATES IN 2011 AND BY CONTINENTAL SURVEYING IN 2015 ALSO NOTE THESE GAPS AND OVERLAPS.

ST. PAUL PLACE PARTNERS, LLC
222 WEST SAINT PAUL AVE.
 WAUKESHA, WI • 53188

PROFESSIONAL SEAL

SHEET DATES
 ISSUE DATE NOV. 9, 2018

REVISIONS

SHEET INFORMATION

UTILITY PLAN

SHEET NUMBER

C1.4

NOTE:
 CONTRACTOR/ OWNER SHALL OBTAIN APPROVAL FOR ALL WORK PROPOSED ON NEIGHBORING PROPERTY AS REQUIRED

