



GMFI

2655 International Parkway P.O. Box 9175 Virginia Beach, VA 23450 (757)427-1900

Project Title

Date 2.16.17

AGI EOR M. ALAMELDIN Lead Drafter NJC

Drawn By NJC Project Mgr. K. TAUSCHER

General Sign Specifications ☐ Interior Exterior Single Faced Double Faced

 \Box ■ Non-Illuminated

Illuminated

_Amps(+/-)

Location

Windload


This document is the sole property of Architectural Graphics, Inc., and all design, manufacturing, reproduction, use and sale rights regarding the same are expressly forbidden. It is submitted under a confidential relationship, for a special purpose, and the recipient, by accepting this document assumes custody and agrees that this document will not be copied or reproduced in whole or in part, nor its contents revealed in any manner or to any person except for the purpose for which it was tendered, nor any special features peculiar to this design be incorporated in other projects.

15290

Sign Type

PG #: 1 LT-GMC

C





2655 International Parkway P.O. Box 9175 Virginia Beach, VA 23450 (757)427-1900

Project Title

GMFI

Date 2.16.17

AGI EOR M. ALAMELDIN

Lead Drafter NJC Drawn By NJC

Project Mgr. K. TAUSCHER

General Sign Specifications

Interior Exterior

☐ Non-Illuminated

Illuminated

_____Volts _____Amps(+/-)

Single Faced Double Faced

Location Windload

Change

This document is the sole property of Architectural Graphics, Inc., and all design, manufacturing, reproduction, use and sale rights regarding the same are expressly forbidden. It is submitted under a confidential relationship, for a special purpose, and the recipient, by accepting this document assumes custody and agrees that this document will not be copied or reproduced in whole or in part, nor its contents revealed in any manner or to any person except for the purpose for which it was tendered, nor any special features peculiar to this design be incorporated in other projects.

15290

290


C

Sign Type

LT-GMC

PG #:

1) UNLESS OTHERWISE SPECIFIED: All layouts are for a single face sign or a single set of letters and the depth of the application considered for the layout is 5 inches. 2) LED module placement is approximate. AgiLight® recommends the sign manufacturer verify the LED placement and quantity to ensure even illumination and brightness expectations are achieved. 3) Estimations are based off the quality of art work and information provided by the customer, this includes: font style, letter height, depth, face material, and any special instructions. Missing information may cause delays in the delivery of estimates, as well as effect product selection, accurate quantities, and brightness. 4) For installation instructions of AgiLight® LED systems please refer to www.AgiLight.com under the TOOLS & DOWNLOADS section or contact an AgiLight® Inside Sales Representative at: +1.866.482.0203



Notes:

Layout based off a 5" depth. Modules spaced on 4.75" centers.

21 feet LS-PRO115-65K-2G3 - 42 Modules 1 - PS12-60WSL-100-277V

16.1875" GMC



February 27, 2017

MH

1074 Arion Circle Suite 116, San Antonio, TX 78216 PH: +1 (866) 482-0203 - Fax: +1 (210) 360-1454 www.AgiLight.com



2655 International Parkway P.O. Box 9175 Virginia Beach, VA 23450 (757)427-1900

GMFI


Date 2.16.17 AGI EOR M. ALAMELDIN

Lead Drafter NJC Drawn By NJC

Project Mgr. K. TAUSCHER

General Sign Specifications

Single Faced Double Faced



15290

LT-GMC

PG #: 3

C