

# **LANDMARKS COMMISSION APPLICATION**

Monthly meeting is scheduled the first Wednesday of every month.

Application Deadline is 4:30 p.m. 12 days prior to the meeting date.

Date Received:	Amount	Paid:R	ec'd. By:
I am applying for a:  ☐ Certificate of Appropriateness (COA) - \$15.00 a  ☐ Landmarks Paint & Repair Grant (LCP & R) - \$  ☑ Both - \$30.00	application f 15.00 applic	ee required. ation fee required.	
A. General Information:			
Name: Nancy Aycock	Occupation	Library Associate - Ir	formation Services
Phone-Home: (414) 803-3017	Phone- Work	(414) 803-3017	
Mailing Address: 424 McCall Street			
Spouse's Name: Mark Aycock	Occupation:	Software Engineer	
Phone-Work: (414) 803-3016			
B. Income Level Information: (Required only for	r those appl	ying for a LCP & R G	rant)
Based on the following chart, CHECK ONE OF THE BOUNCOME IS ABOVE OR BELOW THE GUIDELINE and No. in Family Income Level (Up to:) No. 1	ount for your <u>in Family</u> 56 78		
C. Architectural Information on Property:  Historic Name of Building:  None (that we are aware of)		Construction Date/Era:	1893
Historic Property Address: 424 McCall Street		Architectural Style	Queen Anne
Brief Historic Background: The house is characterista single family home, converted into a duplex in the susing it as a single family.  Have there been any alterations or repairs? X Ye	1920's. We h		

	Iterations/repairs: <u>Aluminum/Vinyl (</u> re both completely rebuilt in Oct of 2		at some point, we are not sure whe
	Te both completely rebuilt in Oct of 2		
D. Nature of	Intended Repair(s)/Proposed W	ork:	
retaining walls), paved sur Be sure to reference the	scribe type and location of proposed work on pring faces and landscaping. Attach extra sheets and supertain and su	pplemental material as rec ines from the Secretary	quested in the criteria checklist found in Section E.
ROOF		CHIMNEY	
Repair or replacement?		Repair/replacement?	
Soffits/Fascia/Downspo	uts	Flashing	
Eaves, Gutters		Tuckpointing	
Shingle type/style/color			
SIDING		WINDOWS	
Repair or replacement?	Repair/replacement as needed to	Nopali / Lopiacomonici	
Paint Colors, Materials	fix areas damaged or empty by	Materials, Other	
	n/Stickwork railing. Will match color.		
OTHER EXTERIO		FOUNDATION	
Awnings	Removal and replacement of	Extent of repair	
Brickwork/Stonework	upper porch railing with new	Tuckpointing	
Cresting	pressure treated wood railing	Other	
Doors	to code.	MICOEL LANGO	
PORCH	Removal of rotted wood,	MISCELLANEO	US
Repair or replacement?	repair and/or replacement of	Landscaping r	
Front or Side, Rear	structural supports, decking.	Fences	
Ornamentation	Interior repair of ceiling &	Paving/Brick Pavers	
Finials, Other	inside moldings on front porch.		
The Rubber roof of	on the front porch is currently leaking	g into the interior o	f the porch. The leak has caused
extensive damage	e to the inside of the wall and ceiling	causing structural	damage on the east side of the
porch requiring por	tions of the porch to be rebuilt. We pro	pose replacing the r	rubber roof with rubber roofing.
Before the roofing	is installed structural repairs will ne	ed to be made, the	en the wood railing will be secured,
then the interior of	f the porch will be repaired and pain	ted to match existi	ng except for revealing a portion of
a previously hidde	en portion of the original window moldir	ng which we would I	ike to keep revealed.
We also plan on r	replacing the old railing that will be s	ecured into the str	ucture of the support and be
	t code. It will eventually be painted w		
	· · ·		

Estimated start date: \_\_\_July 07, 2017

Estim	ated completion date: Aug 30, 2017					
I/We intend/have already applied for the state's preservation tax credits: X Yes No						
Status	S: We have a 5 year phased plan and are in the process of adding this as an amendment to it.					
	wner done any previous restoration/repair work on this property? <b>No</b> X <b>Yes</b>					
If yes	what has been done? Both Chimneys have been rebuilt in October 2015					
	ny further repairs or alterations planned for this building for the future? <b>No</b> _X_ <b>Yes</b>					
•	please describe: We intend on having a new roof installed in the next 1-3 years. It will need					
	plete tear-off, which includes 1 layer of cedar shake & 2 layers of asphalt shingles. New					
flashin	g will be installed on both chimney's. The turret will also need to have a new roof and receive a metal cap.					
Paintir	ng of exterior wood surfaces, storm windows, railings, and porches are also planned, matching existing colors.					
E.	Criteria Checklist (REQUIRED, please read carefully):					
For A	LL PROJECTS					
X X X	Photographs of affected areas and existing conditions from all sides Historic plans, elevations or photographs (if available) Material and design specifications, including samples and/or product brochures/literature when appropriate					
For A	LL NEW CONSTRUCTION/ADDITIONS/EXTERIOR ALTERATIONS/FENCING & LANDSCAPING					
	Site and/or elevation plan – to scale (required for all new construction or proposed additions)					
For E	XTERIOR PAINT WORK					
	Color samples (including brand of paint and product ID number) and placement on the structure					
REQU	JIRED FOR ALL LCP & R APPLICATIONS					
of lum a writt	e a detailed cost estimate for these repair(s), based on the number of gallons of paint, the amount ber, or the number of panes of glass, etc. Be certain to separate material costs from labor. Include en estimate(s) if available:					
	er Roof replacement and rafter repairs: \$4590 (*estimate of \$500 for time and materials for repairs.					
New F	orch Railing: \$1600					
	r Porch interior: \$300 for new car siding, trim, and paint and installation					
Пора	Total interior. 4000 for new car staining, trim, and paint and installation					
	<del></del>					

I have read and answered the above to the best of my knowledge, and the information I have supplied is accurate to the best of my knowledge. I agree to supply any relevant documentation that is required for the proper review of this application. If I am applying for a LCP & R, I also agree to do the intended paint and/or repair work, as outlined and proposed above, exactly as described, or I agree to return the entire amount of the grant. I understand that I, or my assistants, must finish the proposed project within one hundred twenty (I2O) days of the payment of the grant. Compensation for the paint/materials, acquired solely for the repairs specified above, will be paid promptly upon the receipt of the properly written billing, or in a manner to be agreed upon between the owner/renter and the landmarks Commission or its authorized representative(s). Once the proposed paint/repair project has been approved, no changes or alterations in design or color scheme are allowed without the express written approval of the Landmarks Commission or its authorized representative(s). Failure to comply with the above is sufficient cause for the grant recipient to be required to immediately repay the entire grant amount. Any and all disputes which may arise under this agreement, or its interpretation, concerning eligibility, approval, procedures or forfeitures, shall be presented in writing to the Landmarks Commission, by the applicant, within ten (ID) days of the dispute. The Landmarks Commission will then make a decision, and notify the applicant of its decision in writing, within ten (ID) days of receipt of the letter detailing the nature of the dispute. These decisions will be final and binding.

Signed: Mayww	Date: 07 Jul 2017	
Office use only: Received by:	Inspected/Photographed By	
COA Approved: <b>Yes No</b> Moved:  Seconded:	Authorized By	
Vote:		
LCP & R Approved: Yes No	Authorized By	
Seconded: Vote:		
Comments:		

## **EXHIBIT A:**

# The Secretary of the Interior's Standards for the Treatment of Historic Properties, 1995 Standards for Preservation

- 1. A property will be used as it was historically, or be given a new use that maximizes the retention of distinctive materials, features, spaces, and spatial relationships. Where a treatment and use have not been identified, a property will be protected and, if necessary, stabilized until additional work may be undertaken.
- 2. The historic character of a property will be retained and preserved. The replacement of intact or repairable historic materials or alteration of features, spaces, and spatial relationships that characterize a property will be avoided.
- 3. Each property will be recognized as a physical record of its time, place, and use. Work needed to stabilize, consolidate, and conserve existing historic materials and features will be physically and visually compatible, identifiable upon close inspection, and properly documented for future research.
- 4. Changes to a property that have acquired historic significance in their own right will be retained and preserved.
- 5. Distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize a property will be preserved.
- 6. The existing condition of historic features will be evaluated to determine the appropriate level of intervention needed. Where the severity of deterioration requires repair or limited replacement of a distinctive feature, the new material will match the old in composition, design, color, and texture.
- 7. Chemical or physical treatments, if appropriate, will be undertaken using the gentlest means possible. Treatments that cause damage to historic materials will not be used.
- 8. Archeological resources will be protected and preserved in place. If such resources must be disturbed, mitigation measures will be undertaken.

# Standards for Rehabilitation

- 1. A property will be used as it was historically or be given a new use that requires minimal change to its distinctive materials, features, spaces, and spatial relationships.
- 2. The historic character of a property will be retained and preserved. The removal of distinctive materials or alteration of features, spaces, and spatial relationships that characterize a property will be avoided.
- 3. Each property will be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or elements from other historic properties, will not be undertaken.
- 4. Changes to a property that have acquired historic significance in their own right will be retained and preserved.
- 5. Distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize a property will be preserved.
- 6. Deteriorated historic features will be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture, and, where possible, materials. Replacement of missing features will be substantiated by documentary and physical evidence.
- 7. Chemical or physical treatments, if appropriate, will be undertaken using the gentlest means possible. Treatments that cause damage to historic materials will not be used.
- 8. Archeological resources will be protected and preserved in place. If such resources must be disturbed, mitigation measures will be undertaken.
- 9. New additions, exterior alterations, or related new construction will not destroy historic materials, features, and spatial relationships that characterize the property. The new work will be differentiated from the old and will be compatible

- with the historic materials, features, size, scale and proportion, and massing to protect the integrity of the property and its environment.
- 10. New additions and adjacent or related new construction will be undertaken in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

## Standards for Restoration

- 1. A property will be used as it was historically or be given a new use which reflects the property's restoration period.
- 2. Materials and features from the restoration period will be retained and preserved. The removal of materials or alteration of features, spaces, and spatial relationships that characterize the period will not be undertaken.
- 3. Each property will be recognized as a physical record of its time, place, and use. Work needed to stabilize, consolidate and conserve materials and features from the restoration period will be physically and visually compatible, identifiable upon close inspection, and properly documented for future research.
- 4. Materials, features, spaces, and finishes that characterize other historical periods will be documented prior to their alteration or removal.
- 5. Distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize the restoration period will be preserved.
- 6. Deteriorated features from the restoration period will be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture, and, where possible, materials.
- 7. Replacement of missing features from the restoration period will be substantiated by documentary and physical evidence. A false sense of history will not be created by adding conjectural features, features from other properties, or by combining features that never existed together historically.
- 8. Chemical or physical treatments, if appropriate, will be undertaken using the gentlest means possible. Treatments that cause damage to historic materials will not be used.
- 9. Archeological resources affected by a project will be protected and preserved in place. If such resources must be disturbed, mitigation measures will be undertaken.
- 10. Designs that were never executed historically will not be constructed.

## Standards for Reconstruction

- 1. Reconstruction will be used to depict vanished or non-surviving portions of a property when documentary and physical evidence is available to permit accurate reconstruction with minimal conjecture, and such reconstruction is essential to the public understanding of the property.
- 2. Reconstruction of a landscape, building, structure, or object in its historic location will be preceded by a thorough archeological investigation to identify and evaluate those features and artifacts which are essential to an accurate reconstruction. If such resources must be disturbed, mitigation measures will be undertaken.
- 3. Reconstruction will include measures to preserve any remaining historic materials, features, and spatial relationships.
- 4. Reconstruction will be based on the accurate duplication of historic features and elements substantiated by documentary or physical evidence rather than on conjectural designs or the availability of different features from other historic properties. A reconstructed property will re-create the appearance of the non-surviving historic property in materials, design, color, and texture.
- 5. A reconstruction will be clearly identified as a contemporary re-creation.
- 6. Designs that were never executed historically will not be constructed.