


1 EXTERIOR ELEVATION



7/5/2017 4:43:31 PM

3' - 6 1/2"	$\underline{TOP \ OF \ PARAPET 3}_{125' - 0"} \bigcirc$ $\underline{TOP \ OF \ PARAPET 2}_{123' - 0"} \bigcirc$	ISG	
EF-2 EF-2 EF-7 EF-7	121' - 0"	Pitza Ranch	
EF-2 EF-7 EF 2		PRELIMINARY NOT FOR CONSTRUCTION NOT FOR CONSTRUCTION	R
EF-2 EF-7 EF-7		REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA. 	T  
		REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA. 	
		PROJECT PROJECT	
121' - 0"		ANYWHERE US REVISION SCHEDULE DATE DESCRIPTION B	SA ΒΥ
		PROJECT NO.       16-19022         FILE NAME       19022 Arch R16_2         DRAWN BY       DJR         DESIGNED BY       JPW, JLW         REVIEWED BY       JPW, JLW         ORIGINAL ISSUE DATE       06/23/2017         CLIENT PROJECT NO.       Image: Colspan="2">Colspan="2"Colsp	
	<ol> <li>SHEET NOTES</li> <li>REFER TO ADDITIONAL NOTES AND REQUIREMENTS ON ALL OTHER DOCUMENTS AND OTHER DISCIPLINES' DOCUMENTS.</li> <li>ALL HORIZONTAL TRANSITIONS BETWEEN DIFFERENT MATERIALS SHALL BE FLASHED CONTINUOUS FROM UP BEHIND TO UNDER UPPER MATERIAL AND EXTEND OVER TO EXTERIOR FACE OF LOWER MATERIAL.</li> <li>ALL RETURNS OR BLIND ELEVATIONS NOT SHOWN SHALL BE SIMILAR IN MATERIAL AND MAKEUP TO ADJACENT CONDITIONS OR OTHER SIMILAR CONDITIONS.</li> <li>SEAL ALL TRANSITIONS, CONTROL AND EXPANSION JOINTS AT ALL EXTERIOR MATERIALS.</li> <li>INSULATE AND SEAL TO ENSURE ADEQUATE AIR INFILTRATION BARRIER AROUND ALL EXTERIOR PENETRATIONS TO PREVENT WATER AND SPRINKLER</li> </ol>	TITLE EXTERIOR ELEVATIONS	
	<ul> <li>PIPE FREEZING.</li> <li>6. PROVIDE POWER TO ALL BUILDING MOUNTED SIGNS. PROVIDE EXTERIOR LED LIGHTING ON PARAPET. CONTACT JUSTIN MULDER (1-800-321-3401) FOR LOCATIONS.</li> </ul>	SHEET <b>A2-12</b>	