CITY OF WAUKESHA, WISCONSIN 201 DELAFIELD STREET * ROOM 200 * WAUKESHA, WI 53188 * PH: (262)524-3750 * FAX: (262)524-3751

SITE ADDRESS: 1245 Chapman Drive	Office Use Only		
4EDD	☐ PICTURE/Drawing/Site Plan		
Total Number of signs applying for today: Value of Sign(s) \$	□ FEE		
FEE: \$40 min. or \$1 per sq. ft. Required in full at time of submittal. FEE IS NON-REFUNDABLE.	☐ ELECTRICAL PERMIT		
Location of THIS sign:	Paid: Anitials:		
	l be mailed to this address		
Business Name: Hestore Building from Sign Contractor:	Vatil Disps		
Owner Name; Michael Dacc Address: 21795	Doral Ka.		
Business Phone: 262832 0724 City/State/Zip: Vaule	she WI 03186		
For questions call: Business Sign Contractor Phone: 262 432 [3	30		
IF THIS IS AREA IS LEFT EMI	PTY, PERMIT WILL NOT BE MAILED.		
(MANDATORY FIELD; application will be returned if left			
You must submit an electrical permit signed by a licensed electrician with all illumit HAS THIS BEEN DONE? YES, Permit No. BL -	nated sign permit applications. NO NOT APPLICABLE		
	face charge only		
ATTACH A COLOR PHOTO, DRAWING, AND/OR SITE PLAN. Show dimensions to sca			
CHECK ONE: TYPE OF SIGN (Circle all	that apply):		
New Sign ☐ Existing Sign ☐ Face Change Only Wall Door Projecting	Window Roof Billboard		
Flat Awning Freestan			
	uare Footage: 6 sq. ft.		
If Sign is detached or projecting, please supply: Total Height 45 Clearance:	Setback:		
Premise Data: Street Frontage: Building or Tenant Space Width: Other	r Ctreat Frantage		
Premise Data: Street Frontage: Building or Tenant Space Width: Other Street Frontage:			
PLEASE LIST ALL EXISTING SIGNAGE ON THE BACK OF THIS SHEET.			
By my signature, I state and agree, that I have carefully examined the completed application and do hereby certify that all information herein is true			
and correct, and I further certify that any and all work performed shall be done in accordance with the O and the Laws of the State of Wisconsin pertaining to the work described herein	ordinances of the City of Waukesha,		
Sun Maril 1 1:0-01 Maril	4/1/		
Legal Signature Will Well Print Name USC Vell	Date / 2/8		
OFFICE USE ONLY			
Zoning District: Gross sign area for premises: Area used by other signs: Approved Conditions (if any):			
Must submit electrical permit within 30 days of meeting or permit shall be voided.			
☐ Denied Does not conform to:			
Defiled Does not comorni to.			
	Area Corner Vision Setback Other		
Authorized Signature Date of Re	view		

INCOMPLETE APPLICATIONS MAY NOT BE PROCESSED.



Materials & Specs Monument Signage Routed Face
1

Oty 2 Faces

Black

Red 485C

Representative

Kathryn K.

Nick Mason Date: 2/16/2018

*Production cannot begin until we receive your authorization the proof is accurate. Delays in receiving your approval will delay production times.

Artwork is the property of Innovative Signs, Inc. Design charges will be applied to artwork shared and/or completed without the consent of Innovative Signs, Inc.



FIPESTONE Frestone Building Products ENTRANCE OFFICE 1245

.0.09

1245

Firestone

Firestone Building Products

ENTRANCE OFFICE

CITY OF WAUKESHA, WISCONSIN 201 DELAFIELD STREET * ROOM 200 * WAUKESHA, WI 53188 * PH: (262)524-3750 * FAX: (262)524-3751

PERMANENT SIGN PERMIT APPLICATION

ONE APPLICATION PER SIGN	CT (SENSOR - R.) MINORESTERNATION (1997) 1973 (1997) 2000000 (1990) 197000 (1990) 19		
SITE ADDRESS: 1245 Chapman Frive	Office Use Only		
Total Number of signs applying for today: Value of Sign(s) \$ 5600. FEE: \$40 min. or \$1 per sq. ft. Required in full at time of submittal. FEE IS NON-REFUNDABLE. Location of THIS sign: DTW	☐ PICTURE/Drawing/Site Plan ☐ FEE ☐ ELECTRICAL PERMIT Paid: Initials:		
Permit conv will	l be mailed <u>to this address</u>		
Business Name: Michael Part Sign Contractor: Novat Address: 21795 Dora City/State/Zip: Wawless For questions call: Business Sign Contractor Phone: 262 432 133	ive signs		
(MANDATORY FIELD; application will be returned if left blank.) You must submit an electrical permit signed by a licensed electrician with all illuminated sign permit applications. HAS THIS BEEN DONE? YES, Permit No. BL NO NOT APPLICABLE			
ATTACH A COLOR PHOTO, DRAWING, AND/OR SITE PLAN. Show dimensions to scale, colors, and location of sign.			
	that apply): Window Roof Billboard ding Yard Double Face		
Horizontal Width of Sign 60 Vertical dimension of Sign 69 TOTAL Square Footage: 10.75 sq. ft. If Sign is detached or projecting, please supply: Total Height 60 Clearance: Setback:			
Premise Data: Street Frontage: Building or Tenant Space Width: Other Street Frontage:			
PLEASE LIST ALL EXISTING SIGNAGE ON THE BACK OF THIS SHEET.			
By my signature, I state and agree, that I have carefully examined the completed application and do hereby certify that all information herein is true and correct, and I further certify that any and all work performed shall be done in accordance with the Ordinances of the City of Waukesha, and the Laws of the State of Wisconsin pertaining to the work described herein Legal Signature Print Name Print Name			
Zoning District: Gross sign area for premises: Area used by other signs: Approved Conditions (if any): Must submit electrical permit within 30 days of meeting or permit shall be voided.			
☐ Denied Does not conform to:			
	Area Corner Vision Setback Other		
Authorized Signature			

INCOMPLETE APPLICATIONS MAY NOT BE PROCESSED.



Push I prougn Acrylic
- CO
200
TO COLOR
District Application
000
ואחומח מהם
Konted Face
Kouted Face
Routed Face
Monument Signage Routed Face
Monument Signage Routed Face
Monument Signage Routed Face
Monument Signage Routed Face
Monument Signage Routed Face
Monument Signage Routed Face
Monument Signage Routed Face
Monument Signage Routed Face
Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
☐1 ■2 ☐3 ☐4 ☐5 ☐8 Materials & Specs Monument Signage Routed Face
□1 ■2 □3 □4 □5 □8 Materials & Specs Monument Signage Routed Face
☐1 ■2 ☐3 ☐4 ☐5 ☐88 Materials & Specs Monument Signage Routed Face
□1 ■2 □3 □4 □5 □8c Materials & Specs Monument Signage Routed Face
□1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
□1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
☐1 ■2 ☐3 ☐4 ☐5 ☐86 Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Materials & Specs Monument Signage Routed Face
Colonius Colonius Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □8 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □8 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □88 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity ☐1 ■2 ☐3 ☐4 ☐5 ☐86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □88 Materials & Specs Monument Signage Routed Face
Quantity □1 ■2 □3 □4 □5 □8t Materials & Specs Monument Signage Routed Face
See right. Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Kignt Quantity □1 ■2 □3 □4 □5 □8 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □8 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity ☐1 ■2 ☐3 ☐4 ☐5 ☐86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □8 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Routed Face
Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □8c Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Size See Right Quantity □1 ■2 □3 □4 □5 □8c Materials & Specs Monument Signage Routed Face
Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Size See Right Quantity □1 ■2 □3 □4 □5 □88 Materials & Specs Monument Signage Routed Face
Size See Right Quantity □1 ■2 □3 □4 □5 □8 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □8t Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □88 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □8 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
OT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
QT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
QT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
QT/OR# 11543 Size See Right Quantity □1 ■ 2 □ 3 □ 4 □ 5 □ 86 Materials & Specs Monument Signage Routed Face
OT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
OT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
OT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □88 Materials & Specs Monument Signage Routed Face
QT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □88 Materials & Specs Monument Signage Routed Face
OT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Monument Signage Routed Face
QT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
OT/OR # 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Routed Face
OT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
QT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
OT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
OT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
QT/OR # 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Materials & Specs Monument Signage Routed Face
QT/OR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □86 Monument Signage Routed Face
OT/OR # 11543 Size See Right Quantity □1 ■ 2 □ 3 □ 4 □ 5 □ 88 Materials & Specs Monument Signage Routed Face
Waunesia, Wi QYOR# 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □88 Materials & Specs Monument Signage Routed Face
Waukesna, WI QT/OR # 11543 Size See Right Quantity □1 ■2 □3 □4 □5 □8 Materials & Specs Monument Signage Routed Face

Colors

Black
Red 485C
White

Representative

Kathryn K. Designer Nick Mason Date: 2/16/2018 *Production cannot begin until we receive your authorization the proof is accurate. Delays in receiving your approval will delay production times.

CLAIMER:

Arwork is the property of Innovative Signs, Inc. Design charges will be applied to artwork shared and /or completed without the consent of Innovative Signs, Inc.



SHIPPING
TRUCK
ENTRANGE

Firestone Building Products

Cut Vinyl Graphics

29.0"

SHIPPING
TRUCK
ENTRANCE


CITY OF WAUKESHA, WISCONSIN 201 DELAFIELD STREET * ROOM 200 * WAUKESHA, WI 53188 * PH: (262)524-3750 * FAX: (262)524-3751

PERMANENT SIGN PERMIT APPLICATION

1245 Channel Dri 18	Office Use Only		
SITE ADDRESS: 1275 Chapman DTV	☐ PICTURE/Drawing/Site Plan		
Total Number of signs applying for today: Value of Sign(s) \$	_		
Location of THIS sign: Chapman Drive, receiving	☐ ELECTRICAL PERMIT		
entrance	Paid: Initials:		
	py will be mailed to this address Doral Rd.		
- 0 1130	1220		
	1550		
IF THIS IS AREA IS LEFT	EMPTY, PERMIT WILL NOT BE MAILED.		
(MANDATORY FIELD; application will be returned if left blank.) You must submit an electrical permit signed by a licensed electrician with all illuminated sign permit applications. HAS THIS BEEN DONE? YES, Permit No. BL NO NOT APPLICABLE			
ATTACH A COLOR PHOTO, DRAWING, AND/OR SITE PLAN. Show dimensions to scale, colors, and location of sign.			
CHECK ONE: New Sign Existing Sign Face Change Only TYPE OF SIGN (Circle Wall Door Project Flat Awning Error)	ting Window Roof Billboard standing Yard Double Face		
1511	L Square Footage: 6.2 sq. ft.		
If Sign is detached or projecting, please supply: Total Height Clearance: Setback:			
Premise Data: Street Frontage: Building or Tenant Space Width: Other Street Frontage:			
PLEASE LIST ALL EXISTING SIGNAGE ON THE BACK	OF THIS SHEET.		
By my signature, I state and agree, that I have carefully examined the completed application and do hereby certify that all information herein is true and correct, and I further certify that any and all work performed shall be done in accordance with the Ordinances of the City of Waukesha, and the Laws of the State of Wisconsin pertaining to the work described herein			
Legal Signature Filsel Wer Print Name Lilsel Wer	12/18 Date 4/2/18		
Zoning District: Gross sign area for premises: Area used by other signs: Approved Conditions (if any): Must submit electrical permit within 30 days of meeting or permit shall be voided.			
☐ Denied Does not conform to:			
☐ Height ☐ Architecturally compatible ☐ Not to face R-district ☐ Clearance ☐ Projection ☐ Avoid needless elaboration ☐ Consolidation of signs ☐ Distracting sign	☐ Area ☐ Corner Vision ☐ Setback ☐ Other		
Authorized Signature Date of	of Review		

INCOMPLETE APPLICATIONS MAY NOT BE PROCESSED.





Firestone

Firestone Building Products

SHIPPING

ENTRANCE

TRUCK

Oty 2 Faces

Red 485C

Black

Representative

Kathryn K.

Nick Mason Date: 2/16/2018

*Production cannot begin until we receive your authorization the proof is accurate. Delays in receiving your approval will delay production times.

Artwork is the property of Innovative Signs, Inc. Design charges will be applied to artwork shared and/or completed without the consent of Innovative Signs, Inc.



29.0"

Firestone

Cut Vinyl Graphics

Firestone Building Products

TRUCK ENTRANCE

