City of Waukesha

City of Waukesha Department of Public Works 130 Delafield Street Waukesha, WI 53188 Waukesha-wi.gov

Sewer Plan Review Checklist

Attachment H (Rev 12/18)

Project Name:	
Engineering & Design Firm:	

Sanitary System

YES	NO	N/A	
			Minimum 4" sanitary sewer lateral from the main to the property line, PVC SDR 26 or 35 conforming to ASTM standards D 3034 with rubber gasket joints
			Sanitary sewer laterals shall have a green #12 locater wire installed along the entire length. Locater wire shall be brought to the surface at the edge of the building and enclosed in a curb box with "sewer" on the cover.
			Sampling manhole required for all food service developments (or developments with the potential to become food service) and industrial/manufacturing facilities.
			Industrial facilities must complete an industrial discharge form.
			Outside drop manhole connection required where drop is greater than 24 inches.
			Sanitary Plan View
YES	NO	N/A	
			Ghost existing utilities and lateral locations in screened format. Label the pipe size of existing utilities.
			Label the proposed sewer and laterals with length, size, and material type
			Material and size of the existing sanitary sewer being connected to.
			Label the stub-outs with length, size, slope, and invert elevations (if not profiled).
			Dimensions showing offset from right-of-way to the sewer and separation distance between other utilities.
			Show type and size of encasement where needed
			Show flow directions of all proposed mains.
			Length of each sewer lateral and height of any lateral risers. Label proposed invert elevations at right-of-way lines.
			Distance from downstream manhole to each upstream sewer lateral.
			Proposed manholes and cleanouts labeled with a design plan number. Existing manholes labeled with numbers obtained from City records.
			Rim and invert elevations at each manhole, based on City of Waukesha datum (for private sewer if not profiled)
			Show and label all easements
			Sanitary Profile View
YES	NO	N/A	
			Stationing.
			Existing and proposed surface profiles and elevations over the sewer.
		A	All utility crossings. Label elevations if known.

			Pipe material / class, size, length, and percent grade to two (2) decimal places.
			Material and size of the existing sanitary sewer being connected to.
		X	Length, type, and size of encasement as needed.
			Proposed manholes. Indicate type and diameter.
		M	Label station, rim, and invert elevations, based on City of Waukesha datum, and design plan number for each manhole and cleanout. Existing manholes to be labeled with
		E31	numbers obtained from City records.
			Limits of gravel and/or slurry backfill.
Sanitary for Subdivisions/Large Developments			
(Complete copies of City specifications for sanitary sewer are available upon request.)			
YES	NO	N/A	
YES	NO □	N/A	Each parcel should have a separate sanitary sewer lateral.
YES	NO		Each parcel should have a separate sanitary sewer lateral. Sanitary sewer – 8 ft. horizontal separation from water main per DNR requirements. 8" diameter minimum size, PVC SDR 26 for depths up to 25 ft.
YES	NO		Sanitary sewer – 8 ft. horizontal separation from water main per DNR requirements. 8"
YES			Sanitary sewer – 8 ft. horizontal separation from water main per DNR requirements. 8" diameter minimum size, PVC SDR 26 for depths up to 25 ft. Sanitary sewer manhole at every change of direction and a maximum distance of 400

Storm System

	5.00 M		Storm Plan View
YES	NO	N/A	
			Ghost existing utilities and lateral locations in screened format. Pipe size of existing utilities labeled.
			Proposed sewer and laterals with length, size, and material type clearly labeled.
			Material and size of the existing storm sewer being connected to.
			Stub-outs labeled with length, size, slope, and invert elevations (if not profiled).
			Dimensions showing offset from right-of-way to the sewer and separation distance between other utilities.
			Type and size of encasement where needed
			Length of any sewer lateral. Label proposed invert elevations at right-of-way lines.
			Proposed inlets, manholes, and other drainage structures.
			Proposed drainage structures labeled with a design plan number. Existing drainage structures labeled with numbers obtained from City records.
			Details of outfall or ditch inlet protection requirements such as rip-rap, end sections of headwalls as needed.
			Details of detention facilities, outfall, overflow and control structures as needed.
			Storm Profile View
YES	NO	N/A	
			Stationing.
		100	Existing and proposed surface profiles and elevations over the sewer.
		K	All utility crossings. Label elevations if known.
		M	Pipe material / class, size, length, and percent grade to two (2) decimal places.
		100	Material and size of the existing storm sewer being connected to
		CEK	Length, type, and size of encasement as needed.
		(DK)	Proposed inlets, manholes, and other drainage structures. Label type and size.
		×	Label station, rim, and invert elevations, based on City of Waukesha datum, at each manhole, catch basin, inlet, and detention control structure.

		Proposed drainage structures labeled with a design plan number. Existing drainage structures to be labeled with numbers obtained from City records.
	M	Cross-section of open channels and detention facilities, including outfall, overflow, and control structures.
	×	Limits of gravel and/or slurry backfill.

General System

VEO	NO	NI/A				
YES	NO	N/A	Show all easements, public or private.			
M			No structures allowed within a public easement.			
X			s may be considered to be considered and the constitution of the c			
			Plantings or signs within public easements, if permitted by City, shall be at least 5 feet from the utilities.			
			General for Subdivisions/Large Developments			
YES	NO	N/A				
			Provide plans sealed by Registered Professional Engineer			
			Show benchmark, north arrow and scale.			
			Show existing/proposed sewer and water utilities.			
			All sewer to be installed by the developer under the terms of a Development Agreement.			
			Utility Plans			
YES	NO	N/A	•			
			Location of all utilities: storm and sanitary sewers, water mains, fire hydrants, electrical, natural gas, and communication (cable television, telephone, etc.) lines			
			Exterior lighting for parking and other outdoor areas, outdoor signs, and building exteriors.			
			Location of waste and trash collection, and indicate plans for snow removal.			
X			Location and footprint of any and all buildings			
21			Location and names of existing and proposed streets			
			Location and size of existing and proposed storm sewer, sanitary sewer, and water utility systems shown			
			Electric, gas, telephone, and cable lines shown			
M			All new utilities are underground			
			Exterior lighting detail provided			
M			Location of all utility and private fire hydrants			
			Sampling manhole shown (if applicable)			
		A	Grease interceptor shown (if applicable)			
			Location and size of existing and proposed water meters			
Include the following notes on the Utility Plan:						
YES		N/A				
			All sanitary sewer to be installed in accordance with City of Waukesha standards.			
M			All applications and fees for sanitary sewer must be completed and paid prior to connection to sewer systems.			
×.			Any utility work in the right-of-way and all sanitary sewer connections to be inspected by City. Notify City 72 hours in advance of connecting to sewer.			
The ab	ove list	contains	items that are commonly missed on Utility Plans. For subdivisions or other large or complex			
projects, a complete plan review includes many more checks too numerous to list here. Please call (262) 524-3600 for						
additional information. City typical sewer details can be provided upon request.						
I NOLE. F	Note: For water main, contact Waukesha Water Utility at (262) 521-5272					