

Store Engineering

PHONE 608-793-5555 FAX 608-781-8960

1626 Oak St., P.O. Box 2107 La Crosse, WI 54602

www.kwiktrip.com

March 2, 2020 / May 4, 2020

City of Waukesha Planning Department Doug Koehler 201 Delafield St Waukesha, WI 53188

RE: Kwik Trip Store 970 rebuild

Dear Mr. Koehler:

This letter is intended to accompany the submittal for our application to the City of Waukesha Planning Department for the requested Development Plan Review and also a Conditional Use Permit for Automobile service stations. Please accept this letter as our request to be placed on the next available Staff Meeting Agenda as well as the Planning Commission and City Council Meeting Agenda.

Kwik Trip, Inc. is proposing the construction of a convenience store with an integral single bay carwash, 10 dispenser fueling canopy along with a 3 lane diesel fueling canopy. Included with the applications in the submittal are full size 24x36 and reduced -11x17 copies of the Site Improvement Plans. I have also included the ALTA Survey, Building and Canopy Elevations, floor plan, Signage Plans, Storm Water Management Plan, Development Review Application, Conditional Use Permit Application and application check for \$3300.

Operations

The requested hours of operation will be 24 hours for all uses. The type of products that will be sold will be similar to that of our existing stores throughout the area and mid-west: fresh produce, bakery and dairy, hot and cold food and beverages, fresh meat and groceries, tobacco products, lotto, convenience store merchandise, alcohol, gasoline, diesel, E-85, ice and propane. The outside merchandising of products is being requested next to the store (two ice chests and

OUR MISSION

To serve our customers and community more effectively than anyone else by treating our customers, co-workers and suppliers as we, personally, would like to be treated, and to make a difference in someone's life.

one propane cage) and underneath the proposed main canopy. To ensure that the freshest products are sold in our stores, we request that daily deliveries be allowed.

Buildings, Architecture and Site Design

The architectural elements in this state-of-the-art building consist of a full brick cladding, standing seam metal roof, store front aluminum openings and stucco accents. Extensive landscaping, modern storm water facilities, monument and wall signage, customer and employee parking, concrete paving with curb and gutter are also included in the overall site design.

Investment in the City

This project will be a multi-million dollar investment in the City of Waukesha. Not only in the physical improvements and development of a vacant parcel and rebuild of an existing parcel, but also an investment of approximately 25 to 30 new permanent jobs in the City. The projected payroll here is estimated to be approximately \$500,000 annually.

Community Partner

We pride ourselves in being an asset in the communities where we are located. Families can walk or ride their bikes to our stores. Retirees on fixed income can access fresh groceries like milk, eggs, bread and fruit just steps from their car. We take pride in giving back to the communities we serve with charitable donations and by partnering with local non-profits. Kwik Trip would be happy to provide any additional information or answer any questions or concerns the City of Waukesha may have with our submittal. Please feel free to call or email with any questions you may have.

Sincerely,

Bradford Fry, PE

Project Manager

Store Engineering bfry@kwiktrip.com

biry@kwiktrip.co

608-793-6414

Last Revision Date: 6/18/2018



City of Waukesha Application for Development Review

City of Waukesha Community Development Department - 201 Delafield Street, Suite 200, Waukesha, WI 53188 262-524-3750 City of Waukesha Department of Public Works Engineering Division—I30 Delafield Street, Waukesha, WI 53188 262-524-3600 www.waukesha-wi.gov

| APPLICANT INFORMATION | PROPERTY OWNER INFORMATION |
|---|---|
| Applicant Name: Bradford Fry, P.E. | Applicant Name: Same as Applicant |
| Applicant Company Name: Kwik Trip, Inc. | Applicant Company Name: |
| Address: 1626 Oak Street / PO Box 2107 | Address: |
| City, State: La Crosse, WI Zip: 54602 | City, State: Zip: |
| Phone: (608) 793-6414 | Phone: |
| E-Mail: bfry@kwiktrip.com | E-Mail: |
| ARCHITECT/ENGINEER/SURVEYOR INFORMATION | PROJECT & PROPERTY INFORMATION |
| Name: Robert J. Harley, P.E. | Project Name: Kwik Trip - Store #970 S West Avenue |
| Company Name: raSmith, Inc. | Property Address 2105 S West Avenue |
| Address: 16745 W Bluemound Road | Tax Key Number(s): WAKC1356362 / WAKC1356361 |
| City, State: Brookfield, WI Zip: 53005 | |
| Phone: (262) 317-3266 | Total Acreage: 5.8480 AC Existing Building Square Footage 5,879 SF |
| E-Mail: robert.harley@rasmith.com | Proposed(Building)Addition Square Footage: 9,200 SF |
| | Current Use of Property: Auto Service Station / Vacant Lot |
| | |
| us, a COLOR landscape plan, COLOR building elevation plans, meeting is required prior to submittal of any applications for Su | obe PDF) and shall include a project location map showing a 1/2 mile radiand exterior lighting photometric maps and cut sheets. A pre-application bdivisions, Planned Unit Developments, and Site and Architectural Plan Commission Reviews is at 4:00 P.M, 30 days prior to the meet-Fourth Wednesday of each month. |
| APPLICATION ACKNOWLEDGEMENT AND SIGNATURE | s |
| A I I | ent Handbook, City Ordinances, Submittal Requirements and Checklists and have lete information may result in a delay of the review of your application. By signing the property for the purpose of reviewing this application. |
| Applicant Signature | / |
| Applicant Name (Please Print) Bradford Fry | |
| Date: February 27, 2020 / May 4, 2020 | |
| For Internal Use Only: | |
| Amount Due (total from page 2): | Amount Paid: Check #: |
| Trakit ID(s) | Date Paid: |

City of Waukesha Application for Development Review

| TYPE OF APPLICATION & FEES (CHECK ALL THAT APPLY) | Fees |
|--|---|
| Please note that each application type has different submittal requirements. Detailed submittal checklists can be found in Appendix A of the E book. | Pevelopment Hand- |
| □Plan Commission Consultation \$200 | |
| □Traffic Impact Analysis | |
| □Commercial, Industrial, Institutional, and Other Non-Residential \$480 | 8 |
| Residential Subdivision or Multi-Family \$480 | |
| Resubmittal (3rd and all subsequent submittals \$480 | |
| ☑Preliminary Site Plan Review | \$2,320 |
| ☐ Level 1: Buildings/additions less than 10,000 sq.ft. or sites less than 1 acre \$2,200 | Previously Paid |
| Level 2: Buildings/additions between 10,001-50,000 sq.ft. or sites between 1.01 and 10 acres \$2,320 | Troviously Fala |
| □ Level 3: Buildings/additions between 50,001-100,000 sq.ft. or sites between 10.01 and 25 acres \$2,440 | |
| ☐ Level 4: Buildings/additions over 100,001sq.ft. or sites greater than 25.01 acres. \$2,560 | |
| ☐ Resubmittal Fees (after 2 permitted reviews) \$750 | . |
| ☐ Final Site Plan Review | \$1,440 |
| □ Level 1: Buildings/additions less than 10,000 sq.ft. or sites less than 1 acre \$1,320 | 1 1 |
| □Level 2: Buildings/additions between 10,001-50,000 sq.ft. or sites between 1.01 and 10 acres \$1,440 | |
| □ Level 3: Buildings/additions between 50,001-100,000 sq.ft. or sites between 10.01 and 25 acres \$1,560 | |
| □ Level 4: Buildings/additions over 100,001sq.ft. or sites greater than 25.01 acres. \$1,680 | |
| Resubmittal Fees (3rd and all subsequent submittals) \$750 | |
| ☐Minor Site or Architectural Plans (total site disturbance UNDER 3,000 total square feet) | |
| □Projects that do not require site development plans \$330 | # |
| Resubmittal Fees (3rd and all subsequent submittals) \$330 | |
| ☑Certified Survey Map (CSM) | \$500 |
| ☑ I-3 Lots \$500 | Previously Paid |
| □4 lots or more \$560 | 1 Toviously 1 ald |
| Resubmittal (3rd and all subsequent submittals) \$180 | |
| □Extra-territorial CSM \$260 | |
| □ Preliminary Subdivision Plat | |
| □Up to 12 lots \$1,270 | - |
| □ 13 to 32 lots \$1,390 | |
| □36 lots or more \$1,510 | |
| Resubmittal (3rd and all subsequent submittals) \$630 | |
| ☐ Final Subdivision Plat | |
| □Up to 12 lots \$660 | |
| □ 13 to 32 lots \$780 | |
| □36 lots or more \$900 | |
| Resubmittal (3rd and all subsequent submittals) \$480 | |
| □Extra-territorial Plat \$540 | |
| □Rezoning and/or Land Use Plan Amendment | |
| □Rezoning \$630 | 3 |
| □Land Use Plan Amendment: \$630 | |
| ☑Conditional Use Permit | |
| ☐Conditional Use Permit with no site plan changes \$480 | Previously Paid |
| Conditional Use Permit with site plan changes \$480 plus applicable preliminary and final site plan fees above | CONTRACTOR |
| ☐Planned Unit Development or Developer's Agreement (Site Plan Review is also required) | - |
| □New Planned Unit Development or Developer's Agreement \$1,760 | |
| □ Planned Unit Development or Developer's Agreement Amendment \$610 | |
| □Annexation NO CHARGE | |
| □House/Building Move \$150 | |
| □Street or Alley Vacations \$150 | |
| _ | 1 |
| TOTAL ADDITION EEES. | ¢1 //O |

City of Waukesha Development Review Submittal Requirements

PLAN COMMISSION CONSULTATION SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION

A Plan Commission Consultation my be submitted for review and comment for the owner/developer to ascertain the feasibility of a proposed project. A consultation is not required but may be submitted in advance of an actual submittal for a preliminary plat, CSM, Planned Unit Development, rezoning, conditional use or site plan. The Plan Commission will only provide feedback, no approvals will be given. Prior to applying for a Plan Commission Consultation you must discuss your project with the Planning Division to determine if a Plan Commission Consultation is recommended.

| conditional use or site plan. The Plan Commission will only provide feedback, no approvals will be given. Prior to applying for a Plan Commission Consultation you must discuss your project with the Planning Division to determine if a Plan Commission Consultation is recommended. |
|--|
| Review Time: Approximately 30 days |
| Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility. |
| Reviewing Boards: Plan Commission (optional) |
| In addition to this application and corresponding application fee you will also need: |
| One (1) digital (PDF) copy of the plans you want conceptual review of |
| Attachment A: Development Review Checklist. You should also review all other corresponding checklists that relate to the project that you are seeking conceptual review of and include as much information as possible. |
| ☐ Cover letter outlining project details. |
| TRAFFIC IMPACT ANALYSIS SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION |
| A Traffic Impact Analysis is required for projects that meet certain criteria. Please refer to the Developer's Handbook Section 4.4 to determine if your project requires a Traffic Impact Analysis |
| Review Time: Approximately 30 days |
| Reviewing Departments: Public Works Engineering Division |
| Reviewing Boards: None, however the Plan Commission may require a copy as part of site plan review process. |

PRELIMINARY SITE AND ARCHITECTURAL PLAN SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION

Preliminary site and architectural plans are required for any new residential development with 4 or more units and all non-residential developments. Preliminary site plan approval is also required for additions or modifications to existing developments and projects where a stormwater management plan is needed. Preliminary approval is required unless it is determined by City staff in the Pre-Application meeting that the project only needs Final Site and Architectural Review.

Review Time: Approximately 30 days (45 if Common Council review is needed)

Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility.

Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects.

In addition to this application and corresponding application fee you will also need:

In addition to this application and corresponding application fee you will also need:

One (1) digital (PDF) that includes of items listed below

☐One (I) digital (PDF) copy of the Traffic Impact Analysis

- X Cover letter outlining project details.
- ☑ Color architectural elevations of all sides of the building and color perspective renderings
- Conceptual Landscape Plan
- X Attachment A: Development Review Checklist

Previously Submitted

- X Site Plan (see Attachment B: Engineering Plan Checklist)
- 💢 Grading Plan (see Attachment C: Site Grading and Drainage Plan Checklist)
- Stormwater Management Plan (see Attachment D: Stormwater Management Plan Checklist)
- ☑ Utility Plans (see Attachment H: Sewer Plan Review Checklist)
- Any other attachments as applicable.

FINAL SITE AND ARCHITECTURAL PLAN SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION Final site and architectural plans are submitted only after the Plan Commission has approved Preliminary Site Plans for any new residential development with 4 or more units and all non-residential developments, including modifications to existing developments. Some projects may bypass Preliminary approval but only if it is determined by City staff in the Pre-Application meeting. Review Time: Approximately 30 days (45 if Common Council review is needed) Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility. Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects. In addition to this application and corresponding application fee you will also need: One (1) digital (PDF) that includes of items listed below This Submittal -Cover letter outlining project details. information updated Color architectural elevations of all sides of the building and color perspective renderings based on 4/2/20 Staff Review comments ✓ Landscape Plan (see Attachment I: Landscape Plan Checklist) X Attachment A: Development Review Checklist Site Plan (see Attachment B: Engineering Plan Checklist) Grading Plan (see Attachment C: Site Grading and Drainage Plan Checklist) X Stormwater Management Plan (see Attachment D: Stormwater Management Plan Checklist) Utility Plans (see Attachment H: Sewer Plan Review Checklist) MINOR SITE AND ARCHITECTURAL PLAN SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION Minor Site and Architectural review is intended for projects that may not need the extensive submittal requirements for Preliminary and Final Site Plan approval. Projects that qualify for Minor Site Plan submittal may include landscape, façade and building changes or minor site modifications that don't result in the addition of impervious surface. Review Time: Approximately 30 days (45 if Common Council review is needed)

Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility.

Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects.

| In addition to this application and corresponding application fee you will also need: |
|---|
| ☐ One (I) digital (PDF) that includes of items listed below |
| ☐ Cover letter outlining project details. |
| ☐ Architectural elevations of all sides of the building being modified |
| \square In addition, depending on the type of project, you may also need the following items: |
| ☐ Site Plan (see Attachment B: Engineering Plan Checklist) |
| ☐ Landscape Plan (see Attachment I: Landscape Plan Checklist) |

CERTIFIED SURVEY MAP SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION

A Certified Survey Map may be used to divide up to eight (8) lots in Commercial, Industrial, and Mixed Use zoning districts and up to four (4) lots in all other zoning districts.

Review Time: Approximately 45-60 days. An extension letter will be required if the approval process will take more than 90 days.

Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility.

Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects.

In addition to this application and corresponding application fee you will also need:

M One (1) digital (PDF) that includes of items listed below

X Attachment E: Certified Survey Map Checklist

Attachment A: Development Review Checklist and other attachments as applicable.

This Submittal -Information updated based on 4/2/20 Staff Review comments

*Please note If any exterior architectural, landscape, or site plan changes are required you must also go through Site Plan Review and meet all of those submittal requirements.

| PRELIMINARY PLAT SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION |
|--|
| A Preliminary Plat shall be used to subdivide land in the City. The applicant is responsible for submitting the Preliminary Plat to Waukesha County and the State of Wisconsin for review. |
| Review Time: Approximately 45-60 days. An extension letter will be required if the approval process will take more than 90 days. |
| Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility. |
| Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects. |
| In addition to this application and corresponding application fee you will also need: |
| ☐ One (I) digital (PDF) that includes of items listed below |
| ☐ Attachment F: Preliminary Plat Checklist |
| ☐ Cover letter outlining project details. |
| ☐ Attachment A: Development Review Checklist and other attachments as applicable |
| ☐ Stormwater Management Plan (see Attachment D: Stormwater Management Plan Checklist) |
| FINAL PLAT SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION |
| A Final plat shall be used to subdivide land in the City. The applicant is responsible for submitting the Final Plat to Waukesha County and the State of Wisconsin for review. |
| Review Time: Approximately 45-60 days. An extension letter will be required if the approval process will take more than 90 days. |
| Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility. |
| Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects. |
| In addition to this application and corresponding application fee you will also need: |
| ☐ One (I) digital (PDF) that includes of items listed below |
| ☐ Attachment G: Final Plat Checklist |
| ☐ Cover letter outlining project details. |
| ☐ Attachment A: Development Review Checklist and other attachments as applicable. |
| ☐ Stormwater Management Plan (see Attachment D: Stormwater Management Plan Checklist) |
| REZONING & COMPREHENSIVE PLAN AMENDMENT SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION |
| This review is for any requests to rezone land or amend the City's Comprehensive Master Plan. For rezonings all property owners within 300 feet of the property will be notified of your request. |
| Review Time: 45-60 Days |
| Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public Works Engineering Division, Fire Department, Water Utility. |
| Reviewing Boards: Plan Commission, Common Council |
| Additional Information: Rezonings must be done in accordance with the Comprehensive Plan. Please consult with Planning staff to determine if a Comprehensive Plan Amendment is also required prior to submitting a rezoning application. |
| In addition to this application and corresponding application fee you will also need: |
| ☐ One (1) digital (PDF) that includes of items listed below |
| ☐ Cover letter outlining project details and rationale for rezoning |
| ☐ Rezoning Form including legal description and notarized owner(s) signatures (rezoning applications only) |
| ☐ Conceptual Plan (if applicable) |
| *Please note this application fee only covers the rezoning and/or Comprehensive Plan Amendment. If you are proposing site plan changes or are subdividing land you will also need to meet the applicable submittal requirements for those proposals. |

| CONDITIONAL USE PERMIT SUBMITTAL REQUIREMENTS AND ADDITIONAL INFO | RMATION |
|--|---|
| Any use listed as a Conditional Use in Chapter 22 (Zoning Code) requires a Public Hearing in front of the pancy permits being issued. All property owners within 300 feet of the property will be notified of your | he Plan Commission prior to building or occu- request. |
| Review Time: 30-45 days | |
| Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public \ Water Utility. | Works Engineering Division, Fire Department, |
| Reviewing Boards: Plan Commission | This Submittal - |
| In addition to this application and corresponding application fee you will also need: | information updated |
| One (1) digital (PDF) that includes of items listed below | based on 4/2/20 Staff |
| ☐ Conditional Use Permit Application | Review comments |
| *Please note If any exterior architectural, landscape, or site plan changes are required you must also go through | Site Plan Review and meet all of those submittal |
| requirements. | one than notion and most an of allege and |
| PLANNED UNIT DEVELOPMENT OR DEVELOPER'S AGREEMENT SUBMITTAL REQU FORMATION | |
| The PUD Overlay District is intended to permit development that will, over a period of time, be enhand location of structures, diversified building heights and types, and/or mixing of compatible uses. The PUD for flexibility of overall development design with benefits from such design flexibility intended to be derived by the company time resistance of the design of the company time resistance of the design of the company time resistance of the design flexibility intended to be derived by the company time resistance of the design flexibility in the design fl | Overlay District under this Chapter will allow yed by both the developer and the community, |
| while at the same time maintaining insofar as possible the standards or use requirements set forth in the | |
| Developer's Agreements are used for any project that require public infrastructure improvements (sewe site improvements such as median openings, traffic signals, street widening, etc | er, storm sewer, sidewalks, etc) and other off- |
| Review Time: 45-60 days | |
| Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public V Water Utility. | Vorks Engineering Division, Fire Department, |
| Reviewing Boards: Plan Commission, Common Council. Some projects will also require Board of Pub | lic Works review. |
| In addition to this application and corresponding application fee you will also need: | |
| ☐ One (1) digital (PDF) that includes of items listed below | |
| \Box Cover letter/statement that outlining project details and all of the required information set (4)(a) | forth in the Zoning Ordinance Section 22.52 |
| \square Rezoning Form including legal description and notarized owner(s) signatures (rezoning appli | ications only) |
| ☐ General Development Plan | |
| ☐ Proposed Supplemental Design Elements (required for all PUDs under the minimum requires) | |
| *Please note in addition to the PUD submittal requirements your project will also need additional application fees ype. This may include Preliminary and Final Plats, Preliminary and Final Site and Architectural Plans, Certified Sur you of any additional submittal requirements at the Pre-Application meeting, which is required prior to submitting | vey Maps, Traffic Impact Analysis. Staff will inform |
| ANNEXATION SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION | |
| Requests for annexation as permitted under Section 66.0217 Wisconsin Statutes. | |
| Review Time: 45-60 days | |
| Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public W | Vorks Engineering Division Fire Department |
| Vater Utility. | vorks Engineering Division, Fire Department, |
| Reviewing Boards: Plan Commission, Common Council | |
| n addition to this application and corresponding application fee you will also need: | |
| One (1) digital (PDF) that includes of items listed below | |
| ☐ Copy of your State of Wisconsin Request for Annexation Review Application | |
| \square Signed City of Waukesha Direct Annexation Petition | |
| \square Map of property of property to be annexed. | |

 $\hfill\square$ A boundary description (legal description of property to be annexed)

 $\hfill\square$ Any additional information on the annexation.

| HOUSE/BUILDING MOVE SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION |
|---|
| Any application to move a home or building from one location to another in the City requires review by staff and the Plan Commission. |
| Review Time: 30-45 days |
| Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public Works Engineering Division, Fire Department, Water Utility, Police Department, Any affected Public Utilities |
| Reviewing Boards: Plan Commission |
| In addition to this application and corresponding application fee you will also need: |
| ☐ One (I) digital (PDF) that includes of items listed below |
| ☐ Address of existing structure and address of final destination for structure |
| ☐ Site Plan showing location of house/building at the new location |
| ☐ Proposed route for moving structure. Should also include any overhead wires, mailboxes, or other obstructions that will need to be tem porarily relocated to allow for the house/building to get to the new site. |
| STREET VACATIONS |
| Street Vacations must be reviewed and approved by the Plan Commission. |
| Review Time: 45-60 days |
| Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public Works Engineering Division, Fire Department, Water Utility. |
| Reviewing Boards: Plan Commission, Common Council |
| In addition to this application and corresponding application fee you will also need: |
| One (I) digital (PDF) that includes a man and legal description of the areas to be vacated |



CITY OF WAUKESHA DEPARTMENT OF COMMUNITY DEVELOPMENT

City Hall, 201 Delafield Street, Room 200 Waukesha, WI 53188 Phone (262) 524-3750 Fax (262) 524-3751

CONDITIONAL USE PERMIT APPLICATION

This application must accompany a Plan Commission Application along with the required fee.

The Plan Commission may not make a decision on this request if the property owner is not present at the meeting.

| DATE: February 27, 2020 / May 4, 2020 |
|---|
| ☑ NEW APPLICATION ☐ AMENDMENT TO EXISTING CONDITIONAL USE PERMIT |
| NAME OF PROJECT OR BUSINESS: Kwik Trip - Store #970 S West Avenue |
| LOCATION OF USE: 2105 S West Avenue |
| TYPE OF USE: Auto Service Station |
| Is this a NEW use or is this use being relocated from somewhere else? Relocated |
| If you are relocating a use, where are you relocating it from? Adjacent Property |
| Do you operate a use in other locations? ? (Circle one) YES NO |
| If yes, please explain: 9 Waukesha Stores |
| Will the use be occupying an existing building or will you be building a new building? EXISTING NEW |
| Hours and days of operation: 24 / 7 |
| Number of Employees: |
| Number of on-site parking stalls available: 30 Store Stalls / 23 Fueling Stalls |
| Length of permit requested (6 month, 1 year, 2 year, permanent): Permanent |
| Current zoning: M-2 |
| Is a License required to operate this use? (Circle one) YES NO If yes, please attach a copy. |
| Name of licensing authority: City AND CONTY OF WAVKESHA |
| Will any hazardous materials be used? |
| |
| The following information must be attached to process the permit: |
| 💢 A site map showing the location of the proposed site. |
| $ \boxtimes$ A site plan showing the location of building(s), parking, landscaping, etc. |
| $oxed{oxed}$ A floor plan of the building showing how it will be used for the proposed use. |
| \square If an existing building, a photo of the building. |
| ☐ If new, complete development plans must be submitted per the development guidelines. |
| \square If facade changes are proposed, plans must be submitted showing changes. |
| 🛮 A business plan if there is one; otherwise answer the questions on the back. |

Please Note: If approved, this permit will be issued to the applicant only and will not be transferrable. This application will become null and void if required fees and materials are not submitted at time of application. Any physical changes made to the building may require the installation of additional fire protection systems. Please contact the Fire Marshal for further discussion.

Please attach a copy of your Business Plan if you have one. If you do not have written Business Plan or choose not to share it, please answer the following questions: What business will you be in? 1. Explain your business' daily operations. 2. How will business be managed on a daily basis? 3. What are your products or services? 4. Will your employees need additional parking? 5. Are employees required to have any certification(s)? 6. 7. Who is the owner of the building or premises where your business will be conducted? If you are not owner of the building or premises where your business will be conducted, do you have 8. a lease agreement with the owner? Are there any insurance requirements for your business? 9. Will you have property insurance? _____ 10. Are there any noise considerations/concerns with your business operations? 11.



Attachment A - Application for Development Review Checklist

Project Name: Kwik Trip - Store #970 S West Avenue Engineering Design Firm: raSmith, Inc.

| Checklist Items | CSM | Preliminary Plat | Final Plat | Property Survey for Bidg Permit | Storm Water Plan | Erosion Control Plan | Site, Grading, Drainage Plan | Street Plan | Utility Plan | Landscape | Traffic Control Plan | Traffic Impact Analysis | Conditional Use or Home Indus. | PUD or Developer's Ag. | Minor site or Arch. Change | Conditional Course Use | Rezoning & Comp. Plan Change |
|--|-----|---------------------|------------|---------------------------------------|---------------------|----------------------------|---------------------------------|-------------|--------------|-----------|-------------------------|----------------------------|-----------------------------------|------------------------------|----------------------------------|------------------------|------------------------------------|
| Followed Construction Drawing Sheet Layout standards in Development Handbook | | | | | | × | × | | × | × | | | | | | | |
| Followed Development Handbook and Storm Water Ordinance standards for Erosion control plans | | | | | | × | | | | | | | | | | | |
| Obtained geotechnical evaluation for storm water and pavement design | | | | | × | | × | | × | | | | | | | | |
| Followed Development Handbook standards, and | | | | | | | | | | | | | | | | | |
| Wisconsin Auministrative Code for Froperty Survey Verified proposed basement floor elevation is at at 1 foot above the highest seasonal high water that I consider the highest seasonal high water and the seasonal high water and high water and high water and high water and high water | | | | | | | | | | | | | | | | | |
| rable elevation Followed Development Handbook standards and Ordinance for Preliminary Plat | | | | | | | | | | | | | | | | | |
| Followed Site, Grading, and Drainage Plan design standards in Development Handbook and Storm Water Ordinance | | | | | | | × | | | | | | | | | × | |
| Followed Traffic impact analysis standards in Development Handbook | | | | | | | | | | | | × | | | | | |
| Specifications conform to current City Standard Specifications | | | | | × | × | × | | × | × | | | | | | | |
| Followed Lighting Plan standards in Development Handbook | | | | | | | | | × | | | | | | | | |
| Development site contains Contaminated Waste | | | | | | | No | | | | | | | | | | |
| Followed storm water management requirements in Development Handbook, and Ordinance | | | | | × | M . | | | | | | | | | | | |
| Site contains mapped FEMA floodplain or a local 100-year storm event high water limits | | | | | | | × | | | | | | | | | | |
| Site contains wetlands or Natural Resource limits (ie. Primary, Secondary, Isolated , shoreland limits) | | | | | | | × | | | | | | | | | | |
| CSM follows standards in Development Handbook, City Ordinance, and State Statutes | × | | | · | | | | | | | | | | | | | |
| Followed Development Handbook standards for Street plans and profiles | | | | | | | | | | | | | | | | | |
| Followed Development Handbook standards for utility plans and profiles | | | | | | | | | × | | | | | | | | |
| Existing sanitary sewer lateral has been televised | | | | | | | N/A | | N/A | | | | | | | N/A | |


| Checklist Items | CSM | Preliminary Plat | Final/Plat | Property Survey for Bfdg Permit | Storm Water Plan | Erosion Control Plan | Site, Grading, Drainage Plan | Street Plan | Utility Plan | Landscape | Traffic Cootrol Plan | Traffic Impact | Conditional Use or Home Indus. | PUD or Developer's | Minor sice or Arch. Change | Conditional | Rezoning & Comp. Plan |
|--|-----|---------------------|------------|---------------------------------------|---------------------|----------------------------|---------------------------------|-------------|--------------|-----------|-------------------------|----------------|-----------------------------------|-----------------------|----------------------------------|-------------|-----------------------|
| Development Agreement needed for Public Infrastructure | | | | | | | | | | | | | | | | | |
| Followed Development Handbook standards for Landscape plans | | | | | | | | | | × | | | | | | | |
| Followed Development Handbook standards, State Statures and Ordinance for Final Plat | | | | | | | | | | | | | | | | | |
| A-E 2.02(4): Each sheet of plens, drawings, documents, specifications and reports for architectural, landscape architectural, professional engineering, design or land surveying practice should be signed, sealed, and dated by the | × | | | | × | × | × | | × | × | | × | | | | × | |
| 32.10(e)(12.)H. A cover sheet stamped and signed by a professional engineer registered in the State of Wisconsin indicating that all plans and supporting documentation have been reviewed and approved by the engineer and certifying that they have read | | | | | × | | | | | | | | | | | | |
| City, DNR, County or State Permits are needed | | | | | × | | × | | × | | | | | | | | |
| Complete and submit Plan Sheet and Submittal Specific checklists in Development Handbook | × | | | | × | × | × | | × | × | | × | | | | | |
| Proposed easements needed are shown. | × | | | | × | | × | | × | | | | | | | | |
| All Existing easements are shown | × | | | | × | × | × | | × | × | | | | | | × | |

Attachment A - Application for Development Review Checklist

Project Name: Kwik Trip - Store #970 S West Avenue Engineering Design Firm: raSmith, Inc.

| Checklist Items | CSM | Preliminary Plat | Final Plat | Property Survey for Bridg Permit | Storm Water Plan | Erosion South | Site, Grading, Drainage Plan | Street Plan | Utility Plan | Landscape Plan | Traffic Control Plan | Traffic Impact Analysis | Conditional Use or Home Indus. | PUD or Developer's Ag. | Minor site or Arch. Change | Conditional Co | Rezoning & Comp. Plan Change |
|---|-----|---------------------|------------|--|---------------------|---------------|---------------------------------|-------------|--------------|-------------------|-------------------------|----------------------------|--------------------------------|------------------------------|----------------------------------|----------------|------------------------------------|
| Followed Construction Drawing Sheet Layout standards in Development Handbook | | | | | | × | × | | × | × | | | | | | | |
| Followed Development Handbook and Storm Water Ordinance standards for Erosion control plans | | | | | | × | | | | | | | | | | | |
| Obtained geotechnical evaluation for storm water and pavement design | | | | | × | | × | | × | | | | | | | | |
| Followed Development Handbook standards, and Wisconsin Administrative Code for Property Survey | | | | | | | | | | | | | | | | | |
| Verified proposed basement floor elevation is at least 1 foot above the highest seasonal high water table elevation | | | | | | | | | | | | | | | | | |
| Followed Development Handbook standards and Ordinance for Preliminary Plat | | | | | | | | | | | | | | | | | |
| Followed Site, Grading, and Drainage Plan design standards in Development Handbook and Storm Water Ordinance | | | | | | | × | | | | | | | | | × | |
| Followed Traffic impact analysis standards in Development Handbook | | | | | | | | | | | | × | | | | | |
| Specifications conform to current City Standard Specifications | | | | | × | × | × | | × | × | | | | | | | |
| Followed Lighting Plan standards in Development Handbook | | | | | | | | | × | | | | | | | | |
| Development site contains Contaminated Waste | | | | | | | o N | | | | | | | | | | |
| Followed storm water management requirements in Development Handbook, and Ordinance | | | | | × | | | | | | | | | | | | |
| Site contains mapped FEMA floodplain or a local 100-year storm event high water limits | | | | | | | × | | | | | | | | | | |
| Site contains wetlands or Natural Resource limits (ie. Primary, Secondary, Isolated , shoreland limits) | | | | | | | × | | | | | | | | | | |
| CSM follows standards in Development Handbook, City Ordinance, and State Statutes | × | | | | | | | | | | | | | | | | |
| Followed Development Handbook standards for Street plans and profiles | | | | | | | | | | | | | | | | | |
| Followed Development Handbook standards for utility plans and profiles | | | | | | | | | × | | | | | | | | |
| Existing sanitary sewer lateral has been televised | | | | | | | N/A | | A/N | | | | | | | N/A | |

| Checklist Items | CSM | Preliminary Plat | Final/Plat | Property Survey for BMg Permit | Storm Water Plan | Erosion Control | Site, Grading, Drainage Plan | Street Plan | Utility Plan | Landscape Plan | Traffic Coptrol Plan | Traffic Impact Analysis | Traffic Impact Conditional Use Analysis or Home Indus. | PUD or Develøper's Ag. | Minor site or Arch. Change | Conditional CC Use | Rezoning & Comp. Plan Change |
|--|-----|---------------------|------------|--------------------------------------|---------------------|--------------------|---------------------------------|-------------|--------------|-------------------|-------------------------|----------------------------|--|------------------------------|----------------------------------|-----------------------|------------------------------------|
| Development Agreement needed for Public Infrastructure | | | | | | | | | | | | | | | | | |
| Followed Development Handbook standards for Landscape plans | | | | | | | | | | × | | | | | | | |
| Followed Development Handbook standards, State Statures and Ordinance for Final Plat | | | | | | | | | | | | | | | | | |
| A-E.2.02(4): Each sheet of plans, drawings, documents, specifications and reports for architectural, landscape architectural, professional engineering, design or land surveying practice should be signed, sealed, and dated by the | × | | | | × | × | × | | × | × | | × | | | | × | |
| 32.10(e)(12.)H. A cover sheet stamped and signed by a professional engineer registered in the State of Wisconsin indicating that all plans and supporting documentation have been reviewed and approved by the engineer and certifying that they have read | | | | | × | | | | | | | | | | | | |
| City, DNR, County or State Permits are needed | | | | | × | | × | | × | | | | | | | | |
| Complete and submit Plan Sheet and Submittal Specific checklists in Development Handbook | × | | | | × | × | × | | × | × | | × | | | | | |
| Proposed easements needed are shown. | × | | | | × | | × | | × | | | | | | | | |
| All Existing easements are shown | × | | | | × | × | × | | × | × | | | | | | × | |



City of Waukesha Department of Public Works 130 Delafield Street Waukesha, WI 53188 Waukesha-wi.gov

Engineering Plan Checklist

Attachment B (Rev 12/18)

| Project Name: Kwik Trip - | lame: Kwik Trip - Store #970 S West Avenue | | | |
|------------------------------|--|--|--|--|
| Engineering & Design Firm: _ | raSmith, Inc. | | | |

General Information

Plans shall include the seal and signature of the Wisconsin licensed professional engineer responsible for the preparation of the construction plans on the cover sheet or on each sheet

| YES | NO | N/A | |
|----------|-----------------------------|-----|--|
| | | X | Provide a copy of the WisDOT permit for any work in the State of Wisconsin right of way. |
| | | × | Provide a copy of the Waukesha County Department of Public Works permit for any work in right of way of Waukesha County. |
| will con | npl <mark>ete late</mark> r | | Provide a copy of Wisconsin Department of Natural Resources Water Resources Application for Project Permits (WRAPP) for all sites greater than one acre. |
| | | X | Provide a copy of US Army Corps of Engineers 404 permit. |
| | | X | Provide cross access agreements for use of entrances. |
| | | X | Provide off-site utility easements. |
| × | | | Provide hydraulic gradeline calculations for all storm sewer pipes signed and sealed by a professional engineer licensed in the State of Wisconsin. |
| × | | | Provide a storm water management plan and calculations signed and sealed by a professional engineer licensed in the State of Wisconsin. |

All Plan Sheets

| YES | NO | N/A | |
|-----|----|-----|--|
| × | | | Plans prepared on sheets measuring 11" high by 17" wide or no larger than 24" high by 36" wide. |
| × | | | Sanitary Sewer, watermain and storm sewer system plans for the entire development are included. |
| | | X | A profile view is located below a plan view on plan and profile sheets and both views are aligned by stationing whenever possible. In general, stationing is from left to right. |
| | | X | Plan and profile sheets start and terminate at match lines. |
| | | X | The assumed bearing base, control monuments and stationing reference line(s) |
| X | | | Right-of-way limits and easement limits |
| X | | | Edge of pavement or flange, face and back of curb |
| X | | | Name of each existing, proposed, and future roadway and any intersecting roadways |
| × | | | Lot lines, lot and block numbers |
| × | | | Addresses and names of Owners for existing parcels |

| × | | All obstructions located within the project limits including, but not limited to: trees, signs, utilities, fences, light poles, structures, etc. |
|---|--|---|
| × | | A note warning that underground utilities must be located by "Diggers Hotline" prior to start of construction |
| × | | Legend (relevant to each sheet) showing all special symbols, line types and hatch used |
| × | | Title block includes at a minimum, the following information: Name and address of engineering (design) firm and owner/developer Date of the drawing and last revision Scale Plan sheet number (# of #) Name and location description of development |
| × | | North to the top or right of the sheet and shown by a north arrow, clearly shown without intrusion. |
| X | | Scale of the plans 1" = 40' horizontally and 1" = 8' vertically for 11" by 17" plan sheets and 1" = 20' horizontally and 1" = 4' vertically for 22" by 34" sheets. Partial site plans have a scale of 1" = 20' or larger. The scale of details is such that the detail is clearly shown. The scale is shown with a line scale and text. |
| X | | Existing surface objects indicated with screened lines and clearly labeled. |

Cover Sheet

| YES | NO | N/A | |
|-----|----|-----|--|
| X | | | Project title. |
| X | | | Location Map (Proximity to two main streets minimum). |
| X | | | Index of all plan sheets |
| | | X | For large or phased subdivisions, a key map of layout and phases. |
| × | | | A minimum of two (2) current SEWRPC reference benchmarks. Survey documentation of tie to Wisconsin State Plane Coordinate System, South Zone (horizontal) and City of Waukesha datum (vertical) provided. Elevations shown based on City of Waukesha datum. |
| X | | | All permanent or temporary benchmarks and elevations. |
| × | | | A description of the locations of the benchmarks; and the basis or origin of the vertical control network. |
| X | | | Date of plan preparation and applicable revision date(s) |
| × | | | The following statement: "All site improvements and construction shown on the plans shall conform to the City of Waukesha <u>Development Handbook & Infrastructure Specifications</u> . Where the plans do not comply, it shall be the sole responsibility and expense of the Developer to make revisions to the plans and/or constructed infrastructure to comply." |

Roadway

| YES | NO | N/A | |
|-----|----|-----|--|
| | | × | For all new streets, a site specific geotechnical evaluation and pavement design submitted with the plans. |
| | | × | A separate detail sheet showing typical cross-sections for each roadway standard width and cul-de-sac if applicable. |

Plan View

| YES | NO | N/A | |
|-----|----|-----|---|
| | | X | The assumed bearing base, control monuments and stationing reference line along the centerline of the roadway, including cul-de-sacs. |
| × | | | At least one clearly labeled benchmark or control point per sheet. |
| X | | | Pavement and median dimensions. |
| | | × | Final grade elevations at 25' intervals at the right-of-way including at the edge of pavement for rural sections or at the flange of curb for urban sections. |
| | | × | Final grade elevations for cul-de-sacs at 25' intervals at the right-of-way including at the edge of pavement for rural sections or at the flange of curb for urban sections. |
| | | X | Label all PVC's, PVT's, and PC's, PT's for vertical and horizontal curves. Radii of all intersections (edge of pavement or flange of curb, with note indicating which is referenced). |
| | | X | Driveways for all lots adjacent to storm inlets and intersections. |
| × | | | Sidewalks labeled and dimensioned. |
| X | | | Existing, proposed, future streets and drives labeled and dimensioned. |
| | | X | All roadside ditch locations, flowline elevations at 50' intervals of the ditches. |
| | | × | Slope intercepts. |
| | | × | Invert profile for 200' downstream for any existing ditches receiving flow from a proposed road or street. |
| | | X | Limits of any areas which need special stabilization techniques. |
| | | × | Specific details of all existing connected roadways. Pavement, shoulders, ditches, curb alignment, and grades shall be shown as needed to adequately make the transition. |

Intersection Details N/A

| YES | NO | N/A | |
|-----|----|-----|--|
| | | | Radii of all intersections (edge of pavement or flange of curb, with note indicating which is referenced). |
| | | | Sidewalks and accessible ramps labeled and dimensioned. |
| | | | Right of way corner clips and sight visibility easements. |
| | | | Spot grades as necessary to ensure proper drainage and compliant ADA slopes. |
| | | | Spot grades shall be shown at end of radius for all curb and gutter and the end radius for all back of sidewalk. |
| | | | Drainage clarified by flow arrows, high points, sags, ridges, etc. Slope intercepts shall be clearly labeled by station, elevation to the nearest 0.1', and offset distance (left or right) from the reference line. |
| | | | Invert elevation of ditches (for rural roadway). |
| | | | Final subgrade elevation at the centerline of the street or roadway. |

Cross Sections N/A

| YES | NO | N/A | |
|-----|----|-----|--|
| | | | Right of way limits. |
| | | | Slope intercepts clearly labeled. |
| | | | Elevations to the nearest 0.01'. |
| | | | Offset distance (left or right) from the reference line. |
| | | | Final grade elevations at back of walk, face of walk, top of curb, flange elevation (edge of pavement for rural section), and the centerline of the street or roadway. |
| | | | Cross slope of sidewalk, terrace area, and roadway. |
| | | | Invert elevation of ditches (for rural section) |



City of Waukesha Department of Public Works 130 Delafield Street Waukesha, WI 53188 Waukesha-wi.gov

Project Name: Kwik Trip - Store #970 S West Avenue

Site, Grading and Drainage Plan Conditional Use Permit Checklist

Attachment C (Rev 12/18)

| Engineering & Design Firm: _raSmith, Inc. | | | | | | | |
|---|----------------------|-----|--|--|--|--|--|
| | General Requirements | | | | | | |
| YES | NO | N/A | | | | | |
| X | | | Applicant's name | | | | |
| X | | | Name and location of development | | | | |
| X | | | Scale and north arrow | | | | |
| X | | | Date of original and revisions noted | | | | |
| X | | | License number and professional seal | | | | |
| X | | | Digital Drawings in AutoCAD format of the site layout & building plan layout | | | | |
| | | X | Pay impact fees Upon Project Approval | | | | |
| | Building Plans | | | | | | |
| YES | NO | N/A | | | | | |
| X | | | Contact Community Development Department | | | | |
| Site Pla | ans | | | | | | |
| YES | NO | N/A | | | | | |
| X | | | Dimensions of development site | | | | |
| X | | | Location, footprint, and outside dimensions | | | | |
| X | | | Existing and proposed pedestrian access points | | | | |
| X | | | Existing and proposed vehicular access points | | | | |
| X | | | Parking lots, driveways shown | | | | |
| X | | | Front, side and rear yard setbacks shown and labeled | | | | |
| X | | | Location, identification and dimensions of all existing or planned easements | | | | |
| | | X | Identification of all land to be dedicated | | | | |
| | | X | Location, elevation, and dimensions of walls and fences | | | | |
| X | | | Location of outdoor lighting with lighting design plan and calculations | | | | |
| X | | | Sign complies with City Code Book | | | | |
| [X] | | | Location of existing and proposed signs | | | | |

Site Access

| YES | NO | N/A | |
|-----|----|-----|--|
| X | | | Legal description or certified survey of property |
| X | П | | Development compatible with its zoning district |
| X | | | Sidewalks to be shown |
| X | | | Site entrance drive dimensions |
| X | | | Individual development vehicular entrances at least 125 feet apart |
| X | | | Adjacent development share driveway where possible |
| | | X | At least one vehicular and pedestrian access point to each adjoining site granted by cross easements |
| | | X | Cross access to be provided with minimum paved width of 24 feet |
| | | X | Design detail for all new public streets |

Parking/Traffic

| YES | NO | N/A | |
|-----|----|-----|--|
| X | | | 5-foot wide (min) paved walkway to building entrance |
| X | | | 7-foot parking separation from front of building |
| X | | | Minimum parking spaces provided |
| X | | | Service truck parking in designated service areas |
| × | | | Parking spaces and layout dimensioned |
| X | | | Lot paved with HMA or concrete |
| X | | | Handicap parking provided |
| . 🗆 | | X | Minimum required stacking distance |
| X | | | Concrete curb and gutter around parking lot |

Grading and Drainage Plans

| YES | NO | N/A | |
|-----|----|-----|--|
| X | | | Show existing tree lines and any obstructions (fences, structures, power poles, etc.) within the project limits. |
| X | | | All proposed lot lines and lot numbers or addresses |
| | | X | Lot line dimensions |
| | | X | Outline of buildable areas for each lot |
| | | X | Typical setbacks of buildable area to front, side and back lot lines |
| X | | | All existing buildings, structures and foundations |
| X | | | All existing drainage channels and watercourses |
| X | | | Emergency overflow routes |
| X | | | Drainage clarified by flow arrows, high points, sags, ridges, and valley gutters |
| | | X | Proposed retaining wall locations with top and bottom of wall elevations at key locations |
| X | | | 100-year flood plain limit (both pre-and post-project) |
| X | | | 100-year storm water surface elevation |
| × | | | Wetlands. Wetland limits labeled with bearings and distances and dimensioned to lot lines. Bearings and distances may be shown in tabulated format.* |

| X | | All environmental corridors, & or environmentally sensitive areas as required by DNR |
|---|---|---|
| X | | All existing and proposed easements. |
| × | | Existing topography of the site and all areas within 50 feet of the site shown at a one foot contour interval using City of Waukesha datum. Existing contours shown as thin, dashed screened or grey lines with a readily discernable heavier line used for the 5-foot contour intervals. |
| × | | Proposed grading shown at a contour interval of 1 foot using City of Waukesha datum. Proposed contour lines shown as solid medium lines, with a discernible heavier line use for the 5-foot contour intervals. |
| X | | The yard grade and first floor elevation of proposed building and any existing buildings located within 150 feet of the parcel boundary. |
| | X | Proposed road(s), curb and gutter, all storm sewer grates and storm sewer manholes (or cross-culverts for open ditches). Show any off-road storm inlets and discharge locations with surface entry elevations. |
| X | | Spot grades as necessary to ensure proper drainage and compliant ADA slopes and routing where applicable. |
| | X | At front setback line show a typical house shell on each lot and the proposed yard grade to the nearest tenth of a foot (assumed to be 0.7' below the top of block) for each building. Show proposed finished elevations to the nearest tenth of a foot at all lot corners and alongside lot lines adjacent to the front and back corners of the typical house. Show proposed finished elevations to the nearest tenth of a foot at high and low points along any side or back lot lines, and at high and low points if roads to demonstrate proposed drainage. |
| | X | The grading plan for any house that will require special design due to topography, clearly show separate grades for the garage and yard grade if extra steps are needed. Separate spot finish elevations shown for rear or side exposure or walkout. |
| X | | Indicate minimum finished floor elevations adjacent to floodplains, ponds, creeks/channels, etc. |
| × | | Proposed storm inlets shown on each grading plan. Each plan also includes specific details on all applicable retention/detention basins, ponds, overflows, etc. Separate sheets or notes as required. |
| × | | Locations of existing and proposed streets, drives, alleys, easements, right-of-way, parking as required, vehicular and pedestrian access points, and sidewalks |
| | X | Outline of any development stages |
| 日 | X | Location and details on any required emergency access roads |
| X | | Soil characteristics |
| X | | Existing and proposed topography shown for the site and or adjacent properties |
| X | | Floodplain, shore land, environmental and wetlands shown |
| X | | Location and dimensions of on-site storm water drainage facilities |
| X | | Location and footprint of all existing buildings |
| X | | Locations and species of existing trees |
| X | | Berm detail |
| | X | Lot grades and swales shown |
| X | | Drainage calculations provided |

Erosion Control

| YES | NO | N/A | |
|-----|----|-----|---|
| X | | | Location Map |
| X | | | Soils Survey Map |
| X | | | Existing Land Use Mapping |
| X | | | Predeveloped Site Conditions |
| X | | | Existing contours |
| × | | | Property lines |
| X | | | Existing flow paths and direction |
| X | | | Outlet locations |
| X | | | Drainage basin divides and subdivides |
| × | | | Existing drainage structures on and adjacent to the site |
| X | | | Nearby watercourses |
| X | | | Lakes, streams, wetlands, channels, ditches, etc. |
| X | | | Limits of the 100-year floodplain |
| X | | | Practice location/layout/cross sections |
| X | | | Construction Details |
| X | | | Name of receiving waters |
| X | | | Site description/Nature of construction activity |
| × | | | Sequence of construction |
| × | | | Estimate of site area and disturbance area |
| × | | | Pre- and post-developed runoff coefficients |
| X | | | Description of proposed controls, including |
| X | | | Interim and permanent stabilization practices |
| X | | | Practices to divert flow from exposed soils |
| X | | | Practices to store flows or trap sediment |
| X | | | Any other practices proposed to meet ordinance |
| × | | | Existing topography of the site and all areas within 50 feet of the site shown at a one foot contour interval using City of Waukesha datum. Existing contours shown as thin, dashed screened or grey lines with a readily discernable heavier line used for the 5-foot contour intervals. |
| X | | | Proposed grading shown at a contour interval of 1 foot using City of Waukesha datum. Proposed contour lines shown as solid medium lines, with a discernible heavier line use for the 5-foot contour intervals. |
| X | | | List the total disturbed acreage including offsite areas. |
| X | | | Provide free survey in accordance with City Erosion Control Ordinance |
| X | | | Proposed limits of disturbance including proposed tree cutting areas. |
| X | | | Location and dimensions of all temporary topsoil and dirt stockpiles. |
| X | | | Location and dimensions of all appropriate best management practices (BMP). |
| X | | | Phasing of BMP's with the construction activities listed / described. |
| × | | | Schedule of anticipated starting and completion date of each land disturbing and land developing activity, including the installation of the BMP measures that are needed. |
| × | | | Location of all channels, pipes, basins or other conveyances proposed to carry runoff to the nearest adequate outlet, including applicable design assumptions and computations. |

| × | | Areas to be sodded or seeded and mulched or otherwise stabilized with vegetation, describing the type of final vegetative cover. |
|---|--|--|
| K | | Areas of permanent erosion control (other than vegetation). |
| X | | Boundaries of the construction site |
| X | | Drainage patterns/slopes after grading activities |
| X | | Areas of land disturbance |
| X | | Locations of structural and nonstructural controls |
| X | | Drainage basin delineations and outfall locations |

Optional Submittals as Determined by Review Authority

| YES | NO | N/A | |
|-----|----|-----|---|
| | | X | Traffic impact analysis |
| | | X | Environmental impact statement |
| | | X | Soil and Site Evaluation Report per DNR Technical Standard 1002 |
| X | | | Plot of effect of exterior illumination on site and adjacent properties |
| | | X | Description of any unusual characteristics |
| | | X | Street perspectives showing view corridors |
| | | X | Historic site |
| | | × | Economic feasibility study |
| × | | | Contaminated Waste Site |

I hereby certify that I have reviewed the City ordinances and provided one (1) full-sized set of all required information along with all the required reduced copies of plans.

Applicant's Signature:



City of Waukesha Department of Public Works 130 Delafield Street Waukesha, WI 53188 Waukesha-wi.gov

Stormwater Management Plan

Attachment D (Rev 12/18)

| Project Name: Kwik Trip | - Store #970 S West Avenue | |
|---------------------------|----------------------------|--|
| Engineer & Design Firm: _ | raSmith, Inc. | |

STORM WATER MANAGEMENT PLAN WORKSHEET The City of Waukesha requires a Stormwater Management Plan to be submitted with the proposed development plans for site plan review. A Stormwater Management Plan is a document describing the storm water management practices constructed and implemented within the proposed development to ensure compliance with the storm water management criteria, as set forth by the City of Waukesha. The purpose of a Stormwater Management Plan is to protect the safety and health of the public, property and aquatic environment from the threats due to storm water from land development activity. The worksheet will provide a basis to the information that shall be provided when preparing a Stormwater Management Plan for a proposed development. This Plan shall include a set of complete plans and calculations, stamped by a registered professional engineer. Stormwater Management Plans are required as listed in City Code Book Chapter 32.06(b) **Exemptions for Design and Plan Requirements** YES NO N/A Site is associated with agricultural or sylvicultural activities X Design Requirements: Total Suspended Solids YES NO N/A X Site is a New Development – 80% Reduction must be met X Site is an Infill Development – 80% Reduction must be met П Site is a Redevelopment - 40% Reduction must be met X X Site has areas of New Development and Redevelopment Calculations for % Reduction are included in the plan (WinSLAMM input and output) X П Storm water Management Facilities to address TSS removal are designed according X to Chapter 32 of the City Code Book and DNR Technical Standards - Check all that apply: ☑ Wet Detention Basin ☐ Bio Retention Basin □ Swales ☐ Proprietary Devices ☐ Other (specify): Design Requirements: Peak Discharge YES NO N/A Storm water Management Facilities to address Peak Discharge are designed X according to Chapter 32 of City Code Book and DNR Technical Standards - Check all that apply: ☐ Wet Detention Basin ☐ Bio Retention Basin ☐ Swales ☐ Other (specify): Downstream Capacity for 2-year, 10-year and 100-year, 24-hour design storms are X met Calculations of available capacity, proportional share, and proposed utilized capacity X under all design storms are included in plan Calculations of Peak Discharge are included in the plan П X

| | Design Requirements: Infiltration | | | | |
|-----|-----------------------------------|------|--|--|--|
| YES | NO | N/A | | | |
| | | X | Hydraulic Soil Type: | | |
| | | | ☐ Soil Type A – Proceed | | |
| | 1 | | ☐ Soil Type B – Proceed | | |
| | | | ☐ Exemption or Exclusion – Provide documentation | | |
| | | X | Site and Soil Evaluation Report per DNR Technical Standard 1002 | | |
| | | × | Low Imperviousness. Ex: low density residential parks, cemeteries Post-Development Infiltration Performance Standards: | | |
| | | | ☐ Up to 40% Connected Impervious Surface | | |
| | | | □ 90% of Pre-Development Infiltration volume met | | |
| | | | ☐ 1% of site – Maximum Effective Infiltration Area | | |
| | | × | Medium Imperviousness. Ex: Medium and high density residential, multi-family, industrial, institutional, office park. Post-Development Infiltration Performance Standards: □ 40%-80% Connected Impervious Surface | | |
| | | | ☐ 75% of Pre-Development Infiltration volume met | | |
| | | | □ 2% of site – Maximum Effective Infiltration Area | | |
| | | X | High Imperviousness. Ex: commercial strip malls, shopping centers, commercial downtowns | | |
| | | | Post-Development Infiltration Performance Standards: | | |
| | | | ☐ Greater than 80% Connected Impervious Surface | | |
| | | | ☐ 60% of Pre-Development Infiltration volume met | | |
| | | | □ 2% of site – Maximum Effective Infiltration Area | | |
| | | X | Site has parking lots and new road construction: | | |
| | | - | □ Pretreatment included | | |
| | | | ☐ 10% Infiltration of the runoff from the tow-year, 24-hour design storm with Type II Distribution | | |
| | | X | Calculations of Infiltration Volumes are included in the plan and model input and | | |
| 2-3 | *** | | output (WinSLAMM) | | |
| X | | | Exclusions for Infiltration: | | |
| | | | ☐ Tier 1 Industrial Facility | | |
| | | | ☐ Storage and Loading Areas of Tier 2 Industrial Facility | | |
| | | | ▼ Fueling and Vehicle Maintenance Facility | | |
| | | | ☐ Areas within 1,000 feet up gradient of Karst Features | | |
| | | | ☐ Areas within 100 feet downgradient of Karst Features | | |
| | | | ☐ Areas with < 3 feet of separation from bottom of Infiltration System to | | |
| | | | seasonal high groundwater or top of bedrock (does not prohibit roof runoff) | | |
| | | | □ Areas with runoff from industrial, commercial and institutional parking lots and roads with < 5 feet separation from bottom of infiltration system to elevation of seasonal high groundwater or top of bedrock | | |
| | | | ☐ Areas within 400 feet of community water system well | | |
| | | | ☐ Areas within 100 feet of private well | | |
| | | | ☐ Areas where contaminants of concern (defined by NR720.03(2) are present in the soil through which infiltration will occur) | | |
| | | | ☐ Area where soil does not meet any of the following characteristics between | | |
| | | | bottom of infiltration system and seasonal high groundwater and top of bedrock: | | |
| | | (10) | ☐ At least 3-foot soil layer with 20% fines or greater | | |
| | | | ☐ At least 5-foot soil layer with 10% fines or greater | | |

| YES | NO | N/A | |
|------|-------|------|---|
| X | | | Exemptions for Infiltration: |
| | | | ☐ Areas where infiltration rate < 0.6 inches/hour |
| | | | ☐ Parking Areas and Access Roads less than 5,000 square feet for commercial and industrial |
| | | | ☐ Redevelopment Post-Construction Sites |
| | | | |
| | | | ☐ Infill Development < 5 acres |
| | | | ☐ Infiltration during periods when soil on the site is frozen |
| | | | ☐ Roads in commercial, industrial and institutional land uses |
| | 27.29 | | ☐ Arterial Roads in Residential land uses |
| | | X | Storm water Management Facilities to address Infiltration are designed according to Chapter 32 of the City Code Book and DNR Technical Standards – Check all that |
| | | | apply: |
| | | | ☐ Bioretention Basin (1004) |
| | | | ☐ Infiltration Basin (1003) |
| | | | ☐ Infiltration Trench (1007) |
| | | | ☐ Permeable Pavement (1008) |
| | | | ☐ Rain Garden (1000) |
| | | | ☐ Other (specify): |
| | | | |
| | | | |
| \/F0 | NO | | Design Requirements: Protective Areas |
| YES | NO | N/A | |
| | | X | Impervious areas are outside protective area. If not, provide a written explanation. |
| | | X | Land disturbing activities are within a protective area. If Yes , check all that apply: |
| | | | ☐ If no impervious area is within protective area, adequate sod or self-sustaining |
| 0 | | \ | vegetative cover of 70% or greater shall be established. |
| | | | ☐ Adequate sod or self-sustaining vegetative cover is sufficient for bank stability, |
| 1 | | | maintenance of fish habitat and filtering of pollutants from upslope overland |
| | | | flow areas under sheet flow conditions. |
| | | | ☐ Non-Vegetative materials are employed on the bank as necessary to prevent |
| | | KZ1 | erosion (steep slopes, high velocity areas). |
| | | X | Best Management Practices are located within the protective area – Check all that apply: |
| | | | ☐ Filter Strips |
| | | | □ Swales |
| | | | ☐ Wet Detention Basins |
| | | | □ Other (specify): |
| | | X | Non-Applicable Areas Apply: |
| _ | | N-20 | ☐ Structures that cross or access surface water (boat landing, bridge, culvert) |
| | | | ☐ Structures constructed in accordance with Section 59.692(1v) Wisconsin |
| | | | Statutes: |
| | | | ☐ Post-Construction Runoff does not enter surface water except to the extent |
| | | | that vegetative groundcover necessary for bank stability |
| | | | Design Requirements: Fuel and Maintenance Facilities |
| YES | NO | N/A | |
| X | | | |
| 4.5 | | | Are Fuel and Maintenance Facilities on the Site? |
| X | | | Are Fuel and Maintenance Facilities on the Site? Are Best Management Practices designed to reduce petroleum within runoff (no visible |

| | 12 501 | De | sign Requirements: Swale Treatment for Transportation Facilities |
|-------|--------|----------|---|
| YES | NO | N/A | |
| | | × | Does the site use swales for runoff conveyance and pollutant removal for transportation facilities? If Yes , must have the following: Groundcover: □ Vegetated □ Non-Vegetated where appropriate to prevent erosion or provide runoff treatment (riprap, check dams) |
| | | | Swale Velocity Control: |
| g 1 | | | ☐ Swale is 200 feet or more in length with a velocity no greater than 1.5 feet per second for the two-year, 24-hour design storm or two-year storm with duration equal to time of concentration |
| - | | | ☐ Swale is 200 feet or more in length with velocity > 1.5 feet per second then velocity is reduced to maximum extent practicable. Written explanation stating why requirement of > 1.5 feet per second cannot be met |
| | | X | Exemptions Apply: Average Daily Vehicles > 2,500 and initial surface water of the state that runoff directly enters is any of the following: An outstanding resource of water (ORW) An exceptional resource water (ERW) |
| | | | □ Water is listed in Section 303(d) of the Federal Clean Water Act and is identified as impaired in whole or in part due to non-point source impacts □ Water where targeted performance standards are developed under NR 151.004 of the Wisconsin Administrative Code to meet water quality standards |
| | | nus entr | Plan Requirements |
| YES | NO | N/A | |
| X | | | Provide permit application form, including contact information (name, address, telephone number) for the landowner, developer, land operator, certified project engineering, responsible party for installation of storm water management practices, responsible party for long-term maintenance of the storm water management practices. |
| X | | | Legal Description of proposed development. |
| X | | | Narrative describing the proposed development. |
| X | | | Brief summary of Design Criteria and methods used for development of Storm Water Management Practices. |
| X | | | Storm Water Management Maintenance Agreement shall be included with the Storm Water Management Plan (see Storm Water Management Maintenance Agreement template for additional information required). |
| X | | | Certification by a Wisconsin registered professional engineer. |
| × | 111 | 73 57 | Financial Guarantee. (To be provided upon approval) |

| or more | ition ai e site n | nd Site nans af | Characteristics for Pre/Post Development conditions shall be delineated by one (1) a scale of not less than one (1") inch equals two hundred (200') feet. The map(s) |
|------------|----------------------|--------------------|--|
| shall in | clude, | at mini | mum, the following information: |
| YES | NO | N/A | |
| X | | | Site Location and Legal Description. |
| X | | | Pre-developed and revised topography by contours related to USGS survey datum or |
| | | | other datum approved by City. The topographic contours of the site shall not exceed 2 feet. The topography shall extend at minimum 100 feet outside the site boundaries to show runoff patterns onto, through and from the site. |
| × | | | One hundred (100) year Floodplain boundary, shore land, environmental corridors, and wetland boundaries shall be delineated if applicable |
| X | | | All lakes, streams, and other water bodies illustrated on map shall be named as defined on a USGS 7.5 minute topographic map. |
| X | | | Predominant Soil Types and Hydraulic Soil Group Classifications per NRCS |
| X | | | Coordinates of all manhole and inlets with reference to two nearest reference point monuments which shall be Section or ¼ Section corners. |
| X I | | | Location, capacity, and dimensions/details of on-site Pre-developed and Post-developed storm water management facilities such as, but not limited to, the following: manholes, pipes, curbs, gutters, curb inlets, filter strips, swales, detention basins, curb cuts, and drainage gates. |
| ă | | | Location, extent, detailed drawings, typical cross sections and slope ratios of all pre- developed and post-developed storm water retention and detention areas and drainage ways – list inlet/outlet elevations, permanent water surface elevation, high water surface elevation, and emergency spillway elevation, if applicable. |
| X | | | Location and Elevations at top and bottom of pre-developed and post-developed buildings and structures. |
| | | K | Locations and names of pre-developed and post-developed streets and intersections and the location of parking lots, sidewalks, bike paths and impervious surfaces (excluding single family residences). Map(s) shall clearly differentiate pre-developed and post-developed surfaces. |
| X | | | Delineation and dimensions of all pre-developed and post-developed property boundaries, easements, right-of-way, building setbacks, maintenance easements, and other restrictions. |
| X | | | Pre-developed and post-developed land use boundaries, including cover type and condition. |
| X | | | Post-developed land use cover totals for Impervious and Pervious areas as well as permanent water surface area of all storm water management facilities. |
| X | | | Delineation of pre-developed and post-developed watershed and sub-watershed boundaries used in determination of Peak flow discharges and discharge volumes from the site. (If the watershed extends beyond the site boundaries, a separate watershed map can be supplied). |
| X | | | Location of the pre-developed and post-developed discharge points. |
| X | | | Pre/Post developed directional Flow Paths used to calculate existing/proposed time of concentrations. |
| X | | | Location of the Emergency Overland Flow. |
| | | X | Location of any Regional Treatment Options (if applicable). |
| X | | | Identify all pre-developed land cover features, such as, natural swales, natural depressions, native soil infiltrating capacity and natural groundwater recharge areas. |
| X | | | Location of any protective areas within the site. |
| | | X | Location of wells located within 1,200 feet of pre-developed and post-developed Storm Water Detention Basins, Infiltration Basins, or Infiltration Trenches. |
| | | X | Delineation of Wellhead protection areas defined under NR 811.16 |
| | | | |

| | Supportive Information and Calculation summaries shall be supplied for all storm water management | | | | |
|-----------------|---|-----|--|--|--|
| requirei YES | | N/A | ated in the checklist under Design Requirements: | | |
| X X | NO | | Pre-developed and post-developed watershed, sub-watersheds, and land use areas (acres, watershed shall be delineated by property lines). | | |
| X | | | Pre-developed and post-developed impervious areas (acres). | | |
| X | | | Pre-developed and post-developed Runoff Curve Numbers. | | |
| X | | | Pre-developed and post-developed Time of Concentration. | | |
| X | | | Pre-developed and post-developed peak flows for the 2-year, 10-year and 100-year, 24-hour storm events for each discharge point. | | |
| X | | | Total suspended solids removal computations to show compliance. | | |
| | | X | Design computations for the runoff volume of the pre-developed and post-developed conditions to show compliance with the infiltration requirements. | | |
| X | | | Design computations for all storm water drainage facilities such as, but not limited to, inflow/outflow rates, hydrographs, water surface elevations, outlet design computations, runoff discharge volume, velocities, and stage/storage data. | | |
| × | | | Design computations for the 10-year Rational Method flows for all proposed storm conveyance systems. | | |
| | | X | Computation of the available downstream capacity flowing full, overflow level of ditches and the top of the upstream end of the pipe for any culverts. | | |
| | | X | Computation of the downstream capacity using the 5-year rational storm. | | |
| | | X | Tail water analysis included in storm water design for 2-year, 10-year and 100-year storm events. | | |
| X | | | Design computations to illustrate compliance with pollutant loading criteria (Storm Water Quality Management practices) with pre- and post-storm water management facilities. | | |
| X | | | Narrative describing all assumptions that were deemed appropriate for design. | | |
| × | | | Explanation of provisions to preserve and use natural topography and land cover features. | | |
| | | X | Explanation of restrictions on Storm Water Management practices by wellhead protection plans (if applicable). | | |
| X | | | Results of investigations of soil and groundwater required for installation of Storm Water Management practices. | | |
| | | X | Impact assessment results on Wetland Functional Values (if applicable). | | |
| X | | | Storm Water Management practices installation schedule. | | |
| X | | | Cost estimate for the construction, operation and maintenance of each Storm Water Management practice. | | |
| | | X) | Any additional information that the City, or designee, may need to evaluate the impacts of the storm water discharge quality and quantity on the existing area and existing utilities. | | |



City of Waukesha Department of Public Works 130 Delafield Street Waukesha, WI 53188 Waukesha-wi.gov

Certified Survey Map Checklist

Attachment E (Rev 12/18)

| Project Name: | Kwik Trip - Store #970 S West Avenue |
|----------------|--------------------------------------|
| Engineer & Des | ign Firm: <u>raSmith, Inc.</u> |
| Surveyor: Joh | n P. Casucci, P.L.S. |

| YES | NO | N/A | mpleted and signed: | | | |
|-----|----|-----|---|--|--|--|
| X | | | Scale and north arrow | | | |
| X | | | Scale of plans less than or equal to 1" = 100' | | | |
| X | | | Date of original and revisions noted | | | |
| X | | | Certification from surveyor that Plat complies with State Statute 236 | | | |
| X | | | Digital PDF submitted | | | |
| X | | | Location of all existing structures and first floor elevations | | | |
| X | | | Location of utility and drainage easements | | | |
| X | | | Exact length and bearing of the centerline of all streets | | | |
| X | | | Exact street width along the line of any obliquely intersecting street | | | |
| X | | | Railway rights-of way within and abutting the plat | | | |
| | | X | Location and size of all lands to be dedicated for public use (when required) | | | |
| | | X | Comprehensive site grading drainage plan | | | |
| X | | | Special restrictions relating to access control, planting strips, restrictive yard requirements, etc. (when required) | | | |
| X | | | Map shows entirety of all parcels in proposed certified survey map | | | |
| | | X | Major street setback or WisDOT setbacks (if applicable) | | | |
| X | | | Floodplain limits of the 100-year recurrence interval flood | | | |
| X | | | Location of any wetlands, shore land, or other environmental areas (if applicable) | | | |
| | | | itted (when applicable): | | | |
| YES | NO | N/A | | | | |
| | | X | Street plans and profiles | | | |
| | | X | Sanitary sewer plans and profiles | | | |
| | | X | Storm sewer plans | | | |
| П | | X | Grading and drainage plans | | | |
| | | X | Water main plans and profiles | | | |
| | | X | Erosion control plans | | | |
| | | X | Landscape plans | | | |

City of Waukesha

City of Waukesha Department of Public Works 130 Delafield Street Waukesha, WI 53188 Waukesha-wi.gov

Sewer Plan Review Checklist

Attachment H (Rev 12/18)

| Project Name: | Kwik Trip - Store #970 S West Avenue | |
|-----------------|--------------------------------------|--|
| Engineering & I | Design Firm: raSmith, Inc. | |

Sanitary System

| X | NO | N/A | | | | |
|-----|-----|-----|--|--|--|--|
| JAJ | | | Minimum 4" sanitary sewer lateral from the main to the property line, PVC SDR 26 or 35 conforming to ASTM standards D 3034 with rubber gasket joints | | | |
| X | | | initary sewer laterals shall have a green #12 locater wire installed along the entire ngth. Locater wire shall be brought to the surface at the edge of the building and closed in a curb box with "sewer" on the cover. | | | |
| | | X | Sampling manhole required for all food service developments (or developments with the potential to become food service) and industrial/manufacturing facilities. | | | |
| | | X | Industrial facilities must complete an industrial discharge form. | | | |
| | | X | Outside drop manhole connection required where drop is greater than 24 inches. | | | |
| | | | Sanitary Plan View | | | |
| YES | NO | N/A | | | | |
| X | | | Ghost existing utilities and lateral locations in screened format. Label the pipe size of existing utilities. | | | |
| × | | | Label the proposed sewer and laterals with length, size, and material type | | | |
| X | | | Material and size of the existing sanitary sewer being connected to. | | | |
| × | | | Label the stub-outs with length, size, slope, and invert elevations (if not profiled). | | | |
| × | | | Dimensions showing offset from right-of-way to the sewer and separation distance between other utilities. | | | |
| | | X | Show type and size of encasement where needed | | | |
| | | X | Show flow directions of all proposed mains. | | | |
| | | X | Length of each sewer lateral and height of any lateral risers. Label proposed invert elevations at right-of-way lines. | | | |
| | | X | Distance from downstream manhole to each upstream sewer lateral. | | | |
| X | | | Proposed manholes and cleanouts labeled with a design plan number. Existing manholes labeled with numbers obtained from City records. | | | |
| X | | | Rim and invert elevations at each manhole, based on City of Waukesha datum (for private sewer if not profiled) | | | |
| X | | | Show and label all easements | | | |
| | MAN | | Sanitary Profile View N/A | | | |
| YES | NO | N/A | | | | |
| | | | Stationing. | | | |
| | | | Existing and proposed surface profiles and elevations over the sewer. | | | |
| | | | All utility crossings. Label elevations if known. | | | |

| | | | Pipe material / class, size, length, and percent grade to two (2) decimal places. | | |
|-----|---|---------------|--|--|--|
| | | | Material and size of the existing sanitary sewer being connected to. | | |
| | | | Length, type, and size of encasement as needed. | | |
| | | | Proposed manholes. Indicate type and diameter. | | |
| | | | Label station, rim, and invert elevations, based on City of Waukesha datum, and design plan number for each manhole and cleanout. Existing manholes to be labeled with numbers obtained from City records. | | |
| | | | Limits of gravel and/or slurry backfill. | | |
| | | | Sanitary for Subdivisions/Large Developments N/A | | |
| | (Complete copies of City specifications for sanitary sewer are available upon request.) | | | | |
| | | Comple | te copies of City specifications for sanitary sewer are available upon request.) | | |
| YES | NO (| Comple N/A | te copies of City specifications for sanitary sewer are available upon request.) | | |
| YES | | | te copies of City specifications for sanitary sewer are available upon request.) Each parcel should have a separate sanitary sewer lateral. | | |
| | NO | N/A | | | |
| | NO | N/A | Each parcel should have a separate sanitary sewer lateral. Sanitary sewer – 8 ft. horizontal separation from water main per DNR requirements. 8" | | |
| | NO | N/A | Each parcel should have a separate sanitary sewer lateral. Sanitary sewer – 8 ft. horizontal separation from water main per DNR requirements. 8" diameter minimum size, PVC SDR 26 for depths up to 25 ft. Sanitary sewer manhole at every change of direction and a maximum distance of 400 | | |

Storm System

| distan | | - House | Storm Plan View | | | |
|--------|----|---------|---|--|--|--|
| YES | NO | N/A | | | | |
| × | | | Ghost existing utilities and lateral locations in screened format. Pipe size of existing utilities labeled. | | | |
| X | | | Proposed sewer and laterals with length, size, and material type clearly labeled. | | | |
| X | | | Material and size of the existing storm sewer being connected to. | | | |
| X | | | Stub-outs labeled with length, size, slope, and invert elevations (if not profiled). | | | |
| X | | | Dimensions showing offset from right-of-way to the sewer and separation distance between other utilities. | | | |
| П | | X | Type and size of encasement where needed | | | |
| | | × | Length of any sewer lateral. Label proposed invert elevations at right-of-way lines. | | | |
| X | | | Proposed inlets, manholes, and other drainage structures. | | | |
| X | П | | Proposed drainage structures labeled with a design plan number. Existing drain structures labeled with numbers obtained from City records. | | | |
| | | X | Details of outfall or ditch inlet protection requirements such as rip-rap, end sections headwalls as needed. | | | |
| X | | | Details of detention facilities, outfall, overflow and control structures as needed. | | | |
| | | | Storm Profile View N/A | | | |
| YES | NO | N/A | | | | |
| | | | Stationing. | | | |
| | | | Existing and proposed surface profiles and elevations over the sewer. | | | |
| П | | | All utility crossings. Label elevations if known. | | | |
| | | | Pipe material / class, size, length, and percent grade to two (2) decimal places. | | | |
| | | | Material and size of the existing storm sewer being connected to | | | |
| | | | Length, type, and size of encasement as needed. | | | |
| | | | Proposed inlets, manholes, and other drainage structures. Label type and size. | | | |
| | | | Label station, rim, and invert elevations, based on City of Waukesha datum, at each manhole, catch basin, inlet, and detention control structure. | | | |

| | Proposed drainage structures labeled with a design plan number. Existing drainage structures to be labeled with numbers obtained from City records. |
|---|---|
| П | Cross-section of open channels and detention facilities, including outfall, overflow, and control structures. |
| | Limits of gravel and/or slurry backfill. |

General System

| F | | | |
|--------------------|-----------------------|----------------------|--|
| YES | NO | N/A | |
| X | | | Show all easements, public or private. |
| | | X | No structures allowed within a public easement. |
| | | X | Plantings or signs within public easements, if permitted by City, shall be at least 5 feet from the utilities. |
| | | | General for Subdivisions/Large Developments N/A |
| YES | NO | N/A | |
| | | | Provide plans sealed by Registered Professional Engineer |
| | | | Show benchmark, north arrow and scale. |
| | | | Show existing/proposed sewer and water utilities. |
| | | | All sewer to be installed by the developer under the terms of a Development Agreement. |
| | | | Utility Plans |
| YES | NO | N/A | |
| X | | | Location of all utilities: storm and sanitary sewers, water mains, fire hydrants, electrical, natural gas, and communication (cable television, telephone, etc.) lines |
| X | | | Exterior lighting for parking and other outdoor areas, outdoor signs, and building exteriors. |
| X | | | Location of waste and trash collection, and indicate plans for snow removal. |
| X | | | Location and footprint of any and all buildings |
| X | | | Location and names of existing and proposed streets |
| X | | | Location and size of existing and proposed storm sewer, sanitary sewer, and water utility systems shown |
| X | | | Electric, gas, telephone, and cable lines shown |
| X | | | All new utilities are underground |
| × | | | Exterior lighting detail provided |
| | | X | Location of all utility and private fire hydrants |
| | | X | Sampling manhole shown (if applicable) |
| X | | | Grease interceptor shown (if applicable) |
| X | | | Location and size of existing and proposed water meters (see building floor plan) |
| | le the f | ollowin | g notes on the Utility Plan: |
| YES | NO | N/A | |
| X | | | All sanitary sewer to be installed in accordance with City of Waukesha standards. |
| X | | | All applications and fees for sanitary sewer must be completed and paid prior to connection to sewer systems. |
| X | | | Any utility work in the right-of-way and all sanitary sewer connections to be inspected by City. Notify City 72 hours in advance of connecting to sewer. |
| project additio | s, a con nal infor | nplete pl mation. | itiems that are commonly missed on Utility Plans. For subdivisions or other large or complex an review includes many more checks too numerous to list here. Please call (262) 524-3600 for City typical sewer details can be provided upon request. contact Waukesha Water Utility at (262) 521-5272 |



City of Waukesha Department of Public Works 130 Delafield Street Waukesha, WI 53188 Waukesha-wi.gov

Landscape Plan Checklist

Attachment I (Rev 12/18)

| Project Name: | Kwik Trip - | Store #970 S West Avenue | |
|-----------------|--------------|--------------------------|--|
| Engineering & I | Design Firm: | raSmith, Inc. | |

| Listed | below | are ge | eneral design considerations only: |
|--------|-------|--------|---|
| YES | NO | N/A | |
| X | | | Show easements |
| X | Ō | | Location and footprint of any and all buildings |
| X | | | Dimensions of development site along property line |
| X | | | Existing and proposed streets |
| X | | | Pedestrian and vehicular access points |
| X | | | Location and dimensions of parking lots, etc. see Civil Site Plans |
| X | | | Location and dimensions of all existing or planned easements |
| X | | | Location and dimensions of snow removal and storage areas |
| X | | | Location and dimensions of outdoor lighting fixtures |
| | | X | Interior parkway provided |
| | | X | Parkway provided |
| | | X | Buffer strip provided not adjacent to residential zoning |
| | | X | Dumpster enclosure details see Architectural Plans |
| X | | | Parking lot landscaping |
| | | X | Utility/mechanical equipment screened |
| | | X | Service area screened |
| X | | | Location of freestanding signs |
| | | X | Walls and fences shown |
| X | | | Location of utilities |
| X | | | Existing and proposed contours and grades, including berm elevations |
| X | | | Location, name and size of proposed plant materials |
| X | | | Specifications of all types of all proposed ground cover, i.e., seed, sod, etc. |
| X | | | Location, species, and size of existing trees |
| X | | | Clear identification of trees to be removed |
| X | | | Square footage of parking lot area see Civil Site Plans |
| K | | | Tree protection plan |



R.A. Smith, Inc. 16745 W. Bluemound Road Brookfield, WI 53005-5938 (262) 781-1000 | rasmith.com

May 4, 2020

Mr. Doug Koehler Principal Planner Community Development Department City of Waukesha 201 Delafield Street, Room 200 Waukesha, WI 53188

RE: Project No.: SPAR20-00012

Kwik Trip #970, 2105 S. West Avenue R.A. Smith Project No.: 3190495

Dear Mr. Koehler:

Below are the responses of R.A. Smith, Inc. to the SPAR Project Review of the above-referenced matter. We are not providing a response letter for the conditional use review since there were no comments:

Sanitary Sewer – Chris Langemak:

Sewer lateral video. The proposed building has a sanitary sewer lateral connecting the City's sewer main.
Please provide a sewer lateral video to City for review and approval. Contact the City Engineering
Department for the video format. If lateral maintenance is needed, then the lateral improvements may
need to be included as part of this project. The lateral pipe and connection to the main may need to be
lined or relayed to reduce infiltration into the City's sanitary sewer system or improve the structural
integrity.

Response: The lateral video will be provided before construction for the city's review.

2. A record drawing of the sanitary/storm sewer facilities sealed by a professional engineer or registered land surveyor shall be submitted to the Engineering Division.

Response: This note has been added to SP4.

- 3. Can the existing sanitary lateral be utilized instead of installing a new one. Response: Yes, the sanitary sewer has been redesigned to connect to the existing lateral.
- 4. Unused laterals shall be properly abandoned Response: There will be no unused laterals.
- 5. Sheet SP4 General Note 3 Sanitary lateral connection are not allowed to connect to structures Response: This note is being kept because we are connecting the new lateral into an existing private manhole on the property.

Street Lighting - Jeff Hernke:

No comments regarding City owned street lights or fiber.



Mr. Doug Koehler

Project No.: SPAR20-00012 Page 2 / May 4, 2020

Traffic – Michael Grulke:

The developer has provided the requested traffic study for this gas station. The study has been reviewed and accepted and the proposed driveway layout on S. West Avenue is expected to operate acceptably. It is recommended that a copy of the traffic study be sent to WisDOT signal operations group to see if the increase in trips to this gas station will require a change in signal timing at 59 & S. West Ave. WisDOT may also have comments related to the proximity of the proposed northern most driveway.

Response: We have sent the traffic study to the DOT and Derrin Wolford, P.E., Signal Operations Engineer with WisDOT - SE Region indicated that no further information is required at this time (see attached email).

Fire – Brian Charlesworth:

Per City of Waukesha Municipal Ordinance 21.07, any new commercial building greater than 6,000 sq. ft. or an assembly capacity of 100 or more, will be required to be fully protected by an automatic fire sprinkler system throughout the building. The sprinkler system is also required to be monitored by an automatic fire alarm system in accordance with International Fire Code Chapter 9.

Response: The water supply line has been upsized to 6" in anticipation of sprinklers being added.

<u>General Engineering – David Buechl:</u>

- 1. Depending on the final design, the below listed permits or approvals may be needed. Please submit digital copies of permits to City for filing.
 - a. Wisconsin DNR NOI, and NOI for fill site, if disturbance over 1 acre
 - b. City of Waukesha Engineering Division Construction Permit if working in right of way

Response: We will continue to work with city staff for the ROW permit and we will forward the NOI permit to the city once received.

- 2. Additional required submittals, fees, financial guaranties needed prior to issuance of building permit include:
 - a. Easements, if applicable
 - b. Impact fees
 - c. Letter of credits
 - d. Applicable sewer connection charges per Chapter 29.11(c) will be owed to the City for this project.
 - e. Sewer assessments, if applicable.

Response: The developer will continue to work with city staff to get these fees paid.

3. Verify building height complies with FAA regulations.

Response: Jason Fruth with Waukesha County Department of Park and Land Use indicated that this site is outside of the County's jurisdictional area (see attached email).

4. Confirm setback requirements for buried gas tank to lot line.

Response: The Wisconsin setback for underground fuel tank to the property line is 3ft. The setback is greater than 3ft and is noted on the SP1.



Mr. Doug Koehler

Project No.: SPAR20-00012 Page 3 / May 4, 2020

5. Add note to drawings: Limits of final City street pavement and curb and gutter removal and replacements to be marked by City Engineering staff in field.

Response: this note has been added to SP1.

Stormwater

1. SW Agreement: Add parcel tax key number. Add legal description from new CSM.

Response: The new legal description has been added to the SW agreement. The tax keys have been added to the agreement.

2. Exhibit B: Add exhibit with bearings and distances of storm water facility easement and boundary description. Include oil/water separators and underground facility.

Response: This exhibit has been added to Exhibit B.

3. This site is registered as DNR contaminated site. Confirm construction requirements to be followed with DNR. Show approximate locations of contaminated soils on plan.

Response: Kwik Trip is working with their environmental consultant in preparing a Soils Management Plan (SMP) for the handling of the site's impacted soils in accordance with applicable regulations. The SMP will contain a figure depicting the approximate locations of impacted soils and will be forwarded on to the City. A note has been added to the civil plans identifying the SMP and the need for coordination with Kwik Trip's Environmental Consultant.

Planning - Doug Koehler:

Elevation 1, north, should include propane if included at this store. Elevation 2, west, should have windows as this will be visible from highway. Elevation 4, east, should also include windows for street frontage. The fuel canopies should reflect the architecture of the building with brick columns, a sloped standing seam mansard and the fascia should match the color of the building, not white.

Response: Kwik Trip has incorporated the requested modifications to the elevations as discussed at the staff meeting on 4/2/20.

If you should have any additional questions, please email me at christopher.white@rasmith.com, or call me at 262-317-3286.

Sincerely, R.A. Smith, Inc.

Christopher B. White, P.E.

Ristopher White

Civil Engineer

Harley, Robert

From: Wolford, Derrin J - DOT <Derrin.Wolford@dot.wi.gov>

Sent: Wednesday, April 15, 2020 8:05 AM

To: Schueler, Justin Cc: Harley, Robert

Subject: RE: FOR YOUR INFORMATION: Waukesha Kwik Trip Store Replacement (WIS 59/S. West

Ave)

Categories: Filed by Newforma

Hi Justin,

Thank you for passing along this information. We were not aware the Kwik Trip was going to be rebuilt.

We have no comments at this time.

--

Derrin Wolford, P.E.
Signal Operations Engineer
WisDOT - SE Region
141 N.W. Barstow Street
Waukesha, WI 53187
derrin.wolford@dot.wi.gov

Office: (262) 521-4409 Cell: (414) 750-2675

From: Schueler, Justin

Sent: Thursday, April 09, 2020 8:28 PM

To: Wolford, Derrin J - DOT

Cc: Harley, Robert

Subject: FOR YOUR INFORMATION: Waukesha Kwik Trip Store Replacement (WIS 59/S. West Ave)

Hi Derrin,

Kwik Trip is planning to replace their existing store located in the southwest quadrant of the WIS 59 (Les Paul Parkway) intersection with S. West Avenue in Waukesha. The new facility will include the same features as existing, but the store will be larger (5,880 SF to 9,200 SF) and include additional gasoline pumps (16 to 20 vfp). Access will remain exclusively on S. West Avenue. The attached trip generation study (provided for reference only) identified a modest increase in traffic (55 to 70 new peak hour trips) with the larger development. Construction is planned for spring of 2021.

No public roadway improvements are planned, or required by the City of Waukesha, with the redevelopment. However, as part of the plan review/approval process the City requested that the above information be provided to WisDOT Signal Operations staff to assess the need for signal timing adjustments or operational changes at WIS 59/S. West Avenue.

The project will be submitted for city Plan Commission review by the end of April. Feedback prior to this would be appreciated. Please contact me if you have any questions.

Thank you,

Harley, Robert

From: Jason Fruth <JFruth@waukeshacounty.gov>

Sent:Monday, April 27, 2020 8:40 AMTo:Harley, Robert; Kurt StanichSubject:RE: Kwik Trips - Waukesha

Hi Bob,

The West Ave. location is outside of the airport height ordinance jurisdictional area. The Pewaukee Rd. location is limited to 1048' amsl, whereas site grade is currently about 898' so quite a bit of room there. Cranes and structures would need to stay under that height. Any structures and signs would need a zoning permit from our office if they would exceed 35'.

Kurt may want to comment on lighting and should be consulted regarding stormwater if any facilities are proposed.

Thanks for checking in on these projects.

Jason

Jason Fruth
Planning & Zoning Manager
Waukesha County Department of Parks and Land Use
Planning and Zoning Division
p (262) 548-7790
http://www.waukeshacounty.gov/planningandzoning

Planner of the Day Customer Service Hours 8:00 am-4:30 pm Tuesday-Friday

From: Harley, Robert < Robert. Harley@raSmith.com>

Sent: Friday, April 24, 2020 11:14 AM

To: Jason Fruth <JFruth@waukeshacounty.gov>; Kurt Stanich <KStanich@waukeshacounty.gov>

Subject: Kwik Trips - Waukesha

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and are certain the content is safe.

Jason / Kurt -

Hope this finds both of you well. We are working on a couple of Kwik Trips and City has indicated to reach out to you to confirm whether or not there's any permitting needed on your end. One's on the north end of City, near Airport and the other is on the south off of Les Paul. Attached is site location info for the 2 sites. Both sites consist of 2 lots which will be combined via CSM and will be tear downs/rebuilds. Please advise.

Thanks and have a great weekend!

- Bob



R.A. Smith, Inc. 16745 W. Bluemound Road Brookfield, WI 53005-5938 (262) 781-1000 | rasmith.com

May 4, 2020

Mr. Doug Koehler Principal Planner Community Development Department City of Waukesha 201 Delafield Street, Room 200 Waukesha, WI 53188

RE: Project No.: CSM20-00006

> Kwik Trip, 2105 S. West Avenue R.A. Smith Project No.: 3190495

Dear Mr. Koehler:

Below are the responses of R.A. Smith, Inc. to the CSM Project Review of the above-referenced matter:

Sanitary Sewer – Chris Langemak:

See R.A. Smith Response Comment Letter To SPAR Project Review, dated April 16, 2020.

Street Lighting – Jeff Hernke:

No comments on the CSM regarding City owned street lights or fiber.

Traffic - Michael Grulke:

See comments from SPAR20-00012. No additional comments.

General Engineering - David Buechl:

1. Per Wisconsin State Statute 236.20(2)(f) as referenced by 236.34(1m)(c): Show existing and proposed easements.

Response: done

1a. Show proposed easement around boundary of storm water facility. Show access easement to storm water facility easement.

Response: done

2. Add note: A separately recorded storm water maintenance agreement describing the rights, conditions, and restrictions of the storm water facilities is recorded at the Waukesha County Register of Deeds.

Response: done



Mr. Doug Koehler

Project No.: CSM20-00006 Page 2 / May 4, 2020

3. 22.53 Traffic, Loading, Parking and Access (1) TRAFFIC VISIBILITY. (Am. #38-02) In all districts no structures, fences, or vegetation shall be permitted on a corner lot within twenty (20) feet of the point of intersection of the right-of-way lines (the "corner") which obstructs or interferes with traffic visibility.

Response: CSM 9368 has one already

3a. Show 20 ft x 20ft vision corner easement at intersecting right of ways.

Response: CSM 9368 has one already

3b. Add note to CSM: Vision corner easements: No structure, driveway or improvement of any kind is permitted within the vision triangle. No vegetation, bushes, trees, or other visual obstructions may exceed 24 inches in height within vision corner easements platted hereon. Said vision corner easement is granted to the City of Waukesha. No direct vehicular access is allowed over any vision corner easements.

Response: done

If you should have any additional questions, please email me at christopher.white@rasmith.com, or call me at 262-317-3286.

Sincerely, R.A. Smith, Inc.

Christopher B. White, P.E.

Ristopher White

Civil Engineer