
Last Revision Date: Dec. 2019



# City of Waukesha Application for Development Review

City of Waukesha Community Development Department - 201 Delafield Street, Suite 200, Waukesha, WI 53188 262-524-3750 City of Waukesha Department of Public Works Engineering Division—I 30 Delafield Street, Waukesha, WI 53188 262-524-3600 www.waukesha-wi.gov

APPLICANT INFORMATION	PROPERTY OWNER INFORMATION
Applicant Name: 1220 Prairie Ave LLC	Applicant Name: 1-Prairie LLC
Applicant Company Name: 1220 Prairie Ave UC	Applicant Company Name: 1- Prame LLC
Address: 1422 Peacl St	Address: 833 E. Michigan St. Sute Suo
City, State: Wankesha, W/ zip: 53/86	City, State: Milwakes M Zip: 53202
Phone: 262-549-5506	Phone:
E-Mail: theaudy @corporatedesign interiors.com	E-Mail:
ARCHITECT/ENGINEER/SURVEYOR INFORMATION	PROJECT & PROPERTY INFORMATION
Name: Christopher Jackosn	Project Name: Neenah Enterprises - Storage Yard Expansion
Company Name: Cl Engineering	Property Address 1220 S. Prairie Avenue
Address: 9205 W. Center St. Suite 214	Tax Key Number(s): WAKC1335952
City, State: Milwaukee, WI Zip: 53222	Zoning: M-I: Light Industrial
Phone: 414-443-1312	Total Acreage: 3.2186 Existing Building Square Footage 24,462 s.f.
E-Mail: Chris@cj-engineering.com	Proposed Building/Addition Square Footage: 0 s.f.
	Current Use of Property: Industrial Manufacturing Facility
on the east side of the building and a proposed storm water wet pond loc water pond will be used to meet the storm water requirements of the Cit	
All submittals require a complete scaled set of digital plans (Adobe P	DF) and shall include a project location map showing a 1/2 mile radi-
us, a COLOR landscape plan, COLOR building elevation plans, and e	
meeting is required prior to submittal of any applications for Subdivis	
Review. The deadline for all applications requiring Plan Con the meeting date. The Plan Commission meets the <u>Fourth</u>	
	vyculosusy of cach molici.
APPLICATION ACKNOWLEDGEMENT AND SIGNATURES	
The state of the s	andbook, City Ordinances, Submittal Requirements and Checklists and have aformation may result in a delay of the review of your application. By signing
this I also authorize The City of Waykesha or its agents to enter upon the p	
Applicant Signature	
Applicant Name (Please Print) Thomas Beaudy	1 / Dao Prairie Aur LLC
Pate: 9/23/2021	
For Internal Use Only:	
For Internal Use Only:	nt Paid: Check #:

# City of Waukesha Application for Development Review

TYPE OF APPLICATION & FEES (CHECK ALL THAT APPLY) Please note that each application type has different submittal tailed submittal checklists can be found in Appendix A of the Development Handbook.	requirements. De- FEES
☑Plan Commission Consultation \$200	\$200.00
□Traffic Impact Analysis	
Commercial, Industrial, Institutional, and Other Non-Residential \$480	
Residential Subdivision or Multi-Family \$480	
☐Resubmittal (3rd and all subsequent submittals \$480	
ONE OF THE THREE FOLLOWING ITEMS IS REQUIRED FOR SITE PLAN & ARCHITECTURAL REV	'IEWS (*):
* ☑Preliminary Site Plan & Architectural Review	\$2,320.00
□Level 1: Buildings/additions less than 10,000 sq.ft. or sites less than 1 acre \$2,200	
☑Level 2: Buildings/additions between 10,001-50,000 sq.ft. or sites between 1.01 and 10 acres \$2,320	
Level 3: Buildings/additions between 50,001-100,000 sq.ft. or sites between 10.01 and 25 acres \$2,440	
□ Level 4: Buildings/additions over 100,001sq.ft. or sites greater than 25.01 acres. \$2,560	
Resubmittal Fees (after 2 permitted reviews) \$750	
* 🗵 Final Site Plan & Architectural Review	\$1.440.00
Level 1: Buildings/additions less than 10,000 sq.ft. or sites less than 1 acre \$1,320	
Level 2: Buildings/additions between 10,001-50,000 sq.ft. or sites between 1.01 and 10 acres \$1,440	
Level 3: Buildings/additions between 50,001-100,000 sq.ft. or sites between 10.01 and 25 acres \$1,560	
Level 4: Buildings/additions over 100,001sq.ft. or sites greater than 25.01 acres. \$1,680	
Resubmittal Fees (3rd and all subsequent submittals) \$750	
* Minor Site Plan & Architectural Review (total site disturbance UNDER 3,000 total square feet)	<u> </u>
Projects that do not require site development plans \$330	
Resubmittal Fees (3rd and all subsequent submittals) \$330	
□ Certified Survey Map (CSM)	
□ I-3 Lots \$500	
☐4 lots or more \$560	
Resubmittal (3rd and all subsequent submittals) \$180	
□Extra-territorial CSM \$260	
☐ Preliminary Subdivision Plat (Preliminary Site Plan Review is also required.)	
□Up to 12 lots \$1,270	
☐ 13 to 32 lots \$1,390	
☐ 36 lots or more \$1,510	
Resubmittal (3rd and all subsequent submittals) \$630	
Final Subdivision Plat (Final Site Plan Review is also required.)	
□Up to 12 lots \$660	
□13 to 32 lots \$780	
□36 lots or more \$900	
Resubmittal (3rd and all subsequent submittals) \$480	
□Extra-territorial Plat \$540	
Rezoning and/or Land Use Plan Amendment	
□ Rezoning \$630	
□Land Use Plan Amendment: \$630	
⊠Conditional Use Permit	
□Conditional Use Permit with no site plan changes \$480	C 400 00
□Conditional Use Permit with site plan changes \$480 plus applicable preliminary and final site plan fees above     □ Size Size Size Size Size Size Size Size	e <u>\$480.00</u>
Planned Unit Development or Developer's Agreement (Site Plan Review is also required)	-
□ New Planned Unit Development or Developer's Agreement \$1,760	
Planned Unit Development or Developer's Agreement Amendment \$610	
Annexation NO CHARGE	
House/Building Move \$150	
□Street or Alley Vacations \$150	
TOTAL APPLICATION FEES:	\$4,440.00

# City of Waukesha Development Review Submittal Requirements

### PLAN COMMISSION CONSULTATION SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION

A Plan Commission Consultation my be submitted for review and comment for the owner/developer to ascertain the feasibility of a proposed project. A consultation is not required but may be submitted in advance of an actual submittal for a preliminary plat, CSM, Planned Unit Development, rezoning, conditional use or site plan. The Plan Commission will only provide feedback, no approvals will be given. Prior to applying for a Plan Commission Consultation you must discuss your project with the Planning Division to determine if a Plan Commission Consultation is recommended.

Review Time: Approximately 30 days

Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility.

Reviewing Boards: Plan Commission (optional)

In addition to this application and corresponding application fee you will also need:

One (I) digital (PDF) copy of the plans you want conceptual review of

Attachment A: Development Review Checklist. You should also review all other corresponding checklists that relate to the project that you are seeking conceptual review of and include as much information as possible.

Cover letter outlining project details.

### TRAFFIC IMPACT ANALYSIS SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION

A Traffic Impact Analysis is required for projects that meet certain criteria. Please refer to the Developer's Handbook Section 4.4 to determine if your project requires a Traffic Impact Analysis

Review Time: Approximately 30 days

Reviewing Departments: Public Works Engineering Division

Reviewing Boards: None, however the Plan Commission may require a copy as part of site plan review process.

In addition to this application and corresponding application fee you will also need:

One (1) digital (PDF) copy of the Traffic Impact Analysis

### PRELIMINARY SITE PLAN & ARCHITECTURAL REVIEW SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION

Preliminary site and architectural plans are required for any new residential development with 4 or more units and all non-residential developments. Preliminary site plan approval is also required for additions or modifications to existing developments and projects where a stormwater management plan is needed. Preliminary approval is required unless it is determined by City staff in the Pre-Application meeting that the project only needs Final Site and Architectural Review.

Review Time: Approximately 30 days (45 if Common Council review is needed)

Teview Filter / pproximately 30 days (13 if Solition Coultry Teview is needed)	
Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility.	
Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects.	
In addition to this application and corresponding application fee you will also need:	
One (1) digital (PDF) that includes of items listed below	
☐ Cover letter outlining project details.	
☐ Color architectural elevations of all sides of the building and color perspective renderings	
☑ Conceptual Landscape Plan	
☑ Attachment A: Development Review Checklist	
☑ Site Plan (see Attachment B: Engineering Plan Checklist)	
☑ Grading Plan (see Attachment C: Site Grading and Drainage Plan Checklist)	
🖸 Stormwater Management Plan (see Attachment D: Stormwater Management Plan Checklist)	
☑ Utility Plans (see Attachment H: Sewer Plan Review Checklist)	
☐ Any other attachments as applicable.	

## FINAL SITE PLAN & ARCHITECTURAL REVIEW PLAN SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION Final site and architectural plans are submitted only after the Plan Commission has approved Preliminary Site Plans for any new residential development with 4 or more units and all non-residential developments, including modifications to existing developments. Some projects may bypass Preliminary approval but only if it is determined by City staff in the Pre-Application meeting. Review Time: Approximately 30 days (45 if Common Council review is needed) Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility. Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects. In addition to this application and corresponding application fee you will also need: ☑ One (1) digital (PDF) that includes of items listed below Over letter outlining project details. ☐ Color architectural elevations of all sides of the building and color perspective renderings □ Landscape Plan (see Attachment I: Landscape Plan Checklist) M Attachment A: Development Review Checklist Site Plan (see Attachment B: Engineering Plan Checklist) ☑ Grading Plan (see Attachment C: Site Grading and Drainage Plan Checklist) Stormwater Management Plan (see Attachment D: Stormwater Management Plan Checklist) ☐ Utility Plans (see Attachment H: Sewer Plan Review Checklist) MINOR SITE PLAN & ARCHITECTURAL REVIEW SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION Minor Site and Architectural review is intended for projects that may not need the extensive submittal requirements for Preliminary and Final Site Plan approval. Projects that qualify for Minor Site Plan submittal may include landscape, façade and building changes or minor site modifications that don't result in the addition of impervious surface. Review Time: Approximately 30 days (45 if Common Council review is needed) Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility. Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects. In addition to this application and corresponding application fee you will also need: ☐ One (1) digital (PDF) that includes of items listed below ☐ Cover letter outlining project details. ☐ Architectural elevations of all sides of the building being modified In addition, depending on the type of project, you may also need the following items: ☐ Site Plan (see Attachment B: Engineering Plan Checklist) ☐ Landscape Plan (see Attachment I: Landscape Plan Checklist) CERTIFIED SURVEY MAP SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION A Certified Survey Map may be used to divide up to eight (8) lots in Commercial, Industrial, and Mixed Use zoning districts and up to four (4) lots in all other zoning districts. Review Time: Approximately 45-60 days. An extension letter will be required if the approval process will take more than 90 days. Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility. Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects. In addition to this application and corresponding application fee you will also need: ☐ One (1) digital (PDF) that includes of items listed below ☐ Attachment E: Certified Survey Map Checklist Attachment A: Development Review Checklist and other attachments as applicable. \*Please note If any exterior architectural, landscape, or site plan changes are required you must also go through Site Plan Review and meet all of those submittal requirements.

PRELIMINARY PLAT SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION
A Preliminary Plat shall be used to subdivide land in the City. The applicant is responsible for submitting the Preliminary Plat to Waukesha County and the State of Wisconsin for review.
Review Time: Approximately 45-60 days. An extension letter will be required if the approval process will take more than 90 days.
Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility.
Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects.
In addition to this application and corresponding application fee you will also need:
☐ One (1) digital (PDF) that includes of items listed below
☐ Attachment F: Preliminary Plat Checklist
☐ Cover letter outlining project details.
☐ Attachment A: Development Review Checklist and other attachments as applicable
☐ Stormwater Management Plan (see Attachment D: Stormwater Management Plan Checklist)
FINAL PLAT SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION
A Final plat shall be used to subdivide land in the City. The applicant is responsible for submitting the Final Plat to Waukesha County and the State of Wisconsin for review.
Review Time: Approximately 45-60 days. An extension letter will be required if the approval process will take more than 90 days.
Reviewing Departments: Community Development Planning Division, Public Works Engineering Division, Fire Department, Water Utility.
Reviewing Boards: Plan Commission. Common Council and Board of Public Works review may be required for certain projects.
In addition to this application and corresponding application fee you will also need:
One (I) digital (PDF) that includes of items listed below
☐ Attachment G: Final Plat Checklist
Cover letter outlining project details.
Attachment A: Development Review Checklist and other attachments as applicable.
☐ Stormwater Management Plan (see Attachment D: Stormwater Management Plan Checklist)
REZONING & COMPREHENSIVE PLAN AMENDMENT SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION
This review is for any requests to rezone land or amend the City's Comprehensive Master Plan. For rezonings all property owners within 300 feet of the property will be notified of your request.
Review Time: 45-60 Days
Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public Works Engineering Division, Fire Department, Water Utility.
Reviewing Boards: Plan Commission, Common Council
Additional Information: Rezonings must be done in accordance with the Comprehensive Plan. Please consult with Planning staff to determine if a Comprehensive Plan Amendment is also required prior to submitting a rezoning application.
In addition to this application and corresponding application fee you will also need:
One (1) digital (PDF) that includes of items listed below
☐ Cover letter outlining project details and rationale for rezoning
☐ Rezoning Form including legal description and notarized owner(s) signatures (rezoning applications only)
☐ Conceptual Plan (if applicable)
*Please note this application fee only covers the rezoning and/or Comprehensive Plan Amendment. If you are proposing site plan changes or are subdividing land
you will also need to meet the applicable submittal requirements for those proposals.

### CONDITIONAL USE PERMIT SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION Any use listed as a Conditional Use in Chapter 22 (Zoning Code) requires a Public Hearing in front of the Plan Commission prior to building or occupancy permits being issued. All property owners within 300 feet of the property will be notified of your request. Review Time: 30-45 days Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public Works Engineering Division, Fire Department, Water Utility. Reviewing Boards: Plan Commission In addition to this application and corresponding application fee you will also need: One (1) digital (PDF) that includes of items listed below □ Conditional Use Permit Application \*Please note If any exterior architectural, landscape, or site plan changes are required you must also go through Site Plan Review and meet all of those submittal requirements. PLANNED UNIT DEVELOPMENT OR DEVELOPER'S AGREEMENT SUBMITTAL REQUIREMENTS AND ADDITIONAL IN-**FORMATION** The PUD Overlay District is intended to permit development that will, over a period of time, be enhanced by coordinated area site planning, diversified location of structures, diversified building heights and types, and/or mixing of compatible uses. The PUD Overlay District under this Chapter will allow for flexibility of overall development design with benefits from such design flexibility intended to be derived by both the developer and the community, while at the same time maintaining insofar as possible the standards or use requirements set forth in the underlying basic zoning district. Developer's Agreements are used for any project that require public infrastructure improvements (sewer, storm sewer, sidewalks, etc) and other offsite improvements such as median openings, traffic signals, street widening, etc.. Review Time: 45-60 days Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public Works Engineering Division, Fire Department, Water Utility. Reviewing Boards: Plan Commission, Common Council. Some projects will also require Board of Public Works review. In addition to this application and corresponding application fee you will also need: ☐ One (1) digital (PDF) that includes of items listed below Cover letter/statement that outlining project details and all of the required information set forth in the Zoning Ordinance Section 22.52

☐ General Development Plan ☐ Proposed Supplemental Design Elements (required for all PUDs under the minimum required acreage) \*Please note in addition to the PUD submittal requirements your project will also need additional application fees and submittal materials based on the project type. This may include Preliminary and Final Plats, Preliminary and Final Site and Architectural Plans, Certified Survey Maps, Traffic Impact Analysis. Staff will inform you of any additional submittal requirements at the Pre-Application meeting, which is required prior to submitting your application. ANNEXATION SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION Requests for annexation as permitted under Section 66.0217 Wisconsin Statutes. Review Time: 45-60 days Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public Works Engineering Division, Fire Department, Water Utility. Reviewing Boards: Plan Commission, Common Council In addition to this application and corresponding application fee you will also need: One (1) digital (PDF) that includes of items listed below Copy of your State of Wisconsin Request for Annexation Review Application ☐ Signed City of Waukesha Direct Annexation Petition ☐ Map of property of property to be annexed. □ A boundary description (legal description of property to be annexed)

☐ Rezoning Form including legal description and notarized owner(s) signatures (rezoning applications only)

(4)(a)

Any additional information on the annexation.

HOUSE/BUILDING MOVE SUBMITTAL REQUIREMENTS AND ADDITIONAL INFORMATION
Any application to move a home or building from one location to another in the City requires review by staff and the Plan Commission.
Review Time: 30-45 days
Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public Works Engineering Division, Fire Department, Water Utility, Police Department, Any affected Public Utilities
Reviewing Boards: Plan Commission
In addition to this application and corresponding application fee you will also need:
☐ One (1) digital (PDF) that includes of items listed below
☐ Address of existing structure and address of final destination for structure
☐ Site Plan showing location of house/building at the new location
☐ Proposed route for moving structure. Should also include any overhead wires, mailboxes, or other obstructions that will need to be tem porarily relocated to allow for the house/building to get to the new site.
STREET VACATIONS
Street Vacations must be reviewed and approved by the Plan Commission.
Review Time: 45-60 days
Reviewing Departments: Community Development Planning & Building Inspection Divisions, Public Works Engineering Division, Fire Department, Water Utility.
Reviewing Boards: Plan Commission, Common Council
In addition to this application and corresponding application fee you will also need:
One (1) digital (PDF) that includes a map and legal description of the areas to be vacated.




# Attachment A - Application for Development Review Checklist

Project Name: Neenah Enterprises - Storage Yard Expansion Engineering Design Firm: Cl Engineering

Particular   Par															-			
1	Checklist Items	CSM	Preliminary Plat	Final Plat	Property Survey for Bldg Permit	Storm Water Plan	Erosion Control Plan			_	Landscape Plan	Traffic Control Plan	Traffic Impact Analysis	Conditional Use or Home Indus.	200	Minor sine or Arch. Change	Conditional	Comp. Plan
No.	Followed Construction Drawing Sheet Layout						YES	YES	YES	YES	YES							
NA	Followed Development Handbook and Storm Water Ordinance standards for Fresion control plans			3 73			YES											
NA	Obtained geotechnical evaluation for storm water					NO		NO	ON	NO			, A					201
NIA	Followed Development Handbook standards, and Wisconsin Administrative Code for Property Survey				YES					A3 1 101								
N/A	Verified proposed basement floor elevation is at least 1 look above the highest scasonal high water rable elevation				N/A													
NES	Followed Development Handbook standards and Ordinance for Preliminary Plat		N/A															
S	Followed Site, Grading, and Drainage Plan design standards in Development Handbook and Storm							YES						YES		N/A	YES	N/A
S THE TOTAL THE	Water Urdinance Followed Traffic impact analysis standards in												N/A					
NO N	Development transpook Specifications conform to current City Standard Specifications					YES	YES	YES	N/A	YES	YES	N/A			N/A			
S	Followed Lighting Plan standards in Development									N/A								
S N/A	Development site contains Contaminated Waste							NO										
N/A	Followed storm water management requirements  Development Handbook, and Ordinance					YES												Ż
N/A N/A N/A N/A N/A N/A N/A	Site contains mapped FEMA floodplain or a local 100-year storm event high water limits							CM										
N/A N/A N/A N/A N/A	Site contains wetlands or Natural Resource limits (ie. Primary, Secondary, Isolated, shoreland limits)							NO										
N/A N/A N/A N/A N/A	CSM follows standards in Development Handbook, City Ordinance, and State Statutes	N/A							2									
N/A N/A	Followed Development Handbook standards for Street plans and profiles								N/A									
N/A N/A	Followed Development Handbook standards for utility plans and profiles									N/A								
	Existing sanitary sewer lateral has been televised							N/A		N/A				103		M.W.	12	16,74

1 of 2

Checklist Items	CSM	Preliminary Plat	Final Plat	Property Survey for Bldg Permit	Storm Water Plan	Erosion Cantrol Plan	Site, Grading. Drainage Plan	Street Plan	Utility Plan	Landscape	Traffic Control Plan	Traffic Impact Analysis	Traffic Impact Conditional Use Analysis or Home Indus.	Developer's	or Arch. Change	Conditional	Comp. Plan
Development Agreement needed for Public														N/A			
Initiastructure Followed Development Handbook standards for Landscare plans										YES							
Followed Development Handbook standards, State Statures and Ordinance for Final Plat			N/A										0				
A-E 2.02(4): Each sheet of plans, drawings, documents, specifications and reports for architectural, professional engineering, design or land surveying practice thould be simed, saaled, and dated by the thould be simed, saaled, and dated by the	N/A	N/A	N/A	YES	YES	YES	YES	N/A	YES			N/A	N/A	N/A	N/A	YES	N/A
32.10(e)112 JH. A cover sheet stamped and signed by a professional engineer registered in the State of Wisconsin indicating that all plans and supporting documentation have been reviewed and approved the state of					YES												
Oy the country or State Permits are needed					YES		YES	N/A	N/A		N/A						
Complete and submit Plan Sheet and Submittal Specific checkists in Development Handbook	N/A	N/A	N/A	YES	YES	YES	YES	N/A	YES	YES		N/A					
Proposed easements needed are shown.	N/A		N/A		Q		N/A	N/A	N/A								
All Existing easements are shown	N/A	N/A	N/A	4£5	YES	YES	YES	N/A	YES	YES			N/A	N/A	N/A	N/A	N/A



# **Engineering Plan Checklist**

Attachment B (Rev 04/18)

Project Name:	Neenah Enterprises - Storage Yard Expansion	
Engineering & F	Design Firm: CJ Engineering	
Engineering & L	resign ( intil,	

### **General Information**

Plans shall include the seal and signature of the Wisconsin licensed professional engineer responsible for the preparation of the construction plans on the cover sheet or on each sheet

YES	NO	N/A	
		X	Provide a copy of the WisDOT permit for any work in the State of Wisconsin right of way.
		X	Provide a copy of the Waukesha County Department of Public Works permit for any work in right of way of Waukesha County.
	X		Provide a copy of Wisconsin Department of Natural Resources Water Resources Application for Project Permits (WRAPP) for all sites greater than one acre. To be provided upon receipt
		<b>X</b>	Provide a copy of US Army Corps of Engineers 404 permit.
		<u>[X]</u>	Provide cross access agreements for use of entrances.
a		[3]	Provide off-site utility easements.
		X	Provide hydraulic gradeline calculations for all storm sewer pipes signed and sealed by a professional engineer licensed in the State of Wisconsin.
×			Provide a storm water management plan and calculations signed and sealed by a professional engineer licensed in the State of Wisconsin.

### All Plan Sheets

YES	NO	N/A	
<b>(X</b> )			Plans prepared on sheets measuring 11" high by 17" wide or no larger than 24" high by 36" wide.
X			Sanitary Sewer, watermain and storm sewer system plans for the entire development are included.
		X	A profile view is located below a plan view on plan and profile sheets and both views are aligned by stationing whenever possible. In general, stationing is from left to right.
		[X]	Plan and profile sheets start and terminate at match lines.
X		<u> </u>	The assumed bearing base, control monuments and stationing reference line(s)
X.			Right-of-way limits and easement limits
X			Edge of pavement or face and back of curb
X			Name of each existing, proposed, and future roadway and any intersecting roadways
X			Lot lines, lot and block numbers
[3]			Addresses for existing parcels

X			All obstructions located within the project limits including, but not limited to: trees, signs, utilities, fences, light poles, structures, etc.
X			A note warning that underground utilities must be located by "Diggers Hotline" prior to start of construction
Z)			Legend (relevant to each sheet) showing all special symbols, line types and hatch used
			Title block includes at a minimum, the following information:
			Name and address of engineering (design) firm and owner/developer
en			Date of the drawing and last revision
<b>8</b> 0			Scale
			Plan sheet number (# of #)
			Name and location description of development
X			North to the top or right of the sheet and shown by a north arrow, clearly shown without intrusion.
0	X	0	Scale of the plans 1" = 40' horizontally and 1" = 8' vertically for 11" by 17" plan sheets and 1" = 20' horizontally and 1" = 4' vertically for 22" by 34" sheets. Partial site plans have a scale of 1" = 20' or larger. The scale of details is such that the detail is clearly shown. The scale is shown with a line scale and text.
(X)			Existing surface improvements indicated with screened lines and clearly labeled.

### **Cover Sheet**

YES	NO	N/A	
X			Project title.
X			Location Map (Proximity to two main streets minimum).
X			Index of all plan sheets
		X	For subdivisions, large, or phased developments, a key map of layout and phases.
\(\sqrt{\sq}\sqrt{\sq}}\sqrt{\sq}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}			A minimum of two (2) current SEWRPC reference benchmarks. Survey documentation of tie to Wisconsin State Plane Coordinate System, South Zone (horizontal) and City of Waukesha datum (vertical) provided. Elevations shown based on City of Waukesha datum.
X			All permanent benchmarks.
· 🖄			A description of the locations of the benchmarks; and the basis or origin of the vertical control network.
X			Date of preparation and applicable revision date(s)
X		0	The following statement: "All site improvements and construction shown on the plans shall conform to the City of Waukesha <u>Development Handbook &amp; Infrastructure Specifications</u> . Where the plans do not comply, it shall be the sole responsibility and expense of the <u>Developer to make revisions</u> to the plans and/or constructed infrastructure to comply."

### Roadway

YES	NO	N/A	
0		123	For all new streets, a site specific geotechnical evaluation and pavement design submitted with the plans.
		X	A separate detail sheet showing typical cross-sections for a roadway and cul-de-sac if applicable.

### Plan View

YES	NO	N/A	
<b>X</b>			The assumed bearing base, control monuments and stationing reference line along the centerline of the roadway, including cul-de-sacs.
X			At least one clearly labeled benchmark or control point.
X			Width of pavement and median.
X			Final grade elevations at 25' intervals at the right-of-way including at the edge of pavement for rural sections or at the top of curb for urban sections.
		K	Final grade elevations for cul-de-sacs at 25' intervals at the right-of-way including at the edge of pavement for rural sections or at the top of curb for urban sections.
		K	Label all PVC's, PVT's, and PC's, PT's for vertical and horizontal curves Radii of all intersections (edge of pavement or back of curb, with note indicating which is referenced).
		K)	Driveways for all lots adjacent to storm inlets and intersections.
<b>1</b> 0			Sidewalks labeled and dimensioned.
X			Existing, proposed, future streets and drives labeled and dimensioned.
		K	All roadside ditch locations, flowline elevations (based on City of Waukesha datum) at 100' intervals of the ditches.
		X	Slope intercepts.
		D)	Invert profile for 200' downstream for any existing ditches receiving flow from a proposed road or street.
		X	Limits of any areas which need special stabilization techniques.
X			Specific details of all existing connected roadways. Pavement, shoulders, ditches, curb alignment, and grades shall be shown as needed to adequately make the transition.


### **Intersection Details**

YES	NO	N/A	
		K	Radii of all intersections (edge of pavement or back of curb, with note indicating which is referenced).
		<b>⊘</b>	Sidewalks and accessible ramps labeled and dimensioned.
		×	Right of way corner clips and sight visibility easements.
		Č	Spot grades as necessary to ensure proper drainage and compliant ADA slopes.
		×	Spot grades shall be shown at end of radius for all curb and gutter and the end radius for all back of sidewalk.
0		×	Drainage clarified by flow arrows, high points, sags, ridges, etc. Slope intercepts shall be clearly labeled by station, elevation to the nearest 0.1', and offset distance (left or right) from the reference line.
		X	Invert elevation of ditches (for rural roadway).
		[X]	Final subgrade elevation at the centerline of the street or roadway.

### **Cross Sections**

YES	NO	N/A	
		X	Right of way limits.
		X	Slope intercepts clearly labeled.
		ď	Elevations to the nearest 0.01'.
		X	Offset distance (left or right) from the reference line.
		X	Final grade elevations at back of walk, face of walk, top of curb, flange elevation (edge of pavement for rural section), and the centerline of the street or roadway.
		<b>*</b>	Cross slope of sidewalk, terrace area, and roadway.
		×	Invert elevation of ditches (for rural section)

4



# Site, Grading and Drainage Plan Conditional Use Permit Checklist

Attachment C (Rev 04/18)

Projec	t Name:	Neen	ah Enterprises - Storage Yard Expansion	
_		D	C.I. Engineering	
Engine	ering &	Desigr	n Firm: CJ Engineering	
<u>Genera</u>	l Requi	remen	<u>ts</u>	
YES	NO	N/A		$\neg$
			Applicant's name	7
X			Name and location of development	٦
図			Scale and north arrow	
K)			Date of original and revisions noted	٦
<u> </u>			License number and seal (if applicable)	
X			CAD format submission of the site layout & building plan layout upon reques	st
X			Pay impact fees	П
Buildin	ng Plans	S N/A		
		X	Contact Community Development Department	
Site Pl				
YES	NO	N/A		_
X			Dimensions of development site	_
N N			Location, footprint, and outside dimensions	_
K			Existing and proposed pedestrian access points	_
[X]			Existing and proposed vehicular access points	_
X			Parking lots, driveways shown	
K			Front, side and rear yard setbacks shown and labeled	_
			Location and dimensions of all existing or planned easements (if applicable)	_
		IXI	Identification of all land to be dedicated (if applicable)	_
		X	Location, elevation, and dimensions of walls and fences	_
		X	Location, elevation, and dimensions of outdoor lighting	_
		X	Sign complies with City Code Book	_
		DX1	Location of existing and proposed signs	

### Site Access

YES	NO	N/A	
	K)		Legal description or certified survey of property
K			Development compatible with its zoning district Conditional Use
X			Sidewalks to be shown
X			Site entrance drive dimensions
		X	Individual development vehicular entrances at least 125 feet apart
		X	Adjacent development share driveway where possible
		X	At least one vehicular and pedestrian access point to each adjoining site granted by cross easements
		X	Cross access to be provided with minimum paved width of 24 feet
		X	Design detail for all new public streets

### Parking/Traffic

YES	NO	N/A	
K			5-foot-wide paved walkway to building entrance
X			7-foot parking separation from front building
(X)			Minimum parking spaces provided
X			Service truck parking in designated service areas
X.			Parking spaces and layout dimensioned
(X)			Lot paved with bituminous concrete or Portland cement concrete
X			Handicap parking provided
		X	Minimum required stacking distance
	X		Concrete curb and gutter around parking lot

### **Grading and Drainage Plans**

YES	NO	N/A	
X			Show existing tree lines and any obstructions (fences, structures, power poles, etc.) within the project limits.
X			All proposed lot lines and lot numbers or addresses
X			Lot line dimensions
		K)	Outline of buildable areas for each lot
X			Typical setbacks of buildable area to front, side and back lot lines
X			All existing buildings, structures and foundations
X			All existing drainage channels and watercourses
X			Emergency overflow routes
₩.			Drainage clarified by flow arrows, high points, sags, ridges, and valley gutters
X			Proposed retaining wall locations with top and bottom of wall elevations at key locations
X			100-year flood plain limit (both pre-and post-project)
×			100-year storm water surface elevation
X			Wetlands. Wetland limits labeled with bearings and distances and dimensioned to lot lines. Bearings and distances may be shown in tabulated format.

<b>X</b>			All environmental corridors, & or environmentally sensitive areas as required by DNR
X			All existing and proposed easements.
X			Existing topography of the site and all areas within 50 feet of the site shown at a one foot contour interval using City of Waukesha datum. Existing contours shown as thin, dashed screened or grey lines with a readily discernable heavier line used for the 5-foot contour intervals.
K)			Proposed grading shown at a contour interval of 1 foot using City of Waukesha datum.  Proposed contour lines shown as solid medium lines, with a discernible heavier line use for the 5-foot contour intervals.
X			The yard grade and first floor elevation of proposed building and any existing buildings located within 150 feet of the parcel boundary.
K			Proposed road(s), curb and gutter, all storm sewer grates and storm sewer manholes (or cross-culverts for open ditches). Show any off-road storm inlets and discharge locations with surface entry elevations.
X			Spot grades as necessary to ensure proper drainage and compliant ADA slopes and routing where applicable.
		[3]	At front setback line show a typical house shell on each lot and the proposed yard grade to the nearest tenth of a foot (assumed to be 0.7' below the top of block) for each building. Show proposed finished elevations to the nearest tenth of a foot at all lot corners and alongside lot lines adjacent to the front and back corners of the typical house. Show proposed finished elevations to the nearest tenth of a foot at high and low points along any side or back lot lines, and at high and low points if roads to demonstrate proposed drainage.
		₩.	The grading plan for any house that will require special design due to topography, clearly show separate grades for the garage and yard grade if extra steps are needed. Separate spot finish elevations shown for rear or side exposure or walkout.
		<b>⊠</b>	Indicate minimum finished floor elevations adjacent to floodplains, ponds, creeks/channels, etc.
<b>€</b>			Proposed storm inlets shown on each grading plan. Each plan also includes specific details on all applicable retention/detention basins, ponds, overflows, etc. Separate sheets or notes as required.
<b>1</b>			Locations of existing and proposed streets, drives, alleys, easements, right-of-way, parking as required, vehicular and pedestrian access points, and sidewalks
		K	Outline of any development stages
		X	Location and details on any required emergency access roads
	X		Soil characteristics, where applicable
X			Existing and proposed topography shown for the site and or adjacent properties
		N N	Floodplain, shore land, environmental and wetlands shown
X			Location and dimensions of on-site storm water drainage facilities
K			Location and footprint of all existing buildings
X			Locations and names of existing trees
×			Berm detail
₩.			Lot grades and swales shown
			Drainage calculations provided

### **Erosion Control**

YES	NO	N/A	
Ž.			Location Map
	X		Soils Survey Map
X			Existing Land Use Mapping
K)			Predeveloped Site Conditions
X			Existing contours
X			Property lines
Ž)			Existing flow paths and direction
X			Outlet locations
		X	Drainage basin divides and subdivides
		X	Existing drainage structures on and adjacent to the site
		X	Nearby watercourses
		[X]	Lakes, streams, wetlands, channels, ditches, etc.
		X	Limits of the 100-year floodplain
X			Practice location/layout/cross sections
K			Construction Details
		X	Name of receiving waters
[X]			Site description/Nature of construction activity
₩.			Sequence of construction
X			Estimate of site area and disturbance area
	X		Pre- and post-developed runoff coefficients
X			Description of proposed controls, including
X			Interim and permanent stabilization practices
X			Practices to divert flow from exposed soils
X			Practices to store flows or trap sediment
K			Any other practices proposed to meet ordinance
X			Existing topography of the site and all areas within 50 feet of the site shown at a one foot contour interval using City of Waukesha datum. Existing contours shown as thin, dashed screened or grey lines with a readily discernable heavier line used for the 5-foot contour intervals.
X			Proposed grading shown at a contour interval of 1 foot using City of Waukesha datum. Proposed contour lines shown as solid medium lines, with a discernible heavier line use for the 5-foot contour intervals.
X			List the total disturbed acreage including offsite areas.
X			Provide free survey in accordance with City Erosion Control Ordinance
NZ.			Proposed limits of disturbance including proposed tree cutting areas.
		X	Location and dimensions of all temporary topsoil and dirt stockpiles.
X			Location and dimensions of all appropriate best management practices (BMP).
K			Phasing of BMP's with the construction activities listed / described.
	Ø.		Schedule of anticipated starting and completion date of each land disturbing and land developing activity, including the installation of the BMP measures that are needed.
			Location of all channels, pipes, basins or other conveyances proposed to carry runoff to the nearest adequate outlet, including applicable design assumptions and computations.


<b>2</b>		Areas to be sodded or seeded and mulched or otherwise stabilized with vegetation, describing the type of final vegetative cover.
X		Areas of permanent erosion control (other than vegetation).
X		Boundaries of the construction site
X		Drainage patterns/slopes after grading activities
X		Areas of land disturbance
	X	Locations of structural and nonstructural controls
<b>X</b>		Drainage basin delineations and outfall locations

### Optional Submittals as Determined by Review Authority

YES	NO	N/A	
			Traffic impact analysis
			Environmental impact statement
			Plot of effect of exterior illumination on site and adjacent properties
			Description of any unusual characteristics
			Street perspectives showing view corridors
			Historic site
			Economic feasibility study
			Contaminated Waste Site

I hereby certify that I have reviewed the City ordinances and provided one (1) full-sized set of all required information along with all the required reduced copies of plans.

Applicant's Signature:



Project Name: Neenah Enterprises - Storage Yard Expansion

Engineer & Design Firm: CJ Engineering

### **Stormwater Management Plan**

Attachment D (Rev 04/18)

g		5.9				
70			STORM WATER MANAGEMENT PLAN WORKSHEET			
for site p construct manage protect t land dev Stormwa calculati	cted and ment cri he safet relopment ater Man ions, star	ew. A Strimplementeria, as y and he activity agementer by	equires a Stormwater Management Plan to be submitted with the proposed development plans formwater Management Plan is a document describing the storm water management practices sented within the proposed development to ensure compliance with the storm water set forth by the City of Waukesha. The purpose of a Stormwater Management Plan is to eath of the public, property and aquatic environment from the threats due to storm water from y. The worksheet will provide a basis to the information that shall be provided when preparing a at Plan for a proposed development. This Plan shall include a set of complete plans and or a registered professional engineer.  At Plans are required as listed in City Code Book Chapter 32.06(b)			
			Exemptions for Design and Plan Requirements			
YES	NO	N/A				
	X		Site is associated with agricultural or sylvicultural activities			
	Design Requirements: Total Suspended Solids					
YES	YES NO N/A					
[2]			Site is a New Development – 80% Reduction must be met			
			Site is an Infill Development – 80% Reduction must be met			
			Site is a Redevelopment – 40% Reduction must be met			
			Site has areas of New Development and Redevelopment			
X			Calculations for % Reduction are included in the plan (WinSLAMM input and output)			
KI KI						

Design Requirements: Peak Discharge

Storm water Management Facilities to address Peak Discharge are designed

according to Chapter 32 of City Code Book and DNR Technical Standards - Check

☐ Proprietary Devices ☐ Other (specify):

☑ Wet Detention Basin
☐ Bio Retention Basin

☐ Other (specify):

YES

NO

N/A

all that apply:

□ Swales


The state of	Design Requirements: Infiltration						
YES	NO	N/A					
X			Hydraulic Soil Type:				
			☐ Soil Type A – Proceed				
			☐ Soil Type B – Proceed				
			☑ Exemption or Exclusion – Provide documentation				
		X					
			Post-Development Infiltration Performance Standards:				
		□ 90% of Pre-Development Infiltration volume met □ 1% of site – Maximum Effective Infiltration Area  Medium Imperviousness. Ex: Medium and high density residential, multifamily,industrial, institutional, office park.					
			☐ 1% of site — Maximum Effective Infiltration Area				
		ΓXI	Medium Imperviousness. Ex: Medium and high density residential, multi-				
family,industrial, institutional, office park.							
Post-Development Infiltration Performance Standards:  □ 40%-80% Connected Impervious Surface		Post-Development Infiltration Performance Standards:					
			☐ 40%-80% Connected Impervious Surface				
			☐ 75% of Pre-Development Infiltration volume met				
			☐ 2% of site – Maximum Effective Infiltration Area				
		K	High Imperviousness. Ex: commercial strip malls, shopping centers, commercial				
_							
			Post-Development Infiltration Performance Standards:				
			☐ Greater than 80% Connected Impervious Surface				
			☐ 60% of Pre-Development Infiltration volume met				
		X	Site has parking lots and new road construction:				
	☐ Pretreatment included ☐ 10% Infiltration of the runoff from the tow-year, 24-hour design store		☐ Pretreatment included				
			☐ 10% Infiltration of the runoff from the tow-year, 24-hour design storm with				
			Type II Distribution				
		X	Calculations of Infiltration Volumes are included in the plan and model input and				
			output (WinSLAMM)				
		X	Exclusions for Infiltration:				
			☐ Tier 1 Industrial Facility				
			☐ Storage and Loading Areas of Tier 2 Industrial Facility				
			☐ Fueling and Vehicle Maintenance Facility				
			☐ Areas within 1,000 feet up gradient of Karst Features				
			☐ Areas within 100 feet downgradient of Karst Features				
			☐ Areas with < 3 feet of separation from bottom of Infiltration System to				
			seasonal high groundwater or top of bedrock (does not prohibit roof runoff)				
			☐ Areas with runoff from industrial, commercial and institutional parking lots				
			and roads with < 5 feet separation from bottom of infiltration system to				
1			elevation of seasonal high groundwater or top of bedrock				
			☐ Areas within 400 feet of community water system well				
			☐ Areas within 100 feet of private well				
			☐ Areas where contaminants of concern (defined by NR720.03(2) are present				
			in the soil through which infiltration will occur)				
			☐ Area where soil does not meet any of the following characteristics between				
			bottom of infiltration system and seasonal high groundwater and top of				
			bedrock:				
			☐ At least 3-foot soil layer with 20% fines or greater				
			☐ At least 5-foot soil layer with 10% fines or greater				

YES	NO	N/A		
X			Exemptions for Infiltration:	
		ĺ	☑ Areas where infiltration rate < 0.6 inches/hour	
			☐ Parking Areas and Access Roads less than 5,000 square feet for commercial	
			and industrial	
		.	☐ Redevelopment Post-Construction Sites	
			☐ Infill Development < 5 acres	
			☐ Infiltration during periods when soil on the site is frozen	
			☐ Roads in commercial, industrial and institutional land uses	
			☐ Arterial Roads in Residential land uses	
		<b>K</b> )	Storm water Management Facilities to address Infiltration are designed according to Chapter 32 of the City Code Book and DNR Technical Standards – Check all that apply:	
			☐ Bio Retention Basin	
		i	☐ Infiltration Basin/Rain Garden	
			☐ Infiltration Trench	
			☐ Other (specify):	
	×.		Soil and Site Evaluation Report per DNR Technical Standards.	
			Design Requirements: Protective Areas	
YES	NO	N/A		
X			Impervious areas are outside protective area. If not, provide a written explanation.	
	K		Land disturbing activities are within a protective area. If Yes, check all that apply:	
			☐ If no impervious area is within protective area, adequate sod or self-sustaining vegetative cover of 70% or greater shall be established.	
			Adequate sod or self-sustaining vegetative cover is sufficient for bank stability, maintenance of fish habitat and filtering of pollutants from upslope overland flow areas under sheet flow conditions.	
			□ Non-Vegetative materials are employed on the bank as necessary to prevent erosion (steep slopes, high velocity areas).	
	(X)		Best Management Practices are located within the protective area – Check all that	
	_	-	apply:	
			□ Filter Strips	
			□ Swales	
			☐ Wet Detention Basins	
			☐ Other (specify):	
	X		Non-Applicable Areas Apply:	
			☐ Structures that cross or access surface water (boat landing, bridge, culvert)	
			☐ Structures constructed in accordance with Section 59.692(1v) Wisconsin	
			Statutes:	
			☐ Post-Construction Runoff does not enter surface water except to the extent	
	1	<u> </u>	that vegetative groundcover necessary for bank stability	
VEC	NO	NI/A	Design Requirements: Fuel and Maintenance Facilities	
YES	NO	N/A	Are Fuel and Maintenance Facilities on the Site?	
		X		
		X	Are Best Management Practices designed to reduce petroleum within runoff (no visible sheen)?	

	Design Requirements: Swale Treatment for Transportation Facilities				
YES	NO	N/A	Does the site use swales for runoff conveyance and pollutant removal for transportation		
		X	facilities? If Yes, must have the following:  Groundcover:  Vegetated  Non-Vegetated where appropriate to prevent erosion or provide runoff treatment (riprap, check dams)  Swale Velocity Control:  Swale is 200 feet or more in length with a velocity no greater than 1.5 feet per second for the two-year, 24-hour design storm or two-year storm with duration equal to time of concentration  Swale is 200 feet or more in length with velocity > 1.5 feet per second then velocity is reduced to maximum extent practicable. Written explanation stating why requirement of > 1.5 feet per second cannot be met		
			With todalionious of a 1.0 look por obsolid dulinor be mor		
		IX.	Exemptions Apply:  Average Daily Vehicles > 2,500 and initial surface water of the state that runoff directly enters is any of the following:  An outstanding resource of water (ORW)  An exceptional resource water (ERW)  Water is listed in Section 303(d) of the Federal Clean Water Act and is		
			identified as impaired in whole or in part due to non-point source impacts  ☐ Water where targeted performance standards are developed under NR 151.004 of the Wisconsin Administrative Code to meet water quality standards		
			Plan Requirements		
YES	NO	N/A			
X			Provide permit application form, including contact information (name, address, telephone number) for the landowner, developer, land operator, certified project engineering, responsible party for installation of storm water management practices, responsible party for long-term maintenance of the storm water management practices.		
	[X]		Legal Description of proposed development.		
X			Narrative describing the proposed development.		
X			Brief summary of Design Criteria and methods used for development of Storm Water Management Practices.		
	K)		Storm Water Management Maintenance Agreement shall be included with the Storm Water Management Plan (see Storm Water Management Maintenance Agreement template for additional information required).		
X			Certification by a Wisconsin registered professional engineer.		
	X		Financial Guarantee.		

or more	site m	aps at	Characteristics for Pre/Post Development conditions shall be delineated by one (1) a scale of not less than one (1") inch equals two hundred (200') feet. The map(s)		
,			num, the following information:		
YES	NO	N/A			
凶			Site Location and Legal Description.		
X			Pre-developed and revised topography by contours related to USGS survey datum or other datum approved by City. The topographic contours of the site shall not exceed 2 feet. The topography shall extend at minimum 100 feet outside the site boundaries to show runoff patterns onto, through and from the site.		
		K)	One hundred (100) year Floodplain boundary, shore land, environmental corridors, and wetland boundaries shall be delineated if applicable		
		X	All lakes, streams, and other water bodies illustrated on map shall be named as defined on a USGS 7.5 minute topographic map.		
K			Predominant Soil Types and Hydraulic Soil Group Classifications.		
	X		State Plane coordinates of all manhole and inlets with reference to two nearest reference point monuments which shall be Section or ¼ Section corners.		
X			Location, capacity, and dimensions/details of on-site Pre-developed and Post-developed storm water management facilities such as, but not limited to, the following: manholes, pipes, curbs, gutters, curb inlets, filter strips, swales, detention basins, curb cuts, and drainage gates.		
23			Location, extent, detailed drawings, typical cross sections and slope ratios of all predeveloped and post-developed storm water retention and detention areas and drainage ways – list inlet/outlet elevations, permanent water surface elevation, high water surface elevation, and emergency spillway elevation, if applicable.		
K			Location and Elevations at top and bottom of pre-developed and post-developed buildings and structures.		
<b>X</b>			Locations and names of pre-developed and post-developed streets and intersections and the location of parking lots, sidewalks, bike paths and impervious surfaces (excluding single family residences). Map(s) shall clearly differentiate pre-developed and post-developed surfaces.		
X			Delineation and dimensions of all pre-developed and post-developed property boundaries, easements, right-of-way, building setbacks, maintenance easements, and other restrictions.		
Ø			Pre-developed and post-developed land use boundaries, including cover type and condition.		
X			Post-developed land use cover totals for Impervious and Pervious areas as well as permanent water surface area of all storm water management facilities.		
			Delineation of pre-developed and post-developed watershed and sub-watershed boundaries used in determination of Peak flow discharges and discharge volumes from the site. (If the watershed extends beyond the site boundaries, a separate watershed map can be supplied).		
(X)			Location of the pre-developed and post-developed discharge points.		
X			Pre/Post developed directional Flow Paths used to calculate existing/proposed time of concentrations.		
X			Location of the Emergency Overland Flow.		
		[X]	Location of any Regional Treatment Options (if applicable).		
		Ø	Identify all pre-developed land cover features, such as, natural swales, natural depressions, native soil infiltrating capacity and natural groundwater recharge areas.		
		X	Location of any protective areas within the site.		
		X	Location of wells located within 1,200 feet of pre-developed and post-developed Storm Water Detention Basins, Infiltration Basins, or Infiltration Trenches.		
		X	Delineation of Wellhead protection areas defined under NR 811.16		

	Supportive Information and Calculation summaries shall be supplied for all storm water management requirements as dictated in the checklist under Design Requirements:					
YES	NO	N/A				
Ø			developed and post-developed watershed, sub-watersheds, and land use areas es, watershed shall be delineated by property lines).			
X			Pre-developed and post-developed impervious areas (acres).			
X			-developed and post-developed Runoff Curve Numbers.			
X			Pre-developed and post-developed Time of Concentration.			
X			Pre-developed and post-developed peak flows for the 2-year, 10-year and 100-year, 24-hour storm events for each discharge point.			
X			Total suspended solids removal computations to show compliance.			
П		X	Design computations for the runoff volume of the pre-developed and post-developed conditions to show compliance with the infiltration requirements.			
Ū.			Design computations for all storm water drainage facilities such as, but not limited to, inflow/outflow rates, hydrographs, water surface elevations, outlet design computations, runoff discharge volume, velocities, and stage/storage data.			
X			Design computations for the 10-year Rational Method flows for all proposed storm conveyance systems.			
		K	nputation of the available downstream capacity flowing full, overflow level of ditches the top of the upstream end of the pipe for any culverts.			
		X	nputation of the downstream capacity using the 5-year rational storm.			
		X	ail water analysis included in storm water design for 2-year, 10-year and 100-year torm events.			
Ď			esign computations to illustrate compliance with pollutant loading criteria (Storm /ater Quality Management practices) with pre- and post-storm water management icilities.			
K			arrative describing all assumptions that were deemed appropriate for design.			
<b>∑</b>			eatures.			
		X	Explanation of restrictions on Storm Water Management practices by wellhead protection plans (if applicable).			
X			Results of investigations of soil and groundwater required for installation of Storm Water Management practices.			
		K	Impact assessment results on Wetland Functional Values (if applicable).			
X			Storm Water Management practices installation schedule.			
		X	Cost estimate for the construction, operation and maintenance of each Storm Water Management practice.			
		X	Any additional information that the City, or designee, may need to evaluate the impacts of the storm water discharge quality and quantity on the existing area and existing utilities.			




# **Landscape Plan Checklist**

Attachment I (Rev 04/18)

Project Name:	Neenah Enterprises - Storage Yard Expansion
Engineering & [	Design Firm: CJ Engineering

			neral design considerations only:			
YES	NO	N/A				
X)			Show easements			
X)			Location and footprint of any and all buildings			
X			Dimensions of development site along property line			
<b>Q</b>			Existing and proposed streets			
[X]		<u> </u>	Pedestrian and vehicular access points			
X			Location and dimensions of parking lots, etc.			
[X]			Location and dimensions of all existing or planned easements			
123			Location and dimensions of snow removal and storage areas			
		凶	ocation and dimensions of outdoor lighting fixtures			
		凶	nterior parkway provided			
		<b>K</b>	Parkway provided			
		X	Buffer strip provided			
		X	Dumpster enclosure details			
		K)	Parking lot landscaping			
		K	Utility/mechanical equipment screened			
X			Service area screened			
		X	Location of freestanding signs			
		X	Walls and fences shown			
X)			Location of utilities			
X			Existing and proposed contours and grades, including berm elevations			
<u>[X]</u>			Location, name and size of proposed plant materials			
X			Specifications of all types of all proposed ground cover, i.e., seed, sod, etc.			
IXI			Location, species, and size of existing trees			
X			Clear identification of trees to be removed			
X			Square footage of parking lot area			
		X	Tree protection plan			



# **Reviewing Departments**

Attachment K (Rev 01/18)

Department	Contact Person	Areas of Review
Community Development – Planning	Maria Pandazi, City Planner > (262)-524-3530	Planning requirements
Community Development	Jennifer Andrews, Development Director (262)-524-3750	General information
Fire Department	Brian Charlesworth, Fire Marshall (262)-524-3651	Fire safety and protection
Waukesha Water Utility	Chris Walter, P.E., Technical Services Manager > (262)-901-5886	Water requirements
Community Development – Building Inspections	Kristin Stone, Chief Building Inspector (262)-524-3530	Building requirements
Parks Department	Dave Rauterberg, City Forester > (262)-650-2545	Tree protection and landscaping
Public Works Engineering	David Buechl. > (262)-524-3600	City Engineering
Transit	Brian Engelking, Transit Manager > (262)-524-3636	Public transportation