



BUILDING SPECS & INFORMATION

**DELIVERY*
AND
INSTALLATION
INCLUDED**



Hi, I'm your local Tuff Shed® Area Sales & Design Specialist. I can help you with your building questions and orders.

Philip Oresick
poresick@tuffshed.com
 224-580-7207



Scan the QR code to visit our Products page. Click the link for available sizes, styles, and current prices.

Find building specs and prices and configure your building online at homedepot.com/tuffshed
 Call 1-888-883-3743 • See Associate

PAINT

BRICK DUST, BRICK DUST, BRICK DUST, BRICK DUST, BRICK DUST

Tuff Shed® offers 24 colors of quality paint. Colors shown here are approximations. Actual paint swatches available inside the paint department or at homedepot.com/tuffshed



VINYL SIDING

*PAINT 200.00
300.00 616*

Now available on all The Sundance Series® Ranch sheds, Lean-To sheds and Garages. No Barns or Keystone Series® sheds.

- Doors, Door Trim, Window Trim and Eave Trim are LP® SmartSide® Siding and Trim, and will be painted white.
- Corner trim will be white vinyl.
- (6) Six vinyl choices available:



These additional required items will be AUTOMATICALLY ADDED (along with corresponding charges) when selecting Vinyl Siding:

- Housewrap – This vapor barrier will be placed between the siding and the underlayment.
- Endwall Eave Overhang – This upgrade is required for proper installation and protection of vinyl in upper wall gable.

HD_D0138 Vinyl - Effective 110124

5
YEAR LIMITED WARRANTY

THE SUNDANCE SERIES® SR-600

This popular ranch style shed has been a mainstay of the Tuff Shed® product line for years. The 6'2" tall shed door (6' tall on 6' wide models) fits on the endwall. Shown here with paint upgrade.

- 2x6 Galvanized Steel Foundation
- 4'x6'2" Steel Reinforced Tuff Shed® Door*
- Endwall Door Placement
- 5'8" Clear Interior Sidewall Height
- 16" On Center 2x4 Wall Framing
- 4" Block Sidewall Eave



Available with HOA Friendly Wall Height

5
YEAR LIMITED WARRANTY

THE SUNDANCE SERIES® TR-700

Our most popular model, the TR-700 offers a foot more sidewall height than the SR-600, allowing for endwall or sidewall door placement. Shown here with paint upgrade.

- 2x6 Galvanized Steel Foundation
- 4'x6'2" Steel Reinforced Tuff Shed® Door
- Endwall or Sidewall Door Placement
- 6'8" Clear Interior Wall Height
- 16" On Center 2x4 Wall Framing
- 4" Block Sidewall Eave



5
YEAR LIMITED WARRANTY

THE SUNDANCE SERIES® TB-600

The TB-600 provides a barn style roof with The Sundance Series® upgraded features. Shown here with paint upgrade.

- 2x6 Galvanized Steel Foundation
- 4'x6'2" Steel Reinforced Tuff Shed® Door
- Endwall Door Placement
- 5'8" Clear Interior Sidewall Height
- 16" On Center 2x4 Wall Framing
- 3" Flat Sidewall Eave




5
YEAR LIMITED WARRANTY

SUNDANCE SERIES® TB-700

The TB-700 features 7' tall sidewalls, allowing for more overhead room and door placement options. Shown here with paint upgrade.

- 2x6 Galvanized Steel Foundation
- 4'x6'2" Steel Reinforced Tuff Shed® Door
- Endwall or Sidewall Door Placement
- 6'8" Clear Interior Sidewall Height
- 16" On Center 2x4 Wall Framing
- 3" Flat Sidewall Eave



GARAGES

5
YEAR LIMITED WARRANTY

THE SUNDANCE SERIES® RANCH GARAGE

Standard and custom sizes and designs to match the architecture of your home. Includes standard overhead door up to 16' wide and a 6-panel 3'x6'8" residential door. Shown here with paint upgrade. Concrete work **not included** in price.

- 3'x6'8" 6 Panel Residential Door
- Standard Overhead Door (up to 16'w & 7'h)
- 8'1" Clear Interior Wall Height
- 16" On Center 2x4 Wall Framing
- 12" Soffited Sidewall Eaves (Optional on Endwalls)



Concrete Foundation Required

DELIVERY* AND INSTALLATION INCLUDED



Call Today 1-888-883-3743

THE TUFF SHED® DIFFERENCE

The Tuff Shed® Sundance Series® and Keystone Series® of backyard buildings and garages are available exclusively through The Home Depot®. We've used our decades of experience to develop unique and patented building features, and a solid understanding of what it takes to design, manufacture and install buildings.


PRODUCT FEATURES INCLUDED IN TUFF SHED® BUILDINGS

Tuff Shed® storage buildings include great standard features top to bottom, with no need to pay extra for things like installation, shingles or floor system.

BETTER FLOOR

Solid Floor Systems from the Ground Up

- ✓ Heavy-Duty 3/4" Tongue & Groove Floor Decking
- ✓ Joists Designed to Resist Insect & Moisture Damage
 - 2x6 Hot Dipped Galvanized Steel w/ 40-Year Rating (The Sundance Series® Sheds)
 - 2x6 Pressure Treated Wood, Rated for Ground Contact (The Keystone Series® & 2-Story Buildings)
- ✓ Aluminum Door Threshold Protects the Floor Where Most Vulnerable



BETTER WALLS

Walls Designed for Lasting Durability

- ✓ LP® SmartSide® Engineered Wood Siding Treated to Resist Insect & Moisture Damage and Covered by a 5/50-Year Limited Warranty
- ✓ 2x4 Wall Framing w/Bottom & Top Plates
 - Wall Studs Placed 16" On Center (The Sundance Series®)
 - Wall Studs Placed 24" On Center (The Keystone Series®)



Since being founded in 1981, Tuff Shed® has held strong to its commitment to providing quality products and service, and has been named Home Depot's Service Provider of the Year three times (2007, 2015 and 2023).

BETTER DOOR

Setting the Industry Standard for Shed Doors

- ✓ Steel Reinforced so it Won't Warp
- ✓ Patented "Sandwiched" Design
- ✓ Patented Ultra-Heavy Duty Hinges
- ✓ Rugged & Patented Locking Door Handle



NEW UPGRADE

Keyless Door Handle

Enjoy the extra convenience and security of our new optional digital keyless entry system.



BETTER ROOF

A Roof System with Layers of Strength

- ✓ Composite Shingles
 - 3-Tab Shingles w/25-Year Limited Warranty
- ✓ Protective Steel Drip Edge Around the Perimeter
- ✓ Roofing Underlayment (The Sundance Series®)
- ✓ Engineered 2x4 Rafters & Trusses Joined w/Steel Plates



UPGRADES

MOST POPULAR UPGRADES

Shelving (16" & 24" deep)
Wall Vent (16"x8", 16"x4" or 12"x12")
Radiant Barrier Roof Decking
Dimensional Shingles with Lifetime Warranty
Heavy-Duty 3/4" Treated LP® ProStruct Flooring w/ SmartFinish
Double Shed Door Upgrade (3'x6'2" & 3'x6'7" tall)

WINDOWS & ACCESSORIES

Skylight (2'x2', 2'x4')
Insulated Windows
Tempered Glass Transom Window (16"x8")
Shutters
Premium Vinyl Window Box

SHED DOOR & ACCESSORIES

Additional Single Shed Door (4'x6'2" & 4'x6'7")
Black Door Hardware (single / double[†])
Door Trim Upgrade (single / double[†])
In-Door Transom Window (29"x8" & 41"x8")
Security Package
Digital Keyless Door Handle

DOOR UPGRADES (IN LIEU OF STANDARD SHED DOOR)

6 Panel Entry Door (3'x6'8")
Fan-Lite Entry Door or 9-Lite Entry Door (3'x6'8")

RAMPS

Regular-Duty Ramps with Sill Nose
Heavy-Duty Ramps with Sill Nose

INTERIOR OPTIONS

Workbench (24" deep)
Overhead Loft
Pegboard Panels

VENTS

Ridge Vent
Floor Track Vent
Flood Vent

ROOF & FLOOR OPTIONS

Metal Roof Upgrade
2nd Story Upgrade (TB-800 only)
Roof Pitch Upgrade[‡]
Endwall Eave Upgrade[‡]
Clerestory Roof Upgrade (TR-800 only)
Dormer Roof Upgrade (TR-800 only)

SERVICES

Generator Rental • Leveling • Engineering • Permitting

Availability of certain upgrades may vary by model and market. [†]Required double door upgrade sold separately. Transom Windows are available on Sundance Series buildings only. [‡]Roof Pitch and Endwall Eave Upgrades available on Sundance Series Ranch Style Buildings Only.

See more upgrades at [homedepot.com/tuffshed](https://www.homedepot.com/tuffshed)

DESIGN & ORDER YOURS TODAY

Find building specs
and prices and configure
your building online at
[homedepot.com/tuffshed](https://www.homedepot.com/tuffshed)



Scan the QR code to visit our
Products page. Click the link for
available sizes, styles,
and current prices.

Call 1-888-883-3743 • See Associate

PERMIT SERVICES

Tuff Shed® offers professional permit
assistance for a small fee to help with
your project.



TWO GREAT WAYS TO PAY



Finance Your Projects Now with Home
Depot Credit and make Monthly Payments.

*Free delivery on new buildings installed within 30 miles of The Home Depot store where purchase was made. For installation sites beyond the 30 mile radius, a delivery charge of \$2 per mile for any one-way miles will apply. Customer is responsible for neighborhood covenants, building permits and site preparation. In some areas installation of storage buildings is not permitted. Please determine your local building rules and regulations concerning installation before considering a purchase. The specifications of the base building may vary according to the building code requirements of the jurisdiction where the job site is located. Required variations from our base building plans may increase building price. For delivery addresses located in High Wind Zones or other jurisdictions with known special building requirements, mandated items will be added to your order, thus increasing the building price. Prices are subject to change at any time without notice. Please refer to Tuff Shed® building configurator at [homedepot.com/tuffshed](https://www.homedepot.com/tuffshed) and enter delivery zip code to see available products and current prices. As built, product is not designed or intended to be a habitable dwelling. If after installation, customer attempts to convert building into a habitable dwelling, customer does so at his/her own risk and releases all parties from any and all liabilities. *Loan product has four tiers with Term and APR subject to qualifying credit approval: 66 monthly payments at 7.42% APR; 78 monthly payments at 12.85% APR; 90 monthly payments at 16.24% APR; or 114 monthly payments at 19.56% APR. Monthly payments will not exceed \$20 per \$1000 spent (e.g., \$180 per month for an \$8000 purchase), APR fixed for the life of the loan. No down payment. See loan agreement for further details. LICENSES: NMLS #1416362; CT SLC-1416362; NJ MT #1501607 C22. Building heights are approximations, are rounded to the nearest inch and may vary. Clear interior sidewall heights are measured from top of floor decking to top of wall framing plates. Overall heights are measured from bottom of joist material to building peak. 6'0" door height on 6' wide models of SR-600 and KR-600. Buildings include many components (i.e. lumber, steel floor joists, windows, doors, etc.) that use nominal measurements. These measurements do not include inch marks ("). Have some variance, and have actual sizes that will always be smaller than nominal sizes. For example, a 2x4 has an approximate actual size of 1 1/2" x 3 1/2". Cancelled orders subject to a restocking fee. Additional restrictions apply.

State Contractor License #'s:

AL) 17726, AR) 152480917, AZ) ROC142570, CA) 661664, CT) HIC.0652295, DE) 2018605715, FL) CBC1253645, GA) RLQA003753, IA) C000431, ID) RCE-82, IL) 104.014983, IN) TID: 0114664021, KS) 15-004751, LA) 87665, MA) 192914, MI) 2102181478, MN) BC559638, MS) R07451, MT) 14/7860, NE) 23180, NV) 35208, NJ) 13VH02581800, NM) 33620, NC) 63616, ND) 35559, OH) 89758117, OR) 105914, PA) PA118565, RI) 42394, SC) G112952, TN) 00058042, UT) 251787-5501, VA) 2705115435, WA) TUFFS*038RZ, WV) WV057314, WI) 1002302

©2024 Tuff Shed®, Inc. All rights reserved. Tuff Shed®, The Sundance Series®, and The Keystone Series® are registered trademarks of Tuff Shed®, Inc.



420

HD_D0138 Vinyl - Effective 110124